

بسم الله الرحمن الرحيم



-Call 6000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار














بالرسالة صفحات لم ترد بالأصل





SURFACE AND SUBSURFACE STRUCTURAL FEATURES CONTROLLING URANIUM MINERALIZATION AT GRANITIC-HAMMAMAT CONTACT, WADI BELIEH, NORTHERN EASTERN DESERT, EGYPT

A Thesis Submitted For the Degree of Doctor of Philosophy in Geology

By

Nabil Farouk Amin

B. Sc & M.Sc

To Faculty of Science Ain Shams University



Title of the Ph. D. thesis

SURFACE AND SUBSURFACE STRUCTURAL FEATURES CONTROLLING URANIUM MINERALIZATION AT GRANITIC-HAMMAMAT CONTACT, WADI BELIEH, NORTHERN EASTERN DESERT, EGYPT

Name of the candidate **Nabil Farouk Amin**

Submitted To Faculty of Science Ain Shams University

Supervision committee:

Prof. Dr. Mahmoud Sami Yousif Department of Geology

Faculty of Science Ain Shams University

Prof. Dr. Mahmoud Hani Shalaby Nuclear Materials Authority

Cairo, Egypt

Prof. Dr. Darweesh M. El Kholy Nuclear Materials Authority

Cairo, Egypt

Dr. Hamed M. Dowidar Department of Geology

Faculty of Science Ain Shams University



To the souls of my mother, my father and my mother in law.

To my wife And my beloved family

Contents

Subject	Page
ACKNOWLEDGEMENTS	
List of figures	
List of tables	
ABSTRACT	
CHAPTER I Introduction	1
I.1. General Statement	1
I.2. Location and topography	3
1.3. Previous work	3
1. 4. Scope and aims of the present study	14
CHAPTER II Geological Setting	15
II.1. Introduction	15
II.2. Geology	15
II. 2.1. Hammamat sedimentary rocks	17
II. 2. 2. Younger Granites (medium grained biotite granites)	22
II. 2.3. Dykes	24
II. 3. Structural outline	25
II. 3. 1. Folds	25
II. 3. 2. Faults and Shear zones	27
II. 4. Uranium mineralization and ore controlling factors	31
II. 4. 1. GV U-occurrence.	31
II. 4. 2. Discussion on the Origin of GV uranium occurrence	32
CHAPTER III	34
Surface and subsurface geological features	34
III.1. Introduction	34

III.2. Surface mapping	34
III. 3. Lithologic succession	38
III. 3. 1. Hammamat sedimentary rocks	38
III. 3. 1. 1. Alteration features	39
III. 3. 1. 2. Mineralized Hammamat sedimentary rocks	40
III. 3. 2. Younger granite	42
III. 4. Geological features of the contact zone	43
III. 5. Subsurface mapping	48
III. 5. 1. Steps of field in – situ documentation	48
III. 5. 2. Subsurface geological features	48
III. 5. 3. Surface and subsurface features of the mineralized zones.	53
CHAPTER IV Structural setting of G-V	55
IV. 1. Introduction	55
IV. 2. Geological and structural subsurface mapping	62
IV. 3. Subsurface non –mineralized faults and fractures of the G-V	63
tunnel	
IV. 4. Subsurface uranium mineralized trend	64
CHAPTER V Radioactivity and Uranium Mineralization	65
V.1. Introduction	65
V.2. Procedures	66
V.2.1. Field procedures	66
V.2.2. Laboratory procedures	67
V.3. Distribution of total radioactivity	67
V.3.1. Surface radioactivity	67
V.3.2. Subsurface radioactivity	69
V.4. Uranium mineralized zones	70
V.4.1. Uranium mineralized zone G13	73
V.4.2. Uranium mineralized zone G14	74

V.4.3. Uranium mineralized zone G15	74
V.4.4. Uranium mineralized zone G16	75
V.4.5. Uranium mineralized zone G17	76
V.4.6. Uranium mineralized zone G18	77
V.5. Uranium mineralized zone at G-V open pit	78
V.6. Subsurface uranium mineralized zones	83
1. Radioactive anomalous zones in the tunnel	83
a. Uranium mineralized zone No. 1	83
b. Uranium mineralized zone No. 2	86
CHAPTER VI Summary and conclusion	88
References	93
الملخص العربي	1

ACKNOWLEDGEMENTS

Sincere thanks and gratitude are to Prof. **Mahmoud S. Yousif**, the professor of geology and Dr. **Hamed M. Dowidar** at Geology Department, Faculty of Science, Ain Shams University for proposing and planning this investigation and whose continuous encouragement, valuable suggestions, capable supervision and reading throughout the manuscript have rendered the realization of this work to be possible.

Sincere gratitude and deep thanks are also to Prof. Mahmoud H. Shalaby, and Prof. Darweesh M. El Kholy at the Nuclear Materials Authority (NMA), for their valuable guidance and helping throughout the period of research.

The auther is most obliged to his brother Dr. Hamdy Farouk for his sincere efforts during the editting of the manuscript and to the researchers and colleagues at (NMA) especially Dr. Hesham Kamal, Dr. Yassin A. Abdel-Razek, Dr. Hosam A. Khamis and Mr. Hesham Abdel-Hamid for their helping throughout the period of research.

List of figures

	Subject	Page
Figure (1)	Location map of Gattar Uranium prospect area,	
	Gabal Gattar, Northern Eastern Desert, Egypt.	2
Figure (2)	location map of Gattar- V prospect area Gabal	
	Gattar ,Northern Eastern Desert, Egypt	4
Figure (3)	Geological map for the northern part of G. Gattar. Scale 1:10000	16
Figure (4)	Photograph showing Hammamat sedimentary rocks at the southern flank of W. Beleih in contact with the younger granites of G. Gattar.looking NE	19
Figure (5)	Photograph showing abundant xenoliths of HammamatSediments in Gattar granite having different shapes. At the southern flank of W. Beleih in contact with the younger granites of G. Gattar. Looking SE	20
Figure (6)	Photograph showing Hammamat bedding near the contact of the granites especially at the siltstone and the mudstone horizons.	21
Figure (7)	Rose diagram showing the attitude of the different measured dykes in G. Gattar.	26
Figure (8)	Rose diagram showing the attitudes of the different	20
	measured faults in G. Gattar.	30
Figure (9)	Detailed surface geological and structural mapping	
	on scale 1: 200m for G-V uranium occurrence.	26
Figure (10)	Sketch map showing a cross section of the profile A-	36
	A' drawn on 1:200.	37
Figure (11)	Photograph showing hematitized and bleached	
	mineralized Hammamat sedimentary rocks.	41
Figure (12)	Photograph showing the variation in color of granite due to the alterations.	43

Figure (13)	observed along the contact between Hammamat sedimentary rocks (Hm) and yonger granite (Gr) looking SE.	44
Figure (14)	Photograph showing Hammamat xenolith of lensoid shape in Gattar granites in contact zone (G-V occurrence). Looking SE	45
Figure (15)	Photograph showing episyenitized granite.	46
Figure (16)	Photograph showing hematitization process recorded as a common by-product of episyenitization.	47
Figure (17)	Subsurface geological and structural map showing minerlization zones in G-V ming works on scale 1: 50.	50
Figure (18)	Aplite dykes (10cm thick) indruded into the Hammamat sedimentary rocks. Main adit meter (44) G-V mine. Looking SE.	51
Figure (19)	Photograph showing the alteration features represented by strong hematitization associated with the radioactive anomaly No.2.	52
Figure (20)	Skech map showing the relation between surface and subsurface mineralized zone, at G-V occurrence.	54
Figure (21)	Rose diagram showing the attitudes of different measured surface faults and fractures at G-V uranium occurrence.	57
Figure (22)	Rose diagram showing the attitudes of different measured subsurface faults and fractures at the tunnel of G-V uranium occurrence.	58
Figure (23)	Photograph showing some of the measured fractures and joints are filled with quartz veins and veinlets at G-V tunnel. Looking SE.	63
Figure (24)	New uranium occurrences, near the contact at G-V occurrence W. Belieh, Northern Eastern Desert, Egypt.	68
Figure (25)	Radiometric contour map for the U-mineralized zone at G-V occurrence 1-200.	72
Figure (26)	Geological sketch map of the mineralized zone G-15.	75
Figure (27)	Geological sketch map of the mineralized zone G-16.	76
Figure (28)	Geological sketch map of the mineralized zone G-17.	77

Figure (29)	Geological sketch map of the mineralized zone G-18	78
Figure (30)	Detailed geological, structural and radiometrical sketch map of the G-V open pit .	80
Figure (31)	Photograph showing the manganese dendrites at G-V open pit. Looking SE.	81
Figure (32)	Photograph showing the alteration features represented by hematitization, secondary silicification, kaolinitization, and fluoritization in the open pit of GV.Looking SE.	82
Figure (33)	Detailed geological, structural and radiometrical sketch map for the mineralized zone No 1. GV main adit.	84
Figure (34)	Photograph showing strong hematitization silicification, kaolinitization and manganese oxides a mineralized zone No 1. GV main adit.	85
Figure (35)	Detailed geological, structural and radiometrical sketch map for mineralized zone No.2. GV drift	87

List of tables

	Subject	Page
Table (1)	Strike directions and distribution frequency of surface faults and fractures at G-V uranium occurrence	57
Table (2)	Strike directions and distribution frequency of subsurface faults and fractures at the tunnel of G-V uranium occurrence	58