



Microbiological and Molecular studies on Antibiotic producing Rare Actinomycetes

Ph.D. Thesis

Submitted by

Dina Hatem Mohamed Amin

B.Sc., in Microbiology (2007) Faculty of Science, Ain Shams University

M. Sc., in Microbiology (2012) Faculty of Science, Ain Shams University

Supervisors

Dr. Nagwa Ahmed Abd-Allah

Professor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University.

Dr.Sahar Tolba Mohamed

Assistant professor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University.

Dr.Assem Abolmaaty Sayedahmed

Assistant professor of Food Microbiology, Department of Food Science
Faculty of Agriculture, Ain Shams University

Dr. Elizabeth Wellington

Professor of Microbiology, School of Life Sciences, Warwick University, U.K
Microbiological Department

Faculty of science
Ain Shams University

(2018)

Microbiological and Molecular studies on Antibiotic producing Rare Actinomycetes

Protocol of Ph.D. Thesis Submitted by
Dina Hatem Mohamed Amin

B.Sc., in Microbiology (2007) Faculty of Science, Ain Shams University
M. Sc., in Microbiology (2012) Faculty of Science, Ain Shams University

Supervisors

Approved

Prof. Dr. Nagwa Ahmed Abd-Allah

Professor of Microbiology, Microbiology Department, Faculty of Science,
Ain Shams University.

Ass. Prof. Dr. Sahar Tolba Mohamed, Assistant Prof. of Microbiology, Microbiology
Department, Faculty of Science, Ain Shams University.

Ass. Prof. Dr. Assem Abolmaaty Sayedahmed Assistant professor of Food Microbiology
Department of Food Science, Faculty of Agriculture, Ain Shams University.

Prof. Dr. Elizabeth Wellington, Professor of Microbiology, School of Life Sciences,
Warwick University, U.K.

Examination Committee

Professor Dr. Hanan Adly Ghozlan, Vice Dean for Graduate Studies and Research,
Faculty of Science, Alexandria University.

Professor Dr. Soad Ahmed Abdallah Hossein, Faculty of Science (Girls), Ain Shams
University.

Prof. Dr. Nagwa Ahmed Abd-Allah. Professor of Microbiology, Microbiology Department,
Faculty of Science, Ain Shams University.

Ass. Prof. Dr. Sahar Tolba Mohamed, Assistant Prof. of Microbiology, Microbiology
Department, Faculty of Science, Ain Shams University.

Date of Examination: / /

يَسْمَعْ اللَّهُ الرَّحْمَنَ الرَّحِيمَ
وَاتَّقُوا اللَّهَ وَيُعَلِّمُكُمُ اللَّهُ
وَاللَّهُ بِكُلِّ شَيْءٍ عَلِيمٌ

صدق الله العظيم

سورة البقرة الآية رقم (282)

ACKNOWLEDGEMENT

First and foremost, my great praise and sincere thanks should be submitted to **Allah**, the most gracious, and the most merciful and By the grace of **ALLAH**, this research work has been accomplished.

I would like to express the deepest appreciation to Professor **Dr. Nagwa Ahmed Abd-Allah** Professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University, who suggested the topic of this study and has the attitude and the substance of a genius: she continually and convincingly conveyed a spirit of adventure in regard to research and an excitement in regard to teaching. Without her guidance and persistent help, this dissertation would not have been possible.

I want to express my thanks, gratitude and deepest appreciation to **Dr. Sahar Tolba Mohamed**, Assistant professor of Microbiology, Microbiology Department, Faculty of Science, Ain Shams University for her keen supervision, encouragement, valuable advice, careful guidance especially during my scholarship in U.K.

I would like to thank, **Dr. Assem Abolmaaty Sayedahmed**, Assistant professor of Food Microbiology, Faculty of Agriculture, Ain Shams University for his supervision, guidance, support and honest advice throughout this work. He offers precious suggestions to finish this study and I am really grateful for his unlimited support in writing five manuscripts out of this work published in peer-reviewed international journals. He always had time for questions and discussions.

I am indebted to my supervisor **Dr. Elizabeth Wellington** Professor of Microbiology, School of Life Sciences, Warwick University, U.K, for her kind assistance concerning the parts of genomic fosmid library construction, NRPS/PKS screening, and Illumina next-generation gene sequencing. She spared much of her time in fruitful discussions and constructive criticism throughout the practical work.

Thanks to all members of Microbiology Department, Faculty of Science, Ain Shams University. Financial support was provided by Egyptian missions and British council (Newton-Mosharafa program 2015-2016). Molecular methods were performed in lab C123 under the supervision of Professor Elizabeth Wellington, School of Life Sciences, University of Warwick, United Kingdom. Special thanks to Chiara Borsetto for her assistance and help in the lab C123 and Dr. Ahmed Zeen, AGERI center for his interpretation of the chemical analysis data of the extracted antimicrobial substances.

I have no words to express my deep love, appreciation, and heartfelt gratitude to my supreme **Mum** and **Dad**. I am grateful for their endless love and encouragement

throughout my life. My great husband **Ibrahim** and daughter **Jannah**, many thanks for his care, assistance, and support especially during my fellowship in U.K. I appreciate the help of my lovely brother **Omar**, beautiful sister **Raghda** and beloved **grandma**.

I dedicate this thesis to the memory of my adored **grandpa**. He always encouraged me to chase my dreams.

Dina Hatem Mohamed Amin

This thesis has not been previously submitted for any degree at this or any other University

Signed

Dina Hatem Mohamed Amin

CONTENTS

	Page
ABSTRACT	1
INTRODUCTION	3
AIM OF THE WORK	5
REVIEW OF LITERATURE	6
1. Actinomycetes	6
2. Taxonomy of Actinobacteria	8
3. Basics of Actinomycetes identification	9
4. Rare actinomycetes	10
5. Role of rare actinomycetes in antibiotic production	12
6. Factors affecting the antibiotic production	16
7. Molecular approaches for manipulating antibiotic biosynthetic clusters	18
7.1 Screening of Nonribosomal peptide synthetases and polyketide synthases genes	18
7.2 Actinomycetes genomic libraries	21
7.2.1 Fosmids features	21
7.2.2 Fosmid Library Construction	22
7.2.3 Importance of fosmid libraries	23
7.3 Whole genome sequencing (WGS)	24
7.3.1 Illumina genome sequencing	25
7.3.2 Mechanism of action	26
7.3.3 Bioinformatics analysis and Genome assembly	28
7.3.4 Genome annotation	30
7.3.4.1 Identification of biosynthetic gene clusters by anti SMASH	31
MATERIAL AND METHODS	33

1. Microorganism and routine cultivation	33
2. Agar well diffusion method	34
3. Taxonomic characterization of rare actinomycetes.	35
3.1. Morphological characterization	35
3.2. Chemotaxonomy characterization	36
3.3. Biochemical characterization	37
4. Optimization of growth parameters for maximum yield of antimicrobial biosynthesis	40
5. Extraction of the antimicrobial band(s):	41
6. Purification of the antimicrobial extracts:	42
7. Physico-chemical characteristics of pure antimicrobial bands	43
8. Biological evaluation of pure antimicrobial bands	43
9. Statistical analysis	44
10. Molecular Characterization	44
10.1. Isolation of DNA prior to PCR	44
10.1.1. boiling of the mycelia:	45
10.1.2. Phenol-chloroform Extraction of DNA	45
10.1.3. DNA Extraction using Promega Wizard® Genomic DNA Purification Kit	46
10.2. PCR protocols	47
10.2.1. Amplification of partial 16S-rRNA genes	47
10.2.2. Amplification of PKS and NRPS genes	48
10.3. Agar gel electrophoresis	52
10.4. Purification of PCR products	52
10.5. Gene sequencing	53
10.6. Sequence analysis and phylogenetic tree construction:	53
11. Construction of fosmid genomic libraries	54
11.1. Isolation of high molecular weight DNA	56
11.2. Ligation of vector and transformation	58

11.3. Transformation in <i>E. coli</i> cells	59
12. NRPS and PKS PCR screening of actinomycetes genomic libraries	59
12.1 Fosmid DNA extraction from <i>E. coli</i> clones	59
12.2 NRPS and PKS PCR Assay	61
12.3 Bioinformatics analysis of fosmid-derived Open Reading Frames (ORFs)	61
13. Illumina whole genome sequencing	62
13.1 Genomic features and contig assembly	62
13.2 Genome annotation using anti SMASH	63
List of Media	64
RESULTS	70
1. Antimicrobial potential of rare actinomycete isolates	70
2. Taxonomic characterization of the selected two isolates	76
3. Chemotaxonomy characteristic	81
3.1 Cell wall hydrolysis	81
4. Biochemical characteristics:	81
5. Molecular characteristics	82
5.1 PCR amplification of partial 16S rRNA genes	82
5.2 Sequence analysis and phylogenetic tree construction	84
6. Optimization of antimicrobial agent production of the identified strains	92
6.1 Effect of different inoculum size on the production of the antimicrobial agent(s)	92
6.2 Effect of different pH values of the fermentation medium on the production of the antimicrobial agent(s) under shaking cultivation conditions.	94
6.3 Effect of different incubation periods on the production of the antimicrobial agent(s)	95
6.4 Effect of different carbon sources on the production of	97

the antimicrobial agent(s)	
6.5 Effect of different nitrogen sources for the production of the antimicrobial agent(s)	99
7. Fermentation, extraction, and purification of the antimicrobial band(s) produced by <i>Micromonospora</i> sp. Rc5 Fermentation:-	101
7.1 Extraction:-	101
7.2 Purification of the antimicrobial band(s):-	101
7.3 Interpretation of chemical extract of <i>Micromonospora</i> sp. Rc5	102
8. Fermentation, extraction, and purification of the antimicrobial band(s) produced by <i>Streptomyces</i> sp. Ru87 Fermentation:-	111
8.1 Extraction	111
8.2 Purification of the antimicrobial band(s)	111
8.3 Interpretation of analysis of the purified extract of <i>Streptomyces</i> sp. Ru87	113
9. Minimum Inhibitory Concentration (MIC) of the antimicrobial band(s)	121
10. Molecular approaches for identification of antibiotic clusters in the identified strains	122
10.1 PCR screening of PKS and NRPS gene fragments	122
10.1.1 Phylogeny of NRPS gene Clusters of the identified strains	128
10.1.2 Phylogeny of PKS gene Cluster of the identified strains	134
10.2 Construction of rare actinomycetes fosmid libraries	139
10.2.1 PKS and NRPS screening for actinomycetes strains genomic libraries	140
10.2.2 Bioinformatics analysis DNA sequences obtained from <i>E. coli</i> fosmid clones	142
10.3 Illumina Sequencing Genome Notification	144

10.4 Genome mining of whole genome sequences of selected rare actinomycetes strains using antiSMASH analysis	147
DISCUSSION	155
SUMMARY	173
CONCLUSION	176
APPENDIX	177
REFERENCES	189
WEBSITES	208

List of Tables

Table number	Titles	Pages
Table (1):	Fifty Rare actinomycetes genera used in this study were previously selectively isolated using physical and chemical means on different types of selective media.	34
Table (2):	Primers used for the amplification of NRPS and PKS genes.	51
Table (3):	Screening of antimicrobial activity of some rare actinomycetes isolates against pathogens.	73-75
Table (4):	Cultural characteristics of isolates number Rc5 and Ru87 on different types of media.	78
Table (5):	Biochemical characteristics of isolates number Rc5 and Ru87	82
Table (6):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 isolates at different inoculum concentrations against <i>Staphylococcus aureus</i> ATCC 6538	93
Table (7):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different pH values against <i>Staphylococcus aureus</i> ATCC 6538	94
Table (8):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different incubation periods against <i>Staphylococcus aureus</i> ATCC 6538	96
Table (9):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 isolates at different carbon sources against <i>Staphylococcus aureus</i> ATCC 6538	98
Table (10):	Antimicrobial agent production by	100

	<i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different nitrogen sources against <i>Staphylococcus aureus</i> ATCC 6538	
Table (11):	The antimicrobial activities (MIC) of the purified band produced by selected rare actinomycete isolates against <i>Staphylococcus aureus</i> ATCC 6538	121
Table (12):	Blast identity of NRPS and PKS gene fragments of <i>Micromonospora</i> sp. Rc5	126
Table (13):	Blast identity of NRPS and PKS gene fragments of <i>Streptomyces</i> sp. Ru87	127
Table (14):	Bioinformatics analysis of NRPS and PKS positive hits of <i>E. coli</i> fosmid clones.	143
Table (15):	Genome notification of <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 was provided by MicrobesNG	145
Table (16):	The most similar biosynthetic cluster hits recorded by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 whole genomes using antiSMASH database	150

List of Figures

Figure number	Titles	Page
Figure (1):	Outlines showing the construction of fosmid library	23
Figure (2):	Illumina Next Generation Sequencing	28
Figure (3):	pCC1FOS™ Vector Map	55
Figure(4):	Overview of the CopyControl™ System steps.	56
Figure (5):	Antimicrobial activity of rare actinomycetes isolates against pathogens	72
Figure (6):	Macroscopic characteristics of isolate Rc5	79
Figure (7):	Microscopic identification of isolate Rc5	79
Figure (8):	Macroscopic characteristics of isolate Ru87	80
Figure (9):	Microscopic identification of isolate Ru87	80
Figure (10):	Agarose Gel electrophoresis of 16SrRNA genes of isolate Rc5	83
Figure (11):	Agarose Gel electrophoresis of 16SrRNA genes of isolate Ru87	83
Figure (12):	Partial 16S rRNA gene sequences of <i>Micromonospora</i> sp. Rc5 with comparative sequences on the NCBI database using Blastn	86-87
Figure (13):	Phylogenetic tree based on 16S rRNA gene sequences from the strain Rc5 and other <i>Micromonospora</i> species	88
Figure (14):	Partial 16S rRNA gene sequences of <i>Streptomyces</i> sp. Ru87 with comparative sequences on the NCBI database using Blastn	89-90
Figure (15):	Phylogenetic tree based on partial 16S rRNA gene sequences from the strain Ru87 and other <i>Streptomyces</i> species	91

Figure (16):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different inoculum concentrations against <i>Staphylococcus aureus</i> ATCC 6538.	93
Figure (17):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different pH values against <i>Staphylococcus aureus</i> ATCC 6538.	95
Figure (18):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different incubation periods against <i>Staphylococcus aureus</i> ATCC 6538	96
Figure (19):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different carbon sources against <i>Staphylococcus aureus</i> ATCC 6538	98
Figure (20):	Antimicrobial agent production by <i>Micromonospora</i> sp. Rc5 and <i>Streptomyces</i> sp. Ru87 at different nitrogen sources against <i>Staphylococcus aureus</i> ATCC 6538.	100
Figure (21):	TLC crude extract study. (A) Antimicrobial of crude extract on aluminum silica gel TLC plate and (B) Agar diffusion method of a brown band of <i>Micromonospora</i> sp.Rc5 against <i>S. aureus</i> agar diffusion method	102
Figure (22):	LC-MS/MS of a brown band of <i>Micromonospora</i> sp. Rc5	105
Figure (23):	HPLC of a brown band of <i>Micromonospora</i> sp. Rc5	106
Figure (24):	The mass spectrum of the brown band of <i>Micromonospora</i> sp. Rc5	107
Figure (25):	IR analysis of the eluted brown band of	108