Role of MicroRNA-7 and Selenoprotein P in Hepatocellular Carcinoma

Thesis

Submitted for Partial Fulfillment of MD Degree in Medical Biochemistry and Molecular Biology

Ву

Marwa Tarek Ibrahim Maged

M.B.B.Ch, M.Sc Faculty of Medicine, Ain Shams University

Under Supervision of

Professor/ Randa Ali-Labib

Professor of Medical Biochemistry and Molecular Biology Faculty of Medicine, Ain Shams University

Assistant Professor/ Manal Louis Louka

Assistant Professor of Medical Biochemistry and Molecular Biology Faculty of Medicine, Ain Shams University

Assistant Professor/ Doaa Zakaria Zaky

Assistant Professor of Tropical Medicine Faculty of Medicine, Ain Shams University

Doctor/ Eman Khairy Farahat

Lecturer of Medical Biochemistry and Molecular Biology Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
2016

ACKNOWLEDGEMENT

First of all, my utmost gratitude is to **Allah**, the most gracious and the most merciful for all the blessings He has given me, and for helping me to complete this work.

Then, I would like to express my great appreciation and profound respect to my honored **Prof. Dr. Randa Ali-Labib**, Professor of Medical Biochemistry and Molecular Biology, Faculty of medicine, Ain Shams University, for her masterly teaching, consistent supervision, valuable advice, generous help and great support. I was honored to be her candidate and to be guided throughout this work by her great thoughts.

My deepest gratitude to **Dr. Manal Louis Louka**, Assistant Professor of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for her dynamic effort and precious guidance.

Special thanks are due to **Dr. Eman Khairy Farahat**, Lecturer of Medical Biochemistry and Molecular Biology, Faculty of Medicine, Ain Shams University, for her sincere efforts, cooperation and fruitful encouragement.

I would also like to thank **Dr. Doaa Zakaria Zaky**, Assistant Professor of Tropical Medicine, Faculty of Medicine, Ain Shams University, for her great support and kind supervision.

Finally, all my sincerest thanks to my parents and my sisters for their care, support and encouragement, and my friends and colleagues for their valuable help and advice.

This work was supported by Ain Shams University Faculty of Medicine Grants Office, Grant No. 2016-38.

CONTENTS

	Page
List of Tables	I
List of Figures.	III
List of Abbreviations	V
Introduction	1
Aim of the Work	4
Review of Literature	5
♣ Hepatocellular Carcinoma	
- Incidence and Epidemiology	5
- Causes and Environmental Risk Factors	7
- Genomics and Pathogenesis	11
- Classification and Staging	12
- Diagnosis	15
♣ MicroRNA	
- Introduction	19
- Historical Background	20
- Nomenclature	20
- Biogenesis	20
- Regulation	24
- Mode of Action	25
- Biological Functions	26
- Detection Methods	26
- MiRNA and Cancer	29
- MicroRNA-7	34

CONTENTS (Cont.)

	Page	
♣ Selenium and Selenoproteins		
- Introduction	36	
- Food Sources of Se	36	
- Selenoproteins	37	
- Selenoprotein P	39	
- Effect of Se on Cancer Risk	41	
- Effect of Se on Progression and Metastasis	42	
- Se and HCC	43	
- MiR-7 and SeP	43	
Subjects and Methods		
Results.	68	
Discussion		
Summary, Conclusion and Recommendations.		
References		
Arabic Summary	_	

LIST OF TABLES

No.	Title	Page
1	Child-Pugh score system	14
2	Age in years in different study groups	68
3	Demographic and clinicopathological variables in different study groups	69
4	Laboratory parameters in different study groups	71
5	Staging and triphasic findings in HCC group.	72
6	Relative quantification (RQ) of serum miR-7 among different study groups	73
7	Serum levels of SeP among different study groups.	75
8	The positivity rate of investigated serum biomarkers among different groups of the study	77
9	Serum miR-7 RQ values and positivity rate in relation to different demographic and clinicopathological variables in HCC group	79
10	Serum SeP level and positivity rate in relation to different demographic and clinicopathological variables in HCC group.	80

LIST OF TABLES (Cont.)

No.	Title	Page
11	Correlation between serum miR-7 RQ values and serum levels of SeP in all study groups.	81
12	Correlation between serum miR-7 RQ and laboratory parameters in all study groups.	81
13	Correlation between serum SeP levels and laboratory parameters in all study groups.	82
14	Correlation between serum miR-7 RQ vlues and serum levels of SeP in HCC group.	82
15	Correlation between miR-7 RQ and laboratory parameters in HCC group	83
16	Correlation between SeP and laboratory parameters in HCC group	83
17	Performance characteristics of investigated serum biomarkers for detection of HCC.	84
18	Cytotoxicity of NaSe on HepG2 cell lines after incubation for 48 and 72 hrs	85

LIST OF FIGURES

No.	Title	Page
1	Multistep hepatocarcinogenesis	11
2	Risk factors for the development of HCC	12
3	Updated BCLC staging system and treatment strategy	13
4	Diagnostic algorithm and recall policy	18
5	Steps in biogenesis of miRNA	23
6	Methods of miRNA detection and quantification by qRT-PCR	28
7	Aberrant miRNA expression affects signaling pathways to enhance tumorigenesis.	31
8	Structure of the human miR-7 hairpin precursors and mature sequences	34
9	Outline of selenoprotein synthesis	38
10	Domain structure of SeP and its function	40
11	Box-and-whisker plot of serum miR-7 RQ values in different study groups	73
12	ROC curve analysis for serum miR-7	74

$\textit{LISTOF FIGURES}_{\textit{(Cont.)}}$

No.	Title	Page
13	Box-and-whisker plot of serum SeP levels in different study groups	75
14	ROC curve analysis for serum SeP	76
15	ROC curve analysis for serum AFP	76
16	The survival curve for HepG2 cell line after incubation with various concentrations of NaSe for 48 and 72 hrs.	85
17	Relative expression of miR-7 measured by qRT-PCR from Se-adequate and Se- depleted HepG2 cells	87
18	Influence of NaSe on secretion of SeP by HepG2 cells	88

LIST OF ABBREVIATIONS

ΔCt Delta Threshold Cycle

AASLD American Association for the Study of Liver

Diseases

AF Aflatoxin

AFP α-fetoprotein

AGO Argonaut

ALP Alkaline phosphatase
ALT Alanine transaminase
ANOVA Analysis of variance

AST Aspartate transaminase

AUC Area under the curve BCL2 B-cell lymphoma 2

BCLC Barcelona Clinic Liver Cancer

Ca Calcium

cDNA Complementary DNA **CLD** Chronic liver disease

CLIP Cancer of the Liver Italian Program

CLL Chronic lymphocytic leukemia

Ct Threshold Cycle CV Cell viability

DCP Des-γ-carboxyprothrombin

DEPC Diethylpyrocarbonate

DGCR8 DiGeorge syndrome critical region gene 8

DM Diabetes mellitus

DNA Deoxyribonucleic acid

dT Deoxythymidine

EASL European Association for the Study of the

Liver

ELISA Enzyme-linked immunosorbent assay

FN False negative
FP False positive
GPC-3 Glypican-3

GTP Guanosine triphosphate

HBV Hepatitis B virus

HBV-sAg Hepatitis B virus surface antigen

HCC Hepatocellular carcinoma

HCV Hepatitis C virus

HCV-Ab Hepatitis C virus antibodies

HIV Human immunodeficiency virus

hr Hour

HRP Horseradish Peroxidase

IC50 Inhibitory concentration inducing 50% cell

viability

kb KilobasekDa KilodaltonMet Methionine

min Minute

miRNA Microribonucleic acid

mRNA Messenger ribonucleic acid

n Number

NAFLD Non alcoholic fatty liver disease

NaSe Sodium selenite

NASH Non alcoholic steatohepatitisncRNA Non coding ribonucleic acidNPV Negative predictive value

nt Nucleotide°C Centigrade

O.D Optical density

p Probability of being by chance value

PCR Polymerase chain reaction PPV Positive predictive value

Quantitative reverse transcription polymerase

chain reaction

r Correlation coefficient

RISC RNA-induced silencing complex

RNA Ribonucleic acid

ROC Receiver operating characteristic

ROS Reactive oxygen species
rpm Revolutions per minute
RQ Relative quantification
RT Reverse Transcription
SD Standard deviation

Se Selenium

SecSelenocysteineSeMetSelenomethionineSePSelenoprotein P

SPSS Statistical Package for Social Sciences

TE Tris-EDTA

TMB Tetramethylbenzidine

TN True negative

TNM Tumor, node, metastasis

TP True positive

TRBP Trans-activator RNA binding protein

TS Tumor suppressor UTR Untranslated region

