

127, 17 27, 17 (20) 77, 17 (20









جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية





Information Netw. " Shams Children Sha شبكة المعلومات الجامعية @ ASUNET بالرسالة صفحات لم ترد بالأص

FIBRINOGEN AS A RISK FACTOR OF CORONARY **HEART DISEASE**

THESIS

Submitted in Partial Fulfillment For Master Degree in Cardiology

BY

VIVIAN FAROUK MIKHAEL M.B., B.CH.

SUPERVISED BY

Professor Dr. SALWA SUWAILLAM

Professor of Cardiology Faculty of Medicine Ain Shams University

Dr. SALAH DEMERDASH

Dr. TAREK KHAIRY

Lecturer of Cardiology Faculty of Medicine Ain Shams University

Lecturer of Cardiology Faculty of Medicine Ain Shams University

Faculty of Medicine Ain Shams University 2002

Table of Contents

| Subjects P. | age |
|--|---------------------------|
| Acknowledgment | |
| Introduction | 1 |
| Aim Of Work | 6 |
| Review Of Literature: • Pathophysiology Of Myocardial Ischemia • The Lesions Of Atherosclerosis • Risk Factors Of Coronary Heart Disease • Fibrinogen • Role Of Scintigraphy In Diagnosis Of Ischaemic Heart Disease. | 7 23 27 36 46 |
| Patients And Methods | 50 |
| Results | 52 |
| Discussion | 67 |
| Summary And Conclusion | 77 |
| Recommendations | 82 |
| References | 84 |
| Arabic Summary | |

LIST OF TABLES

| Tables | Page |
|---|-------------|
| | |
| Tab. (1) Age distribution in both ischemic and | 52 |
| control groups. | |
| Tab. (2) Sex distribution in ischemic patients | 53 |
| and normal controls. | |
| Tab. (3) Weight in kgm in both ischemic and | 54 |
| control groups. | |
| Tab. (4) Coronary artery affection in MPI. | 54 |
| Tab. (5) Fibrinogen level (gm/dl) in both isch- | 55 |
| emic and control groups. | |
| Tab. (6) Sex distribution regarding level of | 56 |
| plasma fibrinogen in ischemic group. | |
| Tab. (7) Relationship between fibrinogen level | 57 |
| and smoking in ischemic group. | |
| Tab. (8) Relationship between fibrinogen level | 58 |
| and smoking in control group. | |
| Tab. (9) Relationship between fibrinogen level | 59 |
| and diabetes mellitus in ischemic group | p. |
| Tab. (10) Relationship between fibrinogen leve | 1 59 |
| and diabetes mellitus in control group. | |
| Tab. (11) Relationship between fibrinogen leve | 1 60 |
| and F.H of IHD in ischemic group. | |
| Tab. (12) Relationship between fibrinogen leve | 1 61 |
| and F.H of IHD in control group. | |
| Tab. (13) Relationship between physical activit | y 62 |
| and fibrinogen level in ischemic grou | p. |

| Tab. (14) | Relationship between physical activity | 63 |
|-----------|--|----|
| | and fibrinogen level in control group. | |
| Tab. (15) | Relationship between plasma fibrinogen | 63 |
| | and cholesterol in ischemic group. | |
| Tab. (16) | Relationship between plasma fibrinogen | 64 |
| | and cholesterol in control group. | |
| Tab. (17) | Relationship between plasma fibrinogen | 65 |
| | and hypertension in ischemic group. | |
| Tab. (18) | Relationship between plasma fibrinogen | 66 |
| | and hypertension in control group. | |

Acknowledgements

express.

I would like to offer my deep thanks to Professor Dr. Salwa Suwaillam, Professor of Cardiology, Faculty of Medicine, Ain Shams University, for her continuous support and expert advice helped me greatly in completion of this work.

I am also so grateful to Dr. Salah Demerdash, Lecturer of Cardiology, Faculty of Medicine, Ain Shams University, and also Dr. Tarek Khairy, Lecturer of Cardiology, Faculty of Medicine, Ain Shams University, for their generous help and valuable advises throughout this work.

Finally, I wish to extend my thanks to my family for their encouragement and assistance in the completion of this work.

.

INTRODUCTION