

بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





بالرسالة صفحات
لم ترد بالأصل





بعض الوثائق الأصلية تالفة



TISSUE CULTURE AND EVALUATION OF ACTIVE CONSTITUENTS OF *RUTA GRAVEOLENS L.*

A THESIS

Presented By

Ghada Farouk Ibrahim Metwally

For the Degree of Master of Science

In

Pharmaceutical Sciences
(Pharmacognosy)

Under the supervision of

Prof. Dr. MARAWAN M. SHABANA

Prof. of Pharmacognosy
Head of Pharmacognosy Depart.
Faculty of Pharmacy
Cairo University

Prof. Dr. TAHA S. M. EL-ALFY

Prof. of Pharmacognosy
Faculty of Pharmacy
Cairo University

Ass. Prof. Dr. Mona E. M. EL-Tantawy

Ass. Prof. of Pharmacognosy

Head of Plant Tissue culture Depart.
National Organization for Drug Control and Research
(NODCAR)

Prof. Dr. IBRAHIM ABD EL- MAKSOUD



Prof. of Biotechnology
Vice Dean – Genetic Engineering and Biotechnology
Institute(GEBRI)
Monoufya University
Sadat City

**Faculty of Pharmacy
Cairo University
2001**

APPROVAL SHEET

**TISSUE CULTURE AND EVALUATION
OF ACTIVE CONSTITUENTS OF
RUTA GRAVEOLENS L.**

Approved by :


.....

.....

.....

.....
(Committee in charge)

Date : 21/ 5 / 2001

TO MY FAMILY

ACKNOWLEDGMENT

I am deeply grateful to God, by the grace of whom this work was accomplished.

My deepest appreciation and thanks to Prof. Dr. Marawan M. Shabana, Professor and Head of Pharmacognosy Department, Faculty of Pharmacy, Cairo University, for his kind supervision, assistance and co-operation. I am also indebted to him for his indispensable and valuable time devoted in preparing this thesis.

I wish to express my deepest thanks and sincere gratitude to Prof. Dr. Taha S. El-Alfy, Professor of Pharmacognosy, Faculty of Pharmacy, Cairo University, for suggesting the subject, critical supervision, inspiring co-operation, fruitful discussions and continuous advise during the course of this study.

I am deeply thankful to Dr. Mona E. El-Tantawy, Assistant Professor of Pharmacognosy, Head of Plant Tissue Culture Department, National Organization for Drug Control and Research (NODCAR), for her helpful discussions, constant guidance, kind assistance and advice throughout the course of this work.

I wish also to express my deepest thanks and appreciation to Prof. Dr. Ibrahim Abd-El Maksoud, Professor of Biotechnology, Vice Dean-Genetic Engineering and Biotechnology Institute, Monoufya University, Sadat City, for his kind help, valuable guidance, valuable discussions, suggestions and continuous encouragement throughout the work.

I am deeply thankful to all my colleagues in NODCAR who have helped me to finish this study.

Finally, I wish to express my great indebtedness to My Family for all what they have endured to help me in finishing this study.

CONTENTS

	Page
Introduction	1
Part 1	
Literature Review	4
Part 2	
Taxonomy	98
Materials, Equipment and Techniques	101
Part 3	
Chapter 1 Preliminary Phytochemical Screening	112
Chapter 2 Study of the n-hexane Extract of <i>Ruta graveolens</i> L. Growing in Egypt	
2-1- Preparation of the n-hexane extract	114
2-2- Physical properties	114
2-3- The yield of the alcoholic fraction	115
2-4- GC/MS analysis of the alcoholic fractions of the plant	115
Chapter 3 Study of the Coumarin Content of <i>Ruta graveolens</i> L. Growing in Egypt	
3-1- Preparation of the coumarin-rich fraction from the plant	127
3-2- Thin layer chromatography	127
3-3- Assay of total coumarin content	130
Part 4	
Chapter 4 Effect of Plant Growth Regulators and Explant Type on Growth of <i>Ruta graveolens</i> L Callus Cultures Induction of callus cultures	131
4-1- Callus formation	133
4-2- Callus development	142
Chapter 5 Study of the n-hexane Extract of <i>Ruta graveolens</i> L. Callus Cultures	
5-1- Preparation of n-hexane extract of the callus cultures	165
5-2- Effect of P.G.R. and explant type on alcoholic fraction content of <i>Ruta graveolens</i> L. callus cultures	165

5-3- Effect of total darkness on the alcoholic fraction	
content of the callus cultures of <i>Ruta graveolens</i> L.....	202
Chapter 6 Study of the Coumarin Content of <i>Ruta graveolens</i> L. Callus Cultures	
6-1- Preparation of the coumarin rich fraction	212
6-2-Effect of P.G.R. and explant type on coumarin	
content of <i>Ruta graveolens</i> L. callus cultures	212
6-3- Effect of precursor (cinnamic acid) on coumarin	
content of stem callus cultures on MS supplemented	
with 1 mg/L 2,4-D	218
6-4- Isolation of some non-identified coumarins from the	
coumarin rich fraction of callus cultures by preparative	
TLC	219
Summary and Conclusion	229
References	235
Arabic Summary	

LIST OF TABLES

Table	Page
1 Coumarins isolated from <i>Ruta</i> species	10
2 Essential oil components isolated from <i>Ruta</i> Species	31
3 Alkaloids isolated from <i>Ruta</i> species	46
4 Miscellaneous compounds isolated from <i>Ruta</i> species ...	61
5 Isolated coumarins from <i>Ruta graveolens</i> L. produced by tissue culture	72
6 Isolated essential oil constituents from <i>Ruta graveolens</i> L. produced by tissue culture	77
7 Isolated alkaloids from <i>Ruta graveolens</i> L. produced by tissue culture	84
8 Isolated miscellaneous compounds from <i>Ruta graveolens</i> L. produced by tissue culture	95
9 Formulation of MS (1962) culture media used in the experiments	102
10 Absorbances of different concentrations of xanthotoxin at 300 nm	109
11 Preliminary phytochemical screening of the aerial and underground parts of <i>Ruta graveolens</i> L	112
12 Yield percentage of the alcoholic fraction of the aerial and underground parts	115
13 GC/MS analysis of the alcoholic fraction of the aerial parts of <i>Ruta graveolens</i> L. plant	117
14 GC/MS analysis of alcoholic fraction of the underground parts of <i>Ruta graveolens</i> L. plant	121
15 Thin layer chromatography of the extract of aerial parts ...	128

16	Thin layer chromatography of the extract of underground parts	129
17	Total coumarin content in extracts of aerial and underground parts	130
18	Effect of different P.G.R. and explant type on survival percent of <i>Ruta graveolens</i> L. callus cultures	133
19	Morphological characters of the stem cultures	134
20	Morphological characters of the leaf cultures	136
21	Morphological characters of the shoot tip cultures	138
22	Morphological characters of the root cultures	140
23	Effect of P.G.R. and explant type on growth of callus of <i>Ruta graveolens</i> L. grown <i>in vitro</i> after 8 weeks from culture	145
24	Effect of P.G.R. and incubation period on fresh weight of callus of <i>Ruta graveolens</i> L. cultures	150
25	The effect of P.G.R. on growth values of stem callus cultures of <i>Ruta graveolens</i> L	153
26	The effect of P.G.R on growth values of leaf callus cultures of <i>Ruta graveolens</i> L	155
27	The effect of P.G.R on growth values of shoot tip callus cultures of <i>Ruta graveolens</i> L	157
28	The effect of P.G.R on growth values of root callus cultures of <i>Ruta graveolens</i> L	159
29	Yield percentage of the alcoholic fraction of callus cultures	166
30	GC/MS analysis of the alcoholic fraction of stem callus cultures of <i>Ruta graveolens</i> L	171
31	GC/MS analysis of the alcoholic fraction of leaf callus cultures of <i>Ruta graveolens</i> L	180

32	GC/MS analysis of the alcoholic fraction of shoot tip callus cultures of <i>Ruta graveolens</i> L	189
33	GC/MS analysis of the alcoholic fraction of root callus cultures of <i>Ruta graveolens</i> L	197
34	GC/MS analysis of the alcoholic fraction of the stem callus cultures grown on MS + 1mg/L 2,4-D and incubated in total darkness	204
35	TLC examination of the coumarin fractions of <i>Ruta graveolens</i> L. stem cultures	213
36	TLC examination of the coumarin fractions of <i>Ruta graveolens</i> L. leaf cultures	214
37	TLC examination of the coumarin fraction of <i>Ruta graveolens</i> L. shoot tip cultures	215
38	TLC examination of the coumarin fraction of <i>Ruta graveolens</i> L. root callus	216
39	Total coumarin content in stem, leaf, shoot tip, and root callus cultures	217
40	Total coumarin content in extracts of stem callus cultures ...	218

LIST OF FIGURES

Figure	Page
1 <i>Ruta graveolens</i> L. herb	100
2 Absorbance standard calibration curve of xanthotoxin ...	110
3 GC chromatogram of the alcoholic fraction of the aerial parts of <i>Ruta graveolens</i> L	116
4 GC chromatogram of the alcoholic fraction of the underground parts of <i>Ruta graveolens</i> L	120
5 <i>Ruta graveolens</i> L. 6-8 weeks old plantlet grown <i>in vitro</i> on MS basal medium	132
6 Effect of P.G.R. on stem callus cultures of <i>Ruta graveolens</i> L.	135
7 Effect of P.G.R. on leaf callus cultures of <i>Ruta graveolens</i> L.	137
8 Effect of P.G.R. on shoot tip callus cultures of <i>Ruta</i> <i>graveolens</i> L	139
9 Effect of P.G.R. on root callus cultures of <i>Ruta graveolens</i> L.	141
10 Effect of plant growth regulators and incubation period on fresh weight of callus of <i>Ruta graveolens</i> L. cultures	152
11 Effect of P.G.R. on growth value of stem callus cultures of <i>Ruta graveolens</i> L	154
12 Effect of P.G.R. on growth value of leaf callus cultures of <i>Ruta graveolens</i> L	156
13 Effect of P.G.R. on growth value of shoot tip callus cultures of <i>Ruta graveolens</i> L	158
14 Effect of P.G.R. on growth value of root callus cultures of <i>Ruta graveolens</i> L	160
15 GC chromatogram of the alcoholic fraction of stem callus cultures on MS + 1mg/L 2,4-D	168