

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

EVALUATION OF THE ROLE OF ANTIFIBROTIC DRUGS AS COLCHICINE AND ANTIOXIDANTS AS VITAMIN-E IN COMBINATION WITH PRAZIQUANTEL IN TREATMENT OF HUMAN S. MANSONI

w.chuf

A Thesis


Submitted to The Faculty of Pharmacy
University of Tanta

BY

MERVAT ABD El-WAHAB El-ADL

For The Partial Fulfillment for The Degree of Master in Pharmaceutical Sciences (Clinical Pharmacy)

> UNIVERSITY OF TANTA FACULTY OF PHARMACY 2002



المنالج لأ المن المولاد المنالج المنال

صر**ق (الله (ا**لعظيم (ابورة (ابترة)

SUPERVISORS

Prof. Dr. WAGEH MAHMOUD AWARA

Professor of Pharmacology, Department of Pharmacology and Toxicology, Faculty of Pharmacy, Tanta University.

Prof. Dr. AHMED ABD ELRAHMAN DAOUD

Professor of Parasitology,
Department of Parasitology,
Faculty of Medicine, Tanta University.

Dr. OSAMA MOHAMED IBRAHIM

Assistant Professor of Clinical Pharmacy, and Chairman of Clinical Pharmacy Department, Faculty of Pharmacy, Tanta University.

Dr. HOWAIDA ISMAIL HUSSEIN

Lecturer of Parasitology,
Department of Parasitology,
Faculty of Medicine, Tanta University.

APPROVAL SHEET

This Thesis has been approved by the examination committee on date 12/8/2002.

A. Dagud

Wageh Aware

Prof. Dr. SABER A. ISMAIL

Professor of Tropical Medicine, Faculty of Medicine, Tanta University.

Prof. Dr. EL-SHAZLY A. SHETA

Professor of Tropical Medicine, Faculty of Medicine, Tanta University.

Prof. Dr. AHMED A. DAOUD

Professor of Parasitology, Department of Parasitology, Faculty of Medicine, Tanta University.


Prof. Dr. WAGEH M. AWARA

Professor of Pharmacology,
Department of Pharmacology and Toxicology,
Faculty of Pharmacy, Tanta University.

Dr. OSAMA M. IBRAHIM

Assistant Professor & Chairman of Clinical Pharmacy Dept. Department of Clinical Pharmacy,

Faculty of Pharmacy, Tanta University.



ACKNOWLEDGEMENTS

First, thanks are all to ALLAH for blessing me throughout this work until it reaches its end, as a little part of his generous help throughout life.

I would like to express my sincere appreciation and deep gratitude to Professor Dr. Wageh Awara, Professor of Pharmacology and Vice-Dean for Education and student's affairs, Faculty of Pharmacy, Tanta University, for his active supervision and his kindness and support throughout the work. His tremendous effort in the revision of the whole work is appreciated.

I am profoundly grateful to Professor Dr. Ahmed Daoud, Professor of Parasitology, Faculty of Medicine, Tanta University, for suggesting the subject and for his active supervision and his great assistance and continuous encouragement.

My deepest appreciation and grateful thanks are due to Dr. Osama Ibrahem, Assistant Professor and Head of Department of Clinical Pharmacy, Tanta University, for suggesting the subject and for his active supervision. He patiently devotes much of his time and effort to give me help during this work. His tremendous effort in the revision of the whole work is appreciated.

I am especially grateful to Dr. Howaida Ismail, lecturer of Parasitology, Faculty of Medicine, Tanta University, for her valuable instructions and greet helpful during this work.

It gives me a great pleasure to express my sincere gratitude to professor Dr. Mokhtar Mabrouk, Professor of Analytical Chemistry, and Vice-Dean for graduate studies and research, Faculty of Pharmacy, Tanta University, for his greet support and helpful cooperation during this work.

CONTENT

REVIEW OF LITERATURE	
SCHISTOSOMIASIS	1
TREATMENT OF SCHISTOSOMIASIS MANSONI	25
PRAZIQUANTEL	32
COLCHICINIE	40
VITAMIN E	44
AIM OF THE WORK	52
SUBJECTS AND METHODS	53
RESULTS	74
DISCUSSION	101
SUMMARY AND CONCLUSION	112
REFRENCES	117
ARABIC SUMMARY.	Ø

List of Figures

Figure	(1): The life cycle of the Schistosoma mansoni.————	,
Figure	(2): A vein dilated in a nodular fashion by the presence	
115410	of multiple Schistosoma mansoni ova	
Figure	(3): Schistosoma mansoni egg in liver granuloma	
Figure	(4): Extracellular matrix distribution in human liver	
_	(5): The structure of Praziquantel	
Figure	(6): The structure of Colchicine	
Figure	(7): Chemical structure of Vitamin-E	
Figure	(8): Standard Curve of Praziquantel by HPLC	
Figure	(9): Chromatogram of Praziquantel by HPLC	
_	(10): Schematic representation of the amino terminal	
· · · · · · · · · · · · · · · · · · ·	fragment of type III procollagen	
Figure	(11): Calibration curve of procollagen type III amino	
0	terminal propeptide by radioimmunoassay RIA	
Figure (12): Mean serum Praziquantel concentration in patients of the	
	three studied groups two hours after treatment	
Figure (13): Percent of negative stool egg after raziquantel	
	treatment	
Figure ((14): The percentage of positive Schistosoma mansoni	
	eggs in stool before and two months after Praziquantel	
	treatment in the studied groups	
Figure ((15): Efficacy of Praziquantel as evaluated by egg count	
	percent reduction	
Figure ((16): Viable Schistosomamansoni ova with lateral spine	
Figure (17): Serum circulating Schistosoma mansoni antigen before	
	and two months after Praziquantel treatment	
Figure (18): Reduction in serum circulating Schistosoma mansoni	
	antigen in the studied groups after Praziquantel	
	treatment	
Figure (19): Mean serum Procollagen type III amino terminal	
	propeptide concentration before and after treatment in	
	the three studied groups	
Figure (20): Reduction of serum procollagen concentration two	
	months after different treatments in the studied groups	

List of tables

	Page
Table (1): Products studied and dosage regimen	56
Table (2): Age, weight and sex distribution of the studied groups	81
Table (3): Concentration of serum Praziquantel (μg/mL) at two	
hours after drug administration in the three studied	
groups	82
Table (4): Number and percentage of the reported side effects	
following Praziquantel treatment of all groups	84
Table (5): Efficacy of Praziquantel as evaluated by stool analysis	85
Table (6): Comparison between pre-treatment and post-treatment	
positive Schistosoma mansoni eggs in stool of patients	
in the studied groups	86
Table (7): The total number and percent reduction of Schistosoma	
mansoni egg per gram of feces two months after	
treatment in group I, II and III	89
Table (8): Efficacy of Praziquantel as evaluated by the serum	
circulating Schistosoma mansoni antigen before and two	00
months after treatment in groups I, II and III.	92
Table (9): Concentration of serum procollagen type III amino	
terminal propeptide (µg/L) before and after treatment	0.5
in group I patients.	95
Table (10): Concentration of serum Procollagen (μg/L) before and	96
Table (11): Concentration of sarum Procellegen to the III	90
Table (11): Concentration of serum Procollagen type III amino	
terminal propeptide (µg/L) before and after treatment in group III patients	97
Table (12): Effect of Praziquantel, Colchicine and Vitamin-E on	71
serum procollagen type III amino terminal propeptide	
concentration	99

Review of Literatures



