



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

Updating of Prevalence and diagnosis of ectopic tubal pregnancy

ESSEY

*Submitted for Partial Fulfillment of the
M.Sc. Degree in "Gynecology and Obstetrics"*

By

Wessam Sayed Deeb

(M.B., B.Ch)

Supervisors

Prof.Dr. Alaa El-Din Abdel Azem El-Halafawy

Professor of Gynecology & Obstetrics

Faculty of Medicine, Cairo University

Dr. Mohammed Hany Shehata

Assit. Prof. of Gynecology & Obstetrics


Faculty of Medicine, Cairo University




FACULTY OF MEDICINE

CAIRO UNIVERSITY

2001



B o s s c



الآية ١١٣

بسم الله الرحمن الرحيم

(وَأَنْزَلَ اللَّهُ عَلَيْكَ الْكِتَابَ


وَالْحِكْمَةَ وَعَلَّمَكَ مَا لَمْ تَكُن تَعْلَمُ

وَكَانَ فَضْلُ اللَّهِ عَلَيْكَ عَظِيمًا)

صدق الله العظيم

سورة النساء

الآية (١١٣)



تقرير عن الرسالة المقدمة من الطيبية / وسام سيد ديب
وذلك لأتمام الجزء الثانى لدرجة الماجستير فى التوليد وامراض النساء

اجتمعت اللجنة المشكلة من السادة الاساتذة
السيد الاستاذ الدكتور / علاء الدين عبد العظيم الحلفاوى
السيد الأستاذ الدكتور / محمد سالم رضا
السيد الاستاذ الدكتور / سعد محمد الصادق

وذلك فى تمام الساعة ١٢,٣٠ من ظهر يوم الاربعاء الموافق ٢٠٠١/٧/٢٥
للمناقشة والحكم على الرسالة المقدمة من الطيبية / وسام سيد ديب
وعنوانها

الحديث فى مدى انتشار وتشخيص حمل خارج الرحم البوقى
وتشمل الرسالة :

الحمل خارج الرحم يعد من احد الكوارث التى تهدد صحة السيدات فى القرن
العشرين وسوق تستمر هذه الاهمية فى الالفة الجديدة هناك زيادة مضطردة فى
نسبة الحمل خارج الرحم وتقدر هذه النسبة بحوالى ستة عشر فى الالف من
حالات الحمل المبلغة ويأخذ الحمل خارج الرحم مسارا لا يمكن التكهن به وقد
يتجه اتجاها مأساويا حادة ينتهى بانفجار قناة فالوب التى بها الحمل ونادرا ما
يتجه اتجاها حميدا حيث يمتص الحمل ويحرق الشفاء ولا يزال تشخيص الحمل
خارج الرحم من التحديات التى تقابل طبيب امراض النساء حيث ان الاعراض
الاكلينيكية متغيرة ولا توجد اعراض مبكرة مميزة لحالات الحمل خارج الرحم

قد كانت الرسالة مفيدة ومرضية بوجه عام وتشمل مراجعة شاملة وملمة
بالموضوع وترى اللجنة قبولها


الاستاذ الدكتور علاء الدين عبد العظيم الحلفاوى / الاستاذ الدكتور محمد سالم رضا / الاستاذ الدكتور سعد محمد الصادق

ACKNOWLEDGEMENT

*First and foremost, thanks to **Allah**, the most beneficent, most merciful.*

*I would like to express my deepest gratitude, thankfulness and appreciation to Prof. Dr. **Alaa El-Din Abdel Azem El Halafwy** Prof. of Obstetrics and Gynecology, Faculty of Medicine, Cairo University for his help and encouragement that supported me throughout this work. I feel thankful to his unlimited help, patience, valuable advice and kind guidance. His supervision and advice have been of great help in the preparation and arrangement of this work.*

*I would like also to express my very sincere gratitude and appreciation to Dr. **Mohamed Hany Shehata**, Ass. Prof. of Obstetrics and Gynecology, Faculty of Medicine, Cairo University for his valuable assistance, instructive guidance, effective scientific supervision, cooperation and continuous support which were essential for this work to be achieved.*



ABSTRACT

Ectopic pregnancy has become a surgical epidemic during the last 2 decades. This condition is a significant cause of maternal mortality. A clear understanding of the contributing factors responsible for ectopic pregnancies and of effective and modern methods for their earlier diagnosis is essential.

Ectopic pregnancy has clinical manifestations which are highly variable. Therefore, the goals remain to diagnose the condition as early as possible to minimize anatomic distortion, in order to prevent further clinical deterioration and to stop progression of the condition.

The best way to diagnose ectopic pregnancy is to be highly suspicious and sensitive to its possibility and to utilize the new tools for diagnosis: The quantitative measurement of B-hCG and Ultra-Sonography.

Laparoscopy is useful only when diagnosis is in doubt or when laparoscopy is the technique selected for surgical treatment.

