



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل



Menoufiya University
Faculty of Science
chemistry Department

chemistry

Studies on Recovery of Rare Earth Element From Gatter "V" Mineralization Area

Thesis

Submitted to Faculty of Science, Menoufiya University in Partial Fulfillment for
the Requirements of Master Degree of Science in Organic Chemistry

By

Waheed Mohammed Salem Mohammed

B. Sc. (2000)

Chemistry department

Faculty of Science - Menoufiya University

Supervisors

Prof. Dr. Farag Ahmed Ali Esa

Mounifiya University

Faculty of science

Prof. Dr. Mohamoud Hani Shalaby

Head of Research Sector

Nuclear Materials Authority

Discusser

Prof. Dr. Metuli Abd Alah Mohamed

Prof. Dr. Mohamed Abd Elnaby Alris^E

Prof. Dr. Farag Ahmed Ali Esa

Menoufiya University

2007

o. 21

Approval Sheet
For M.Sc. Thesis entitled

Studies on Recovery of Rare Earth Element
From Gatter "V" Mineralization Area

Name of the Candidate : *Waheed Mohammed Salem Mohammed*
Supervisor :

Prof. Dr. *Farag Ahmed Ali Esa*

Mounifiua University – Faculty of science

Signature

Prof. Dr. *Mohamoud Hani Shalaby.*

Head of Research Sector – Nuclear Materials Authority

Signature

Chairman of Department of Chemistry

Faculty of Science –Menofia University

Prof.Dr. *Magdy Kamel*


ACKNOWLEDGMENT

I am very grateful to my supervisor Prof. Dr. ***Farag. A. ESa*** professor of inorganic and Analytical Chemistry, Chemistry Dept., Faculty of Science, Monufiua University, and I wish to thank him deeply for his valuable efforts and numerous helps during the course of this research.

Particular thanks are due to my supervisor Prof. Dr. ***Mahmmoud. Hshalaby*** Chariman of Nuclear Materials Authority (NMA), Cairo, Egypt, for his assistance and encourage during our research. Also my huge thanks are due to his continuous push to me forward.

Deep thanks are extended to my supervisor De. ***Mohammed.S. Abd El-Ghany*** Head of Yellow cake extraction Unit in Egyptian Nuclear Materials Authority for his continuous help, encouragement, assistance, advice and discussions during work time.

Words are not enough to express my special thanks and appreciation to my family for their continuous support, encouragement and for their unlimited guidance all the way .



contents

contents


Acknowledgement	
Aim of the work	i
List of Tables and figures	iii
Chapter I LITERATURE	
I.1 Introduction	1
I.2 Rare Earth Elements Resources	1
I.3 World Rare Earth Production	4
I.4 Resource Processing	5
I.5 Analysis of Rare Earths	11
I.6 Application of Rare Earths	14
Chapter II EXPERIMENTAL	
II.1 Chemicals and Reagents	16
II.2 Equipment	19
II.3 Techniques and Procedures	22
Chapter III RESULTS AND DISCUSSION	
III.1 Results of Separation of Cerium By Conventional and Non Conventional Methods :	28
III.1.2 The results of separation of cerium by non conventional methods using bleaching powder	31
III.1.3 Improvement of the separated cerium concentrate	53
III . 1 . 4 Final conclusion	54
III . 2 Separation of Lanthanum, Praseodymium and Neodymium from Egyptian Monazite Hydrous Oxides Cake.	56
III .2 . 1 Synthetic single element solutions	57
III . 2 . b Natural mixed element solutions	75
III . 3 Final Conclusion and Proposed Flow Diagram.	89
References	91
Summary	100
Arabic Summary	v

Monazite is the mainly ore in Gatter (V) which is actually of world wide occurrence in beach and river sands and deposits. Gatter(V) area Egyptian with large deposit of potentially economic heavy minerals (black sand deposits)occurs along the Nile Delta recent shore line (along Mediterranean coast) in a zone extending from Rafah to Abo_Qir east of Alexandria .

Chemically, the mineral monazite of Gatter (V) is a rare earth and thorium phosphate and is considered actually as an important source for thorium and rare earth elements especially those of low atomic numbers (cerium group, La, Ce, Pr, Nd, Sm, Eu, and Gd). Digestion of monazite sand with concentrated solution of sodium hydroxides, after its separation as by product during the recovery of more abundant minerals by using a proper upgrading technique, has been developed and applied in Egypt to separate thorium and uranium in one cake by fractional precipitation and produce rare earth hydrous oxides cake . The objective of this work is to study of recovery of rare earth elements from their hydrous oxides cake taking into consideration the matter of economy by :

- a- Collecting a wide literature covering the resources world production, resources processing, analysis applications and worldwide status of rare earth technology, to help in the foundation of the most successful direction for separation and determination of rare earth elements from monazite .
- b- Utilizing a bench scale separation by applying a very simple separation techniques to understand the preliminary technical information for such systems. -
- c- Trying to apply new economic methods for separation.
- d- Studying the most effective factors which determine and effect the separation process to asses the optimum conditions for further upscaling methodology .

- e- Analyzing by different updated techniques which are increasing recommended to guide or control any separation project.
- f- Orienting the present work towards the separation and recovery of pure Lanthanum, Cerium, Praseodymium and neodymium from rare earth hydrous oxides cake produced after alkali digestion of Egyptian monazite. This is fulfilled firstly by study of the relevant factors affecting the optimum conditions to separate such proposed elements from their processed natural dissolved oxides cake.
- g- Suggesting a suitable flow sheet for separation of these elements from their natural dissolved mixture. Then proposing the most convenient condition for the final laboratory scale flow diagram. Manifests all essential technical data to asses a clear way for the progress in that. This may help in upscaling factor technological work in the rare earth elements separation and recovery from Egyptian monazite.



List of Tables And figures

List of Tables

Table (1): solubility of 5.0 g dried hydrous oxides in M HNO_3 and HCl acid solutions (10 min. heating after heating at 140°C after 2 hours stirring).

Table (2): Effect of bleaching powder on solubility of 5.0 g dried hydrous oxides cake in acid solutions after 2 hours stirring and 10 min. heating at 140°C .

Table (3): Effect of bleaching powder on solubility of 5.0 g dried hydrous oxides cake in acid solutions after 2 hours stirring and 20 min. heating at 140°C .

Table (4): Effect of bleaching powder on solubility of 5.0 g dried hydrous oxides cake in acid solutions after 2 hours stirring and 30 min. heating at 140°C .

Table (5): Effect of bleaching powder on solubility of 5.0 g dried hydrous oxides cake in acid solutions after 2 hours stirring and 30 min. heating at 140°C .

Table (6): Effect of bleaching powder on solubility of 5.0g dried hydrous oxides cake in 1.0 M mixed acid solutions after 2 hours stirring and 30 min. heating at 140°C .

Table (7): Microdetermination of individual elements in the leached acid solutions of 5.0g hydrous REE oxides cake measured by TXRF and ICP_MS (mean values).

Table (8):Microdetermination of individual REEs in leaching acid solutions of their 100g hydrous oxides cake using mixed acid for leached at pH 1.5, measured by TXRF and ICP_MS (mean values).

Table (9): Extraction results of La, Pr and Nd ions from their chloride (in HCl acid) solution with D2EHPA/K using various pH and extractant concentration (M).

Table (10): Extraction results of La, Pr and Nd ions from their nitrate (in HNO₃ acid) solutions with D2EHPA/K using various pH and extracted concentration (M).

Table (11): Extraction results of La, Pr and Nd ions from their mixed acid (1:1, HCl:HNO₃) solutions with D2EHPA/K using various pH and extracted concentration (M).

Table (12): The variation of the calculated separation factors for (La-Pr), (La-Nd) and (Pr-Nd) ion pairs with pH, at D2EHPA/K concentrations (M) and different aqueous acid medium.

Table (13): The results of multi-contact extraction of synthetic single ions at selected conditions using mixed aqueous acid (1:1 HCl-HNO₃) solutions, measured by classical spectrophotometric methods.

Table (14): The results stripping experiments of La, Pr and Nd single ions from the loaded 0.025 M D2EHPA/k using mixed acid (1:1 HCl-HNO₃) aqueous strip solutions with various pH values measured by classical spectrophotometric methods.

Table (15): Mean results of selected extraction, scrubbing and stripping experiment raffinates using mixed acid solutions measured by TXRF and JCP-OES.

Table (16): Mean results of selected extraction, scrubbing and stripping experiment raffinates for neodymium separation using mixed acid solutions measured by TXRF and JCP-OES.

Table (17): Mean results of selected extraction, scrubbing and stripping experiment raffinates for Lanthanum and Paraseodymium separation using mixed acid solutions measured by TXRF and JCP-OES.