



شبكة المعلومات الجامعية

شبكة المعلومات الجامعية
@ ASUNET





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة

PHYSIOLOGICAL STUDIES ON GUAVA TREES

BY



**ABD EL-MOATY SALIM ABD EL-
MOATY**

B. Sc. In Agricultural Sciences,
Horticulture – Department , Faculty of Agric.,
Ain Shams University, 1998

**A Thesis Submitted in Partial
Fulfillment of the Requirement for
Degree of
MASTER OF SCIENCE
In
Agricultural Science
(Pomology)**

**DEPARTMENT OF HORTICULTURE
FACULTY OF AGRICULTURE
BENHA UNIVERSITY**

2006

B
A-47

PHYSIOLOGICAL STUDIES ON GUAVA TREES

By


ABD EL- MOATY SALIM ABD EL- MOATY

*B.Sc. In Agricultural Sciences, Horticulture- Department,
faculty of Agric. Ain Shams University, 1998*

Under the supervision of

1- PROF. DR. MOHAMED A. AL- ASHRAM

Professor of Pomology, Fac. Of Agric. Benha Univ.


2- PROF. DR. MOHAMED A. KHAMIS 

Professor of Pomology, Fac. Of Agric. Benha Univ.

3- DR. KHALED ALI BAKARY

*Associate Professor of Pomology, Fac. Of Agric. Benha
Univ.*

2006



APPROVAL SHEET
PHYSIOLOGICAL STUDIES ON
GUAVA TREES

By

ABD EL- MOATY SALIM ABD EL- MOATY

*B.Sc. In Agricultural Sciences, Horticulture- Department,
faculty of Agric. Ain Shams University, 1998*

Approved by :


1- Prof. Dr. M. A. Khan

2- Prof. Dr. Kh. A. Bakry

3- Prof. Dr. ① ab

4- Prof. Dr. Shuaib M. Gh

Date of Examination : /5 / 2006




CONTENTS

List of Contents	Page
I- INTRODUCTION.....	1
II- REVIEW OF LITERATURE.....	3
1- Vegetative growth in response to mineral fertilization and dormex.....	3
2- Leaf mineral composition and chlorophyll content in response to mineral fertilization and dormex.	15
3- Fruit set and yield in response to mineral fertilization and dormex.	29
4- Physical and chemical fruit quality in response to mineral fertilization and dormex.....	42
III – MATERIALS AND METHODS.....	54
IV- RESULTS AND DISCUSSION	60
1- Vegetative growth	60
1.1. Number of shoots / one meter branch.....	60
1.2. Shoot length	61
1.3. Number of leaves /shoot.....	63
1.4. Leaf area	65
1.5. Leaf length	67
1.6. Leaf blade width.....	67
1.7. Leaf shape index (L/W)	68
1.8. Leaves fresh and dry weight	68
2- Leaf pigments and mineral composition.....	73
2.1. Leaf pigments content	73

2.2. Leaf mineral composition.....	75
2.2.1. Nitrogen content.....	76
2.2.2. Phosphorous content	78
2.2.3. Potassium content	80
2.2.4. Calcium content.....	81
2.2.5. Magnesium content.....	83
2.2.6. Iron content	84
2.2.7. Manganese content	86
2.2.8. Zinc content	87
3- Fruit yield and fruit quality	89
3.1. Fruit set percentage	89
3.2. Number of fruits /tree	92
3.3. Yield as (kg) / tree	93
3.4. Fruit quality	95
3.4.1. Fruit weight and volume	95
3.4.2. Fruit diamensions.....	98
3.4.3. Fruit shape index (L/D) ...	99
3.4.4. Pulp weight	99
3.4.5. Pulp thickness	100
4- Fruit chemical properties	102
4.1. Total soluble solids percentage...	102
4.2. Fruit juice acidity	105
4.3. Total soluble solids / acid ratio...	106

4.4. Juice vitamin "C" content	108
4.5. Reducing non reducing and total sugars.....	110
V- SUMMARY AND CONCLUSION	112
VI- LITERATURE CITED	121
VII- ARABIC SUMMARY	٩-١



ACKNOWLEDGMENT

“At First, Ultimate Great Praise For God”

The author wishes to express his sincere gratitude and appreciation to the late *Prof. Dr. Mohamed A. AL-Ashram*, Professor of Pomology, Fac.of Agric., Benha Univ. for his valuable guidance during this study.

Great acknowledgments and cordial thanks are due to *Prof. Dr. Mohamed A. Khamis* Professor of Pomolgy, Fac.of Agric., Benha Univ., For great support and providing the inoculation needed for the present study.

Special thanks are due to *Dr. Khaled Ali Bakry* Associate Professor of pomology, in the same Faculty for his supervision suggesting the research problem, Planning of this investigation and his help in the preparation of this manuscript.

Lastly, I would like to express my thanks to my family for giving me their wholehearted support, and showing great patience during this work.