

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

632,7

PROPOLIS AND POLLEN AS PRODUCTS OF HONEYBEE COLONIES AND THEIR BIOLOGICAL PROPERTIES

By

Naglaa El-Ahmadi Ghazala

B.Sc. Agriculture, plant Protection Dept.,
Faculty of Agriculture, Menoufia University, (1981)
M.Sc Faculty of Agriculture, Moshtohor, Zagzig University (1998)

THESIS

Submitted in partial Fulfillment of Requirements for the Degree

of

DOCTOR OF PHILOSOPHY

In

Agricultural Science of Economic Entomology

From

Economic Entomology and Agricultural zoology

Department

Faculty of Agriculture Shiben El-Kom,

Menoufiya University

EGYPT

2006



| | | | |
|-------------|--|--|--|

SUPERVISION COMMITTEE

PROPOLIS AND POLLEN AS PRODUCTS OF HONEYBEE COLONIES AND THEIR BIOLOGICAL PROPERTIES

By

Naglaa El-Ahmadi ghazala

B.Sc. Agriculture, plant Protection Dept.,
Faculty of Agriculture, Menoufia University, (1981)
M.Sc Faculty of Agriculture, Moshtohor, Zagzig University (1998)

OF DOCTOR OF PHILOSOPHY

In

Economic Entomology

Under the supervision of:

1- Prof. Dr. Ali Ibrahim Farag

Professor of Economic Entomology, Faculty of Agriculture, Menoufiya University.

2- Prof. Dr. Hosny Abd El-Gawad Sharaf El-Din H.A.S. EL-Din

Professor of Economic Entomology and Apicultural, Faculty of Agriculture, Menoufiya University.

3- Dr. Mahmoud Ali El-Samni

Associate Professor of Economic Entomology and Apicultural, Faculty of Agriculture, Menoufiya University.

4- Prof. Dr. Mohmed Osama El-Shaarawy

Professor of Apiculture, Apiculture Research Department, plant protection Institute, Agricultural Research Center

APPROVAL SHEET

PROPOLIS AND POLLEN AS PRODUCTS OF HONEYBEE COLONIES AND THEIR BIOLOGICAL PROPERTIES

By

Naglaa El-Ahmadi ghazala

B.sc. Agriculture, plant protection Dept.,
Faculty of Agriculture, Menoufia University, (1981)
M.Sc faculty of Agriculture, Moshtohor, Zagazig University (1998)

This Thesis for Ph.D. degree has been Approved by:

Prof. Dr. Metwally Mostafa Khattap

Professor of Economic Entomology and Apicultural, Faculty of Agriculture, Moshtohor, Banha University.

Prof. Dr. Mohamed Ali Omar Kolaib

Professor of Economic Entomology and head of the Department of Economic Entomology and Agricultural Zoology, Faculty of Agriculture, Menoufiya University.

Prof. Dr. Ali Ibrahim Farag

Professor of Economic Entomology, Faculty of Agriculture, Menoufiya University

Prof. Dr. Hosny Abd El-Gawad Sharaf El-Din H. A. 5. El-Din

Professor of Economic Entomology and Apicultural , Faculty of Agriculture , Menoufiya University

Date of Examination 301/0/2006

Content

| | Page |
|---|------|
| - INTRODUCTION | 1 |
| - REVIEW OF LITERATURE | 3 |
| I- Propolis. | 4 |
| a. Origin of propolis. | 4 |
| b. Collection of propolis. | 8 |
| c. Chemical composition of propolis. | 12 |
| d. Biological activities of propolis. | 25 |
| e. Propolis uses. | 40 |
| - In cosmetics. | 40 |
| - In medicine. | 40 |
| - Traditional use. | 40 |
| - Food technology | 41 |
| f- An allergy of propolis: | 41 |
| g- Quality of propolis. | 45 |
| h. Storage. | 46 |
| II- Pollen. | 46 |
| a. Origin of pollen. | 46 |
| b. Collection of pollen. | 49 |
| c. Pollen traps. | 52 |
| d. Chemical composition of pollen. | 55 |
| e. Biological activities of pollen. | 59 |
| f. Pollen uses. | 61 |
| - As food. | 61 |
| - For supplements. | 64 |
| - For pollution monitoring. | 68 |
| - As medicine. | 70 |
| - Storage. | 71 |
| - MATERIALS AND METHODS | 72 |
| 1- Honeybee strains: | 72 |
| 2- Tools and equipments | 72 |
| 3- Intervals of periodical collection of pollen and ropolis | 72 |

| Pag | ze |
|--|------------|
| 4-Treatments | 73 |
| 4.A- Experimental of propolis | 73 |
| 4.A.1- Propolis gathering activity | 73 |
| 4.A.2. Stimulation honeybee colonies to collect propolis. | 73 |
| 4-B- Experimental of pollen | 74 |
| 4-B-1- Pollen gathering activity: | 7 4 |
| 5- The biological properties | 74 |
| 5-1. Propolis. | 74 |
| 5-1-1- Effect of propolis extraction on root-knot | , , |
| nematode <i>Meloidogyne</i> spp. on tomato under greenhouse condition. | 74 |
| 5-1-1-1- Crude propolis preparation: | 75 |
| A) Propolis ethanol extract (PEE): | 75 |
| B) Propolis acetone extract (PAE): | 75 |
| C) Propolis water extract (PWE): | 75 |
| 5-1-1-2- Method of separation and chemical constituent of Egyptian propolis. | 76 |
| a) Crude propolis obtained from water extraction: | 76 |
| 5.2- Pollen supplements. | 77 |
| 5.2.1- Effect of pollen and pollen supplements on the activity of honeybee colonies: | 77 |
| 5.2.2. Effect of feeding on brood rearing: | 77 |
| 5.2.3. Effect of feeding of Queen eggs laying: | 78 |
| 5.2.4. The workers body weight: | 78 |
| 6. Statistical analysis | 78 |
| - RESULTS AND DISCUSSIONS | 79 |
| I- The propolis | 79 |
| I-1 Propolis collection | 79 |
| I-1-1- Effect of honeybee strains on the amount of collected propolis | 79 |
| I-1-1-1- The first year | 79 |
| [-1-1-1-]. The monthly amounts of collected propolis | 70 |

| I-1-1-2- The seasonally amounts of collected propolis |
|---|
| I-1-1-2- The second year |
| I-1-1-2-1- The monthly amounts of collected propolis |
| I-1-1-2-2- The seasonally amounts of collected propolis |
| I-2. Stimulation honeybee colonies to collect propolis |
| II- The pollen |
| II-1 Pollen collection |
| II-1-1- Effect of honeybee strains on the amount of collected |
| pollen |
| II-1-1-1- The first year |
| II-1-1-1- Monthly amounts of collected pollen |
| 11- 1-1-2- Seasonally amounts of collected pollen |
| II-1-1-2- The second year |
| II-1-1-2-1- Monthly amounts of collected pollen |
| 11-1-1-2-2- Seasonally amounts of collected pollen |
| III- The biological properties |
| III-1. Propolis |
| III-1-1- Effect of propolis extraction on root-kno |
| nematode Meloidogyne spp. on tomato by using |
| propolis under greenhouse condition |
| III-1-1. Number of galls. |
| III-1-1-2. Egg masses. |
| III-1-1-3. Fresh shoot (weight/g). |
| III-1-1-4. Fresh root (weight/g.). |
| III-1-1-5. Dry weight. |
| III-2. Pollen |
| III-2-1- Effect of pollen and pollen supplements feeding |
| on the following properties |
| III-2-1-1- Brood rearing |
| III-2-1-2- The egg laying of Queens |
| III-2-1-3- The workers body weights |
| - SUMMARY AND CONCLUSION |
| - REFERENCES OF LITERCITED |
| - ARARIC SUMMARY |

| | | • | |
|--|--|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |