

Physiological and Biochemical Studies on The Effect of Septilin on Irradiated Male Albino Rats

Thesis

Submitted to the Faculty of Science, Ain Shams University In

Partial fulfillment for the master degree in physiology

By

Shereen Mohamed Galal

B.Sc. In (zoology and chemistry-2000)

Supervised by

Prof. Dr. Nadia Mohamed El-Beih prof. Dr. Nadia Mohamed Fahmy

Prof. of Physiology, Dept.of Zoology, Faculty of Science, Prof. of biochemistry, The National Center for

Ain Shams University

Radiation Research and Technology

Dr. Heba Hosny Mansour

Lecturer of biochemistry,
The National Center for
Radiation Research and Technology

Zoology department
Faculty of Science
Ain Shams University
2008



ACKNOWLEDGMENT

I wish to express my deepest gratitude to **Prof. Dr. Nadia Mohamed El-Beih** Prof. of Physiology, Dept. of Zoology, Faculty of Science, Ain Shams University for her supervision, sincere guidance, consultation, support and the unlimited help though the stages of this work.

I should like to take this opportunity to express my appreciation to **prof. Dr. Nadia Mohamed Fahmy** Prof. of biochemistry, The National Center for Radiation Research and Technology for her supervision, generous advice, valuable time and the unlimited help though the stages of this work.

I wish to express my deepest gratitude to **Dr. Heba Hosny Mansour** Lecturer of biochemistry, the National Center for Radiation Research and Technology for her supervision, sincere guidance, and generous advice.

I wish to express my deepest gratitude to **Dr. Azza abdel-Migid** Assistant Prof. of histology, The National Center for Radiation Research and Technology for her support though all stages of this work.

I am grateful to all the members of The National Center for Radiation Research and Technology particularly department of health radiation research.

Finally, I am grateful to all the members of **Dept. of Zoology, Faculty of Science, Ain Shams University.**

Contents

Subject	<u>page</u>
Introduction	1
Aim of the work	5
Review of literature	
Ionizing radiation & free radical formation	6
Effect of whole body gamma radiation	9
Effect of radiation on liver	10
Septilin	12
Liver function	17
Effect of radiation on haematological changes	31
Materials and Methods	34
Results	55
Discussion	160
Summary	183
References	186
Arabic summary	220

List of abbreviations

ALAT Alanine amino-transaminase

ALP Alkaline phosphatase

ADCC Antibody-dependent cellular cytotoxicity

ASAT Aspartate amino-transaminase

CAT Catalase

EMF Electromagnetic fields

GGT Gamma-glutamyl transferase

GST Glutathione transferase

g Gram

Gy Gray

Hb Haemoglobin content

(HDL-c) High density lipoprotein cholesterol

HC Hydrocortisone

IgG Immunoglobulin G

IgM Immunoglobulin M

i.p. Interaperitoneall

(LDL-c) Low density lipoprotein cholesterol

MDA Malondialdehyde

MCH Mean corpuscular hemoglobin

MCHC Mean corpuscular hemoglobin concentration

MCV Mean corpuscular volume

NO Nitric oxide

PCV Packed cell volume

PMN Polymorphonuclear cells

PKC Protein kinase C

ROS Reactive oxygen species

RBCs Red blood cells

SRBCs Sheep red blood cells

SH Sulphydryl group

SOD Superoxide dismutase

GSH Total glutathione

TG Triglycerides

WBCs White blood cells

List of tables

No	•	Page
1	Effect of whole body gamma irradiation & septilin on serum ALAT (U/L) activity.	57
2	Effect of whole-body gamma irradiation & septilin on serum ASAT (U/L) activity.	61
3	Effect of whole body gamma irradiation & septilin on serum GGT (U/L) activity.	65
4	Effect of whole body gamma irradiation & septilin on serum ALP (IU/L) activity.	69
5	Effect of whole body gamma irradiation & septilin on serum total bilirubin (mg/dl) level.	73
6	Effect of whole body gamma irradiation & septilin on serum direct bilirubin (mg/dl) level.	76
7	Effect of whole body gamma irradiation & septilin on serum triglycerides (mg/dl) level.	80
8	Effect of whole body gamma irradiation & septilin on serum total cholesterol (mg/dl) level.	84
9	Effect of whole body gamma irradiation & septilin on serum LDL-cholesterol (mg/dl) level.	88
10	Effect of whole body gamma irradiation & septilin on serum HDL-cholesterol (mg/dl) level.	92

11	Effect of whole body gamma irradiation & septilin on MDA level in liver tissue (n mol/gm tissue).	96
12	Effect of whole body gamma irradiation & septilin on GSH level in liver tissue (n mol/gm tissue).	100
13	Effect of whole body gamma irradiation & septilin on SOD activity in liver tissue (n mol/gm tissue).	104
14	Effect of whole body gamma irradiation & Septilin on serum nitric oxide level (u mol/ml serum).	107
15	Effect of whole body gamma irradiation & septilin on nitric oxide level in liver tissue (n mol/gm tissue).	110
16	Effect of whole body gamma irradiation & septilin on WBCs count (X 10 ³ /mm ³).	114
17	Effect of whole body gamma irradiation & septilin on RBCs count (X $10^6/\text{mm}^3$).	118
18	Effect of whole body gamma irradiation & septilin on Hb content (g/dl).	122
19	Effect of whole body gamma irradiation & septilin on PCV (%).	125
20	Effect of whole body gamma irradiation & septilin on platelets count.	128

Page

No.

No).	Page
21	Effect of whole body gamma irradiation & septilin on MCHC count.	131
22	Effect of whole body gamma irradiation & septilin on MCH count.	134
23	Effect of whole body gamma irradiation & septilin on MCV count.	138

List of figures

No.		Page
1	The putative mechanisms of radioprotection by various plants and herbs.	3
2	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the activity of serum ALAT.	58
3	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the activity of serum ASAT.	62
4	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the activity of serum GGT.	66
5	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the activity of serum ALP.	70
6	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the level of serum total bilirubin.	74
7	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the level of serum direct bilirubin.	77
8	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on the level of serum triglycerides.	81

9 Effect of septilin, radiation (4 Gy & 6 Gy) & **85** their combination on the level of serum total cholesterol. 10 Effect of septilin, radiation (4 Gy & 6 Gy) & 89 their combination on the level of serum LDLcholesterol. 11 Effect of septilin, radiation (4 Gy & 6 Gy) & 93 their combination on the level of serum HDLcholesterol. 12 Effect of septilin, radiation (4 Gy & 6 Gy) & 97 their combination on the level of MDA in liver. Effect of septilin, radiation (4 Gy & 6 Gy) & 13 101 their combination on the level of GSH in liver. Effect of septilin, radiation (4 Gy & 6 Gy) & 104 14 their combination on the activity of SOD in liver. Effect of septilin, radiation (4 Gy & 6 Gy) & 15 107 their combination on the level of serum NO. Effect of septilin, radiation (4 Gy & 6 Gy) & 16 110 their combination on the level of liver NO. Effect of septilin, radiation (4 Gy & 6 Gy) & **17** 114

their combination on WBCs count.

		118
18	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on RBCs count.	110
19	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on Hb content.	122
20	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on PCV.	125
21	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on platelets count.	128
22	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on MCHC.	131
23	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on MCH.	134
24	Effect of septilin, radiation (4 Gy & 6 Gy) & their combination on MCV.	138
25	A section in liver of a control rat showing the normal histological structure of hepatic lobule. (H and E X 200)	143
26	A section in liver of rat treated with septilin after one day showing hydropic degeneration	143

- A section in liver of rat irradiated with 4Gy gamma irradiation one day post-irradiation showing focal basophilic hepatocytes associated with oval cells proliferation (arrow-b). (H and E X 200)
- A section in liver of rat irradiated with 4Gy gamma irradiation and treated with septilin one day post-irradiation showing ballooning of hepatocytes and focal hepatic haemorrhage (arrow-h). (H and E X 200)
- 29 A section in liver of rat irradiated with 6Gy gamma irradiation one day post-irradiation showing necrosis of hepatocytes and pyknotic nuclei (arrow-n). (H and E X 200)
- A section in liver of rat irradiated with 6Gy gamma irradiation and treated with septilin one day post-irradiation showing clear cell foci and necrotic hepatocytes with pyknotic nuclei (arrow-f-n). (H and E X 200)

A section in liver of a control rat showing the 149

- normal histological structure of hepatic lobule. (H and E X 200)
- A section in liver of rat treated with septilin after five days showing kupffer cell activation (arrow-k). (H and E X 200)
- A section in liver of rat irradiated with 4Gy gamma irradiation five days post-irradiation showing dissociation of hepatocytes and necrotic hepatic cells with pyknotic nuclei (arrow-n). (H and E X 200)
- A section in liver of rat irradiated with 4Gy gamma irradiation and treated with septilin five days post-irradiation showing congestion of central vein and hydropic degeneration of hepatocytes (arrow-c). (H and E X 200)
- A section in liver of rat irradiated with 6Gy gamma irradiation five days post-irradiation showing necrosis of hepatocytes and focal hepatic haemorrhage (arrow-h-n). (H and E X 200)

36 153

A section in liver of rat irradiated with 6Gy
gamma irradiation and treated with septilin
five days post-irradiation showing kupffer
cell proliferation (arrow-k). (H and E X 200)

- A section in liver of a control rat showing the normal histological structure of hepatic lobule. (H and E X 200)
- A section in liver of rat treated with septilin after ten days showing hydropic degeneration of hepatocytes. (H and E X 200)
- A section in liver of rat irradiated with 4Gy gamma irradiation ten days post-irradiation showing hepatocytic necrosis and haemorrhage (arrow-n-h). (H and E X 200)
- 40 A section in liver of rat irradiated with 4Gy gamma irradiation and treated with septilin ten days post-irradiation showing congested central vein, kupffer cell activation as well as hydropic degeneration of hepatocytes (arrow-c-k). (H and E X 200)