

127, 17 27, 17 (20) 77, 17 (20









جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية





Information Netw. " Shams Children Sha شبكة المعلومات الجامعية @ ASUNET بالرسالة صفحات لم ترد بالأص

A Comparative Study of the Haemodynamic Effects of Urapidil and Sodium Nitroprusside in Deliberate Hypotension During General Anaestheia

Thesis Submitted for Partial Fulfillment of M.D. Degree in Anaesthesiology

By Hazem Khattab Sayed Ahmed

M.B., B.Ch., M.Sc. Anaesthesiology

Supervised by Prof. Dr. Salwa Mehnny

Prof. of Anaesthesia and Intensive Care Faculty of Medicine - Ain Shams University

Prof. Dr. Hussein Sabri

Prof. of Anaesthesia and Intensive Care Faculty of Medicine - Ain Shams University


Prof. Dr. Raffat Abdel Azeem

Prof. of Anaesthesia and Intensive Care Faculty of Medicine - Ain Shams University

Dr. Fouad Zahra

Assist. Prof. of Anaesthesia and Intensive Care Faculty of Medicine - Ain Shams University

Faculty of Medicine - Ain Shams University 2001



. • • .. .

بسم الله الرحمن الرحيم

قالوا سبحانكلا علم لنا إلا ما علمتنا، إنكأنت العليم الحكيم

صدق الله العظيم

سورة النقرة-الآية: ٣٢

•

.

.

.

.

.

Acknowledgment

First of all, thanks to God, without his help, this work could not be accomplished.

I would like to present my sincere thanks and appreciation to Prof. Dr. Salwa Mehnny, Prof. of Anaesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for her great help, continuous support, meticulous supervision and fruitful guidance throughout this work.

I would like to express my gratitude to Prof. Dr. Hussein Sabri, Prof. of Anaesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, who gave me the privilege of working under his supervision, his continuous guidance and worthy remarks are beyond words of thanks.

Also I would like to thank Prof. Dr. Raffat Abdel Azeem, Prof. of Anaesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his sincere help and thorough revision of every detail in this work. I am truely grateful for him for his unlimited support and help through the whole work.

Words stand short when coming to express my gratefulness to Prof. Dr. Fouad Zahra, Assist. Prof. of Anaesthesia and Intensive Care, Faculty of Medicine, Ain Shams University, for his unlimited knowledge and kind criticism.

Hazem Khattab

*,***b**

. . . ,

List of Contents

	Page
Introduction	1
Aim of the Work	3
Review of Literature	4
Deliberate Hypotension (DH)	4
Monitoring During DH	42
Sodium Nitroprusside (SNP)	45
Urapidil (Ebrantil)	67
Patients and Methods	82
Results	87
Discussion	114
Summary	124
References	130
Arabic Summary	

List of Figures

		Page
•	Fig. (1): Hydrostatic effect of positioning on blood	13
	pressure	17
•	Fig. (2): Sites of action of drugs inducing hypotension	
•	Fig. (3): Schematic representation of the iron coordination complex of nitroprusside.	46
	Fig. (4): Mechanism of action of SNP.	48
•	Fig. (5): Primary pathways of SNP metabolism.	50
	Fig. (6): The metabolism of sodium nitroprusside	51
•	- · · ·	68
•	Fig. (7): Chemical structure of urapidil.	94
•	Fig. (8): Mean systolic blood pressure (SBP) of all	74
	patients during study period	95
•	Fig. (9): Percent reduction from prehypotension level in	93
	systolic blood pressure (SBP) in all patients during	
	deliberate hypotension	98
•	Fig. (10): Mean diastolic blood pressure (DBP) of all	90
	patients during study period	00
•	Fig. (11): Percent reduction from prehypotension level	99
	in diastolic blood pressure (DBP) in all patients during	
	deliberate hypotension	100
•	Fig. (12): Mean arterial blood pressure (MBP) of all	102
	patients during study period	
•	Fig. (13): Percent reduction from prehypotension level	103
	in mean arterial blood pressure (MAP) in all patients	
	during deliberate hypotension	
•	Fig. (14): Mean heart rate (HR) during study periods	106
•	Fig. (15): Percent change from prehypotension level in	107
	heart rate (HR) in all patients during deliberate	
	hypotension	
	Fig. (16): Mean central venous pressure (CVP) of all	110
-	natients during study period	

