



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



# شبكة المعلومات الجامعية

## التوثيق الالكتروني والميكرو فيلم

# جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأفلام قد اعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of  
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



# بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات  
لم ترد بالأصل

**BIOTECHNOLOGICAL STUDIES ON THE  
DEGRADATION OF SOME NARCOTICS  
USING CLEAN METHODS**

Thesis

Submitted in Partial Fulfillment  
For the Degree of Master of Science

In

**Bioscience and Technology**

By

**MAHMOUD EL-SAYED ALY MOHAMED**

(B. Sc. in Special Chemistry, 1978)  
Faculty of Science  
University of Alexandria

Department of Bioscience and Technology,  
Institute of Graduate Studies and Research,  
University of Alexandria

1999

# **Supervisors**

## **1. Professor Mohamed Salah Hassouna**

**Prof. of Microbiology**

**Department of Environmental Studies**

**Institute of Graduate Studies and Research**

**University of Alexandria**

## **2. Dr. Mohamed Hisham Ahmed El-Masry**

**Associate Prof. of Microbiology and Molecular Biology**

**Department of Bioscience and Technology**

**Institute of Graduate Studies and Research**

**University of Alexandria**

## **3. Dr. Salah Ahmed Sheweita**

**Lecturer of Biochemistry**

**Department of Bioscience and Technology**


**Institute of Graduate Studies and Research**

**University of Alexandria**


**APPROVED**

**EXAMINATION COMMITTEE**


Prof.

A handwritten signature in black ink, consisting of a large loop and a horizontal stroke, written over a horizontal line.


Prof.

A handwritten signature in black ink, featuring a stylized 'S' and 'C' followed by a horizontal stroke, written over a horizontal line.

Prof.

A handwritten signature in black ink, appearing to be 'HBC' with a horizontal stroke, written over a horizontal line.

Dr.

A handwritten signature in black ink, featuring a stylized 'E' and 'B' followed by a horizontal stroke, written over a horizontal line.

**DATE:**

14 / 10 / 1999



## DEDICATION

*I would like to dedicate this work to my mother, who encouraged me and gave me all the hope to finish this work. No doubt, that the full support I have received from my wife, my kids Osama, Asmaa and Iman is much appreciated.*

*Special dedicate to  
my brothers and sisters of  
Mabrouk*

# ACKNOWLEDGEMENT

I thank Allah, the beneficent and the merciful, for helping and supporting me to accomplish this work.

I would like to express my deepest gratitude and thanks to Prof. Mohamed Salah Hassouna, Professor of Microbiology for his guidance and helpful supervision.

I am very grateful to Dr. Mohamed Kisham A. El-Masry, Associate Professor of Microbiology and Molecular Biology, Department of Bioscience and Technology, Institute of Graduate Studies and Research, University of Alexandria, for his constant encouragement, devoted time, valuable help, and advice and sincere supervision.

I wish to thank Dr. Salah A. Sheweita, Lecturer of Biochemistry, Department of Bioscience and Technology, Institute of Graduate Studies and Research, University of Alexandria, for his devoted time, valuable help, advice and supervision.

I would like to thank everybody who helped by any mean to make this study possible, especially Mr. Mohamed Salem Rabee, Mrs. Mafida Ayad, and Mrs. Sozan El-Sayed, and to Mrs. Amal Hussein for helping in word processing.

Sincere grateful to Dr. Ramzy Gad El-Kareem and Dr. Sayed Abou El-Nada, Head of the forensic chemistry in Egypt and Minister deputy for medical legality, for their full support and cooperation. Also, my thanks to colonel Samy El-Sharkawy, director of the seized narcotics store, for his cooperation during this work.

# **CONTENTS**

# CONTENTS

	Page
CONTENTS	i
LIST OF TABLES	v
LIST OF FIGURES	vi
LIST OF PLATES	vii
DEDICATION	
ACKNOWLEDGMENT	
1. INTRODUCTION AND AIM OF THE WORK	1
2. REVIEW OF LITERATURE	3
2.1 Narcotic	3
2.2 Drug habituation	3
2.3 Drug addiction	
2.4 Sources of narcotics	4
2.4.1 Natural sources	4
2.4.1.1 Hashish ( <i>Cannabis spp.</i> )	4
2.4.1.1.1 Cannabidiolic acid	6
2.4.1.1.2 Cannabidiol and Cannabigerol	6
2.4.1.1.3 Tetra-hydrocannabinol (THC)	6
2.4.1.1.4 Cannabinol	6
2.4.1.1.5 The criteria of determining the quality of cannabis plant	6
2.4.1.1.6 Toxic effect of $\Delta^9$ THC	7
2.4.1.2 Opium ( <i>Papaver somniferum</i> )	8
2.4.1.3 Kat ( <i>Catha edulis</i> )	9
2.4.1.4 Coca ( <i>Erythroxylum coca</i> or <i>E. truxillense</i> )	10
2.4.2 Synthetic source	11
2.4.3 Semi-synthetic sources	12
2.5 Toxic effects of narcotics	12
2.5.1 Metabolism of heroin	13
2.5.2 Toxic effects of heroin	13

2.6 Destruction of narcotics	14
2.7 International drug control policies	14
2.8 Drug metabolizing enzymes	18
2.8.1 Components of drug metabolizing enzymes	18
2.8.2 Discovery of Cytochrome P-450 and it's Function	19
2.8.3 Occurrence and Distribution of Cytochrome P-450	23
2.8.4 Mechanism of mono-oxygenation	23
2.8.5 Physiological functions of drug metabolizing enzymes	26
2.8.6 Modification of drug metabolizing enzyme activities	27
2.8.6.1 Induction	27
2.8.6.2 Inhibition	30
2.8.6.3 Degradation	31
2.8.7 Inhibition of monooxygenase activity by 7,8-benzoflavone	32
2.8.8 Effect of benzoflavones on tumorigenesis	34
2.8.9 Effect of 7,8-benzoflavone on the metabolism of polycyclic hydrocarbons	36
2.8.10 Modification of carcinogen binding in mouse skin by 7,8-benzoflavone	39
<b>3. MATERIALS AND METHODS</b>	<b>42</b>
3.1 Biological treatment of hashish	42
3.2 Chemical treatment for clean degradation of narcotics	42
3.2.1 Apparatus used for degrading hashish and heroin	42
3.2.2 Determination of the best solvent for extracting the active ingredient of hashish	44
3.3 Determination of the best destructive reagent	44
3.4 Detection of active and destructive narcotic material by TLC	45
3.5 Determination of the optimum destructive conditions of narcotics	45
3.5.1 Optimum concentration	45
3.5.2 Best retention time	46
3.5.3 Optimum quantitation of nitric acid used as destructive reagent	46
3.6 Detection of hashish's active ingredients that were might trap by petroleum ether in flask (3)	46
3.7 Nicloux reagent (oxidizing agent)	46

	<b>Page</b>
3.8 Treatment of heroin	47
3.9 Detection by Gas chromatography (GC)	48
3.9.1 Detection of hashish and its destructive constituents by GC	48
3.9.2 Detection of heroin/morphine and its destructive constituents by GC	49
3.9.3 GC detection of morphine after hydrolyzing heroin by HCl	49
3.10 Toxicological methods	49
3.10.1 The Experimental animals	49
3.10.2 Chemicals	49
3.10.3 Preparation of microsomes	50
3.10.4 Assay of DMN-N-demethylase I activity	51
3.10.5 Estimation of formaldehyde	51
3.10.6 Assay of arylhydrocarbon hydroxylase	52
3.10.7 Estimation of cytochrome P-450	55
3.10.8 Estimation of cytochrome b-5	55
3.10.9 Determination of the hepatic content of glutathione	55
3.10.10 Assay of glutathione-S-transferase activity	57
3.10.11 Estimation of protein	57
3.10.12 Determination of microsomal thiobarbituric acid-reactive substances	58
 <b>4. RESULTS AND DISCUSSION</b>	 <b>60</b>
4.1 Biological destruction using bacterial isolates	60
4.2 Determination of best solvent	60
4.3 Determination of the best destructive reagent for hashish	60
4.4 Determination of the best destructive reagent for heroin	62
4.5 Determination of the optimum concentration of nitric acid to destruct hashish	62
4.6 Determining the optimum concentration of nitric acid to destruct heroin	62
4.7 Determining the less retention boiling time using 5% HNO <sub>3</sub> to destruct hashish and heroin	67
4.7.1 Detection of narcotics in the trapping flask 3	67
4.7.2 Detection of nitric acid trapped by distilled water in flask (2)	67
4.8 Destruction of hashish by using Nicloux reagent	67