



Ain Shams University
Faculty of Women for Art,
Science and Education,
Physics Department

Environmental radiation studies of natural radioactivity of some selected areas from Sinai- Egypt using different types of radiation detectors

**Submitted for Philosophy Doctor in Science
Physics (Radiation Physics)**

Presented BY:

Doaa Hassan Taha Shabaan

**Assistant lecturer at Department of Physics
Bachelor of Science in Physics and Chemistry (2004)
Master Degree in Radiation Physics (2009)**

Supervised by

Prof. Dr. Hosnia Mohamed

Abu-Zeid

Prof. of Nuclear Physics
Physics Department
Faculty of Women for Art,
Science and Education,
Ain Shams University

Prof. Dr. Ibrahim El-Kattany

El-Aassy

Prof. of Nuclear Ores
Nuclear Materials Authority, Egypt

Dr. Tarek Mohamed

El-Desouky

Ass. Prof. of Radiation Physics
Physics Department
Faculty of Women for Art,
Science and Education,
Ain Shams University

Dr. Hayam Ahmed Abdel- Ghany

Ass. Prof. of Radiation Physics
Physics Department
Faculty of Women for Art,
Science and Education,
Ain Shams University

Dr. Hanan Awad Sayed Aly

Lecturer of Nuclear Physics
Physics Department
Faculty of Women for Art,
Science and Education,
Ain Shams University

2012



Ain Shams University
Faculty of Women for Art,
Science and Education,
Physics Department

Environmental radiation studies of natural radioactivity of some selected areas from Sinai- Egypt using different types of radiation detectors

Submitted for Philosophy Doctor in Science
Physics (Radiation Physics)

*A thesis presented
BY:*

Doaa Hassan Taha Shabaan

Assistant lecturer at Department of Physics

Supervisors

Prof. Dr. Hosnia Mohamed Abu-Zeid
Prof. Dr. Ibrahim El-Kattany El-Aassy
Dr. Tarek Mohamed El-Desouky
Dr. Hayam Ahmed Abdel- Ghany
Dr. Hanan Awad Sayed Aly

Approval Stamp

/ / 2012

Approval of Faculty Council

/ / 2012

Date of Approval

/ / 2012

Approval of University Council

/ / 2012

Contents

Acknowledgement	
Abstract	
Contents	i
List of Figures	vii
List of Tables	xiv

CHAPTER 1 **INTRODUCTION AND LITERATURE** **REVIEW**

	<i>Page</i>
1. Introduction	1
1.1 Radioactive Decay Processes	2
1.1.1 Units of Radioactivity Measurements	2
1.1.2 The Radioactive Decay Law	3
1.1.3 Radioactive Equilibria	6
1.1.3.1 Secular Equilibrium: ($\tau_1 \gg \tau_2$)	7
1.1.3.2 Transient Equilibrium: ($\tau_1 \geq \tau_2$)	8
1.1.3.3 No-Equilibrium: ($\tau_1 < \tau_2$)	10
1.2 Types of environmental radioactivity	11
1.2.1 Primordial Radionuclides	12
1.2.2 Cosmic Radiation	16

1.2.3 Man-Made Sources of Radiation.....	17
1.2.3.1 Medical Radiation Sources.....	18
1.2.3.2 Nuclear Weapons Tests.....	18
1.2.3.3 Nuclear Power.....	19
1.2.3.4 Consumer Products.....	19
1.3 Types of Rocks	21
1.3.1 Sandstones	21
1.3.2 Conglomerates	21
1.3.3 Mudrocks	21
1.3.4 Limestones and dolomites	22
1.3.5 Clay stone	22
1.4 Geologic Setting.....	23
1.4.1 Wadi Nasib.....	23
1.4.2 Wadi El Sahu.....	29
1.5 Literature Review.....	34
1.6 The aim and scope of the present study.....	46

CHAPTER 2

THEORETICAL BACKGROUND

2.1 Radium.....	47
-----------------	----

2.1.1 The Discovery of Radium.....	47
2.1.2 Radium in Soil.....	48
2.1.3 Health Hazards of Radium.....	48
2.2 Radon.....	49
2.2.1 Definition of radon.....	49
2.2.2 Physical and chemical properties of radon.....	50
2.2.3 Behavior of radon decay products.....	50
2.2.4 Effective Radon Diffusion Coefficient.....	51
2.2.5 Radon Exhalation.....	54
2.2.6 Radon and Health Risk.....	54
2.3 Radon measurement techniques.....	55
2.3.1 Active Techniques.....	55
2.3.1.1 Lucas Cell (scintillation method).....	56
2.3.1.2 Ionization Chambers.....	56
2.3.1.3 Surface Barrier Detector (SBD).....	57
2.3.1.4 Two Filter Method.....	57
2.3.1.5. Working Level Method.....	58
2.3.2 Passive Methods.....	58
2.3.2.1 Thermoluminescence Detector (Tld).....	59
2.3.2.2 Electrets.....	60
2.3.2.3 Charcoal Adsorption Detectors.....	60
2.3.2.4 Etched track detector.....	60

2.4 Track Formation Mechanisms and Detector's Efficiency.....	6
1	
2.4.1 Historical Review.....	61
2.4.2 Advantages of SSNTDs.....	63
2.4.3 CR-39 Polymeric Track Detectors.....	64
2.4.4 Formation of the Latent Tracks.....	66
2.4.4.1 Models of Track Formation.....	68
2.4.4.1.1 Thermal-Spike Model.....	68
2.4.4.1.2 Ion-Explosion Spike Model.....	69
2.4.5 Track Formation in Polymers.....	71
2.4.6 Development of Latent Tracks in Polymers.....	74
2.4.6.1 Chemical Etching.....	75
2.4.6.2 Track Formation Geometry.....	76

CHAPTER 3

EXPERIMENTAL TECHNIQUES

3.1 Destructive Analysis (DA).....	79
3.2 Non-Destructive Assay (NDA).....	80
3.3 Germanium Gamma-Ray	
Detectors.....	82
3.4 Sampling and Samples Preparation.....	87

3.4.1 Sampling.....	87
3.4.2 Samples Preparation.....	92
3.5 Experimental Set-Up.....	96
3.5.1 HyperPure Germanium Detector (HPGe).....	96
3.6 Energy and Efficiency Calibration of the Electronic Systems.....	104
3.6.1 Energy Calibration.....	104
3.6.2 Efficiency Calibration.....	107
3.7 Specific Activity Measurements.....	108
3.8 Radiation Parameters.....	112
3.8.1 Absorbed Dose Rate.....	113
3.8.2 Annual Effective Dose.....	114
3.8.3 Radium Equivalent Activity.....	114
3.8.4 External Hazard Index.....	115
3.9 Equipments.....	117
3.10 Experimental etching procedure.....	119
3.11 Measurement of Track Density.....	121
3.12 Measurement of Radon Concentration (Bq m⁻³).....	123
3.13 Radon exhalation rate.....	127
3.14 Effective Radium Content Measurements.....	128

CHAPTER 4

RESULTS AND DISCUSSIONS

4.1 Introduction.....	129
4.2 Determination of subsurface Radioactive Anomalies Using Alpha Tracks.....	129
4.3 Radioactivity Concentrations in rock Samples from Western Side of W. Sahu	140
4.3.1 Site 1.....	140
4.3.1. a HPGe detector.....	140
4.3.1.b Sealed Can Technique.....	151
4.3.2 Site 2.....	155
4.3.2.a HPGe detector.....	155
4.3.2.b α – Track Technique.....	162
4.4 Radioactivity concentrations in Rock Samples from Gabal Alouga.....	165
4.4.1 HPGe detector.....	165
4.4.2 α - Track Technique (CR-39).....	174
Summary and Conclusions.....	176
References.....	180
Arabic Summary	

LIST OF TABLES

<i>Table No.</i>	<i>Page</i>
(2-1) Effective Diffusion Coefficients for Radon in Unconsolidated Soil Materials and Concrete.	53
(3-1) Description of samples collected from site (1) for Western Side of W. Sahu.....	89
(3-2) Description of samples collected from site (2) for Western Side of W. Sahu.....	90
(3-3) Description of samples collected from Um Bogma from base to top.....	91
(3-4) Radionuclides used for energy calibrations...	106
(3-5) Characteristics of selected gamma-emitting radionuclides.....	112
(4-1) Minor and major track diameters of lower and upper surfaces for (CR-39) detector in the first case (non-ventilated).....	138
(4-2) Minor and major track diameters of lower and upper surfaces for (CR-39) detector in the second case (ventilated).....	139
(4-3) The activity concentrations in Bq/kg for the	

	measured radionuclides for ^{238}U and ^{232}Th series in site 1, western side of W. El Sahu....	142
(4-4)	Activity concentrations in (Bq/kg) of ^{238}U , ^{235}U , ^{40}K , ^{232}Th and ^{226}Ra / ^{238}U *in site 1, western side of W. El Sahu.....	143
(4-5)	Concentrations (ppm) of ^{238}U , ^{235}U , ^{232}Th and $^{40}\text{K}\%$ in site 1, western side of W. El Sahu.....	147
(4-6)	The absorbed dose rate (nGyh^{-1}), annual effective dose (mSvy^{-1}), radium equivalent (Bq/kg), and external hazard for samples in site 1, western side of W. El Sahu.....	151
(4-7)	The track density, Radon activity, Effective radium content and exhalation rates of radon in site 1, western side of W. El Sahu...	152
(4-8)	Results of calculated ^{226}Ra (γ), ^{226}Ra (α), ^{222}Rn and its progeny activity concentrations in site 1, western side of W. El Sahu.....	154
(4-9)	Ratios between γ and α - measurements of ^{226}Ra in site 1, western side of W. El Sahu with its porosity.....	154

(4-10)	The activity concentrations in Bq/Kg for the measured radionuclides for ^{238}U and ^{232}Th series for second section (site 2) in western side of W. El Sahu.....	157
(4-11)	Average activity concentrations in (Bq/kg) of ^{238}U , ^{235}U , ^{232}Th and ^{40}K for second section (site 2) in western side of W. El Sahu.....	157
(4-12)	Concentrations (ppm) of ^{238}U , ^{235}U , ^{232}Th and $^{40}\text{K}\%$ for second section (site 2) in western side of W. El Sahu.....	159
(4-13)	Absorbed dose rate (D) in (nGyh^{-1}), annual effective dose (E_{eff}) in (mSvy^{-1}), Ra_{eq} in (Bqkg^{-1}) and H^{ex} for second section in site 2, western side of W. El Sahu.....	162
(4-14)	The track density, Radon activity, Effective radium content and exhalation rate of radon for second section in site 2, western side of W. El Sahu.....	163
(4-15)	Results of calculated ^{226}Ra (γ), ^{226}Ra (α), ^{222}Rn and its progeny activity concentrations in site 2, western side of W. El Sahu.....	163
(4-16)	Ratios between γ and α - measurements of ^{226}Ra in site 2, western side of El Sahu samples with	

	its porosity.....	164
(4-17)	The activity concentrations in Bq/kg for the measured radionuclides for ^{238}U and ^{232}Th series in Gabal Alouga locality.....	167
(4-18)	Average activity concentrations in (Bq/kg) of ^{238}U , ^{235}U , ^{232}Th and ^{40}K in Gabal Alouga locality.....	167
(4-19)	Concentrations (ppm) of ^{238}U , ^{235}U , ^{232}Th and $^{40}\text{K}\%$ for Gabal Alouga locality.....	170
(4-20)	The absorbed dose rate (nGyh^{-1}), annual effective dose (mSvy^{-1}), radium equivalent (Bq/kg), and external hazard for samples in Gabal Alouga locality.....	173
(4-21)	The track density, radon concentration and exhalation rate of radon for Gabal Alouga locality.....	174
(4-22)	Results of calculated ^{226}Ra (γ), ^{226}Ra (α), ^{222}Rn and its progeny activity concentrations in Gabal Alouga.....	175
(4-23)	Ratios between γ and α - measurements of ^{226}Ra in Gabal Alouga locality with its porosity.....	175

LIST OF FIGURES

<i>Fig. No.</i>		<i>Page</i>
(1-1)	Schematic illustration of secular equilibrium between a parent ^{226}Ra and its daughter ^{222}Rn (Radon gas).....	8
(1-2)	Schematic illustration of transient equilibrium between a parent ^{140}Ba and its daughter ^{140}La	9
(1-3)	Schematic illustration of 'no-equilibrium' between a parent ^{146}Ce and its daughter ^{146}Pr	10
(1-4)	The decay series of Uranium (^{238}U).....	14
(1-5)	The decay series of Uranium (^{235}U).....	15
(1-6)	The decay series of Thorium (^{232}Th).....	15
(1-7)	The decay series of Neptunium (^{237}Np).....	16
(1-8)	Sources of exposure (annual effective dose radiation exposure).....	20
(1-9)	The study area of Wadi Nasieb (Gabal Alouga).....	25
(1-10)	Geologic map of Gabal Alouga area southwestern Sinai.....	26

(1-11)	Lithostratigraphic section of the rock types and location of bore hole.....	27
(1-12)	Lithostratigraphic section in Gabal Alouga.....	28
(1-13)	The study area of Wadi El Sahu.....	30
(1-14)	Geologic map of west Wadi El Sahu with location of geologic section.....	31
(1-15)	Lithostratigraphic section of site 1 in Wadi El Sahu with activity concentration (Bq/kg) curve of ^{226}Ra and ^{238}U	32
(1-16)	Lithostratigraphic section of site 2 in Wadi El Sahu	33
(2-1)	The ion explosion spike mechanism for track formation in inorganic solids.....	71
(2-2)	Schematic diagram of chain scission in polymers caused by the passage of heavily charged-particles.....	73
(2-3)	Some parameters used to describe the geometry of the etched tracks.....	78
(3-1)	Definition of detector resolution.....	86
(3-2)	Examples of response functions for detectors with relatively good resolution and relatively poor resolution.....	87
(3-3)	The radon diffusion cylindrical chamber..	94

(3-4)	Detector chamber fixed in natural fracture in the sandstone overlying the natural radioactive source.....	95
(3-5)	Connection of components in a typical energy spectroscopy system	101
(3-6)	Vertical cryostat mounting arrangements	102
(3-7)	Gamma-ray spectroscopy system.....	103
(3-8)	Typical calibration plot for a linear MCA	105
(3-9)	The absolute efficiency curves for some used configurations for 100 ml sample.....	108
(3-10)	Assembly for the measurement of radon concentration using “sealed can technique”.....	117
(3-11)	The stabilized water-bath.....	118
(4-1)	The radon concentration of lower and upper surfaces for (CR-39) detector in the first case (non-ventilated).....	135
(4-2)	The radon concentration of lower and upper surface for (CR-39) detector in the second case (ventilated).....	135
(4-3)	The radon concentrations of lower surface for (CR-39) detector.....	136
(4-4)	The radon concentration of upper surface for (CR-39) detector.....	136