

The Effect of Ozone on Marginal Integrity and Surface Topography of Class V Restorative System

Thesis

Submitted to Faculty of Oral and Dental Medicine
Cairo University

In partial fulfillment of the requirements
Of Master's Degree in "Operative Dentistry"

By

**Rasha Hassan Aly Afifi
B.D.S (2002) Cairo University**

Faculty of Oral and Dental Medicine
Cairo University
2009

()

()

()

()

()

سورة العلق من الآية (١-٥)

Supervisors

Supervisors

Dr. Mohsen Hussein Abi El Hassan

*Professor of Operative Dentistry
Faculty of Oral and Dental Medicine
Cairo University.*

Dr. Rania Sayed Mosallam

*Lecturer of Operative Dentistry
Faculty of Oral and Dental Medicine
Cairo University.*

Dedication

To my

Mother

Father

Husband

*Who suffered a lot with me to finish this work,
without their encouragement and support, this
work couldn't reach an end.*

Acknowledgment

Acknowledgment

First of all thanks a lot to "ALLAH" the most beneficial, peaceful, and the most merciful, who taught man what he didn't know. Peace and greeting unto the prophet "MOHAMED".

It's a pleasure for me to express my profound gratitude to Prof. Dr Mohsen Hussein Abi Al Hassan , Professor of operative dentistry Department, faculty of oral and dental Medicine, Cairo University, for his kind supervision, sincere help ,continuous support and constant encouragement which enabled me to complete this work.

I would like to express my deepest thanks and gratitude for Dr. Rania Sayed Mosallam, lecturer of operative dentistry department, Faculty of oral and dental Medicine, Cairo University, for her continuous guidance and cordial help she offered during the course and finishing of this work.

Finally, I would like to thank every body helped me to finish this work, especially Dr. Ahmed Taymour professor of physiology department, Faculty of Medicine, Al-Azhar University, for his cooperation in the field of ozone.

list of contents

List of contents

List of tables.....	i
List of figures.....	ii
Introduction.....	1
Review of literature.....	3
-Surface roughness of dental tissues.....	3
-Surface topography of restorative materials.....	7
- Marginal integrity of restorative materials.....	13
-Ozone	21
Aim of the study.....	40
Materials and methods.....	41
Results.....	59
Discussion.....	81
Summary and conclusions.....	96
References.....	99
Appendix.....	i
Arabic summary.....	

list of tables

List of tables

	Page no.
Table(1) Variables of the study.	46
Table(2) Interaction of variables for different levels of the Study.	46
Table(3) Descriptive statistics and test of significance for the effect of different exposure durations of Ozonated water on surface roughness of different dental tissues (enamel-cementum).	60
Table(4) Descriptive statistics and test of significance for the comparison between effect of different exposure durations to ozonated water on percentage changes in surface roughness of enamel and cementum.	62
Table(5) Descriptive statistics and test of significance for the effect of different exposure durations of ozonated water on surface roughness of resin composite and glass ionomer.	64
Table(6) Descriptive statistics and test of significance for the comparison between the effect of exposure durations to ozonated water on percentage changes in surface roughness of composite and glass ionomer.	66
Table(7) Descriptive statistics and test of significance for the effect of different exposure durations to ozonated water on gap area at the coronal and cervical sides of resin composite restorations.	78
Table(8) Descriptive statistics and test of significance for the effect of different exposure durations of ozonated water on gap area at the coronal and cervical sides of glass ionomer.	80

list of figures

List of Figures

	Page No.
Fig.(1) Universal hybrid resin composite consist of: Scotchbond etchant, Adber single bond 2, and Filtek Z250 restorative paste.	43
Fig.(2) Glass ionomer restorative system consist of: Ketac conditioner , Ketac capsules and Ketac glaze.	43
Fig.(3) OZOMED unit.	44
Fig.(4) The cavity was cut on a Tofflemire matrix band.	49
Fig.(5) SDI Radii LED light curing unit.	49
Fig.(6) Curing of resin composite.	50
Fig.(7) A final resin composite restoration.	50
Fig.(8) A tooth after restoration with glass ionomer restoration.	52
Fig.(9) Olympus SZ-PT stereomicroscope.	57
Fig.(10) The tooth was surrounded by a foil.	57
Fig.(11) Tooth after washing from the dye.	58
Fig.(12) Longitudinal section through the center of the restoration.	58
Fig.(13) Mean surface roughness in enamel and cementum before and after different exposure durations to ozonated water.	60
Fig.(14) Percentage changes in surface roughness of enamel and cementum at different exposure durations to ozonated water.	62
Fig.(15) Mean surface roughness of resin composite and glass ionomer before and after different exposure durations to ozonated water.	64
Fig.(16) Percentage changes in surface roughness of composite and glass ionomer before and after different exposure durations to ozonated water.	66

Fig.(17)	ESEM photomicrograph (1500X) representing enamel surface at baseline.	69
Fig.(18)	ESEM photomicrograph (1500X) representing enamel surface after application of ozone for 20 second.	69
Fig.(19)	ESEM photomicrograph (1500X) representing enamel surface after application of ozone for 40 seconds.	70
Fig.(20)	ESEM photomicrograph (1500X) representing enamel surface after application of ozone for 60 seconds.	70
Fig.(21)	ESEM photomicrograph (1500X) representing cementum surface at baseline.	71
Fig.(22)	ESEM photomicrograph (1500X) representing cementum surface after 20 seconds ozone application.	71
Fig.(23)	ESEM photomicrograph (1500X) representing cementum surface after application of ozone for 40 seconds.	72
Fig.(24)	ESEM photomicrograph (1500X) representing cementum surface after application of ozone for 60 seconds.	72
Fig.(25)	ESEM photomicrograph (1500X) representing resin composite surface at baseline.	73
Fig.(26)	ESEM photomicrograph (1500X) representing resin composite surface after application of ozone for 20 seconds.	73
Fig.(27)	ESEM photomicrograph (1500X) representing resin composite surface after application of ozone for 40 seconds.	74
Fig.(28)	ESEM photomicrograph (1500X) representing resin composite surface after application of ozone for 60 seconds.	74
Fig.(29)	ESEM photomicrograph (1500X) representing glass ionomer surface at baseline.	75