

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%




بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

EVALUATION OF THE PREOPERATIVE USE OF ORTHODONTIC ACTIVATORS IN PREVENTING RELAPSE AFTER BILATERAL SAGITTAL SPLIT RAMUS OSTEOTOMY IN ADULTS



Research

Submitted to the faculty of Oral and Dental Medicine

Cairo university

for partial fulfillment of the requirements of a Doctor degree in dental surgery

(Oral Surgery Department)

7.1

By

Khaled Atef El-Hayes B.D.S, M.D.S.

Faculty Of Oral and Dental Medicine

Cairo University

1/5/15 1/5/17 NJAN

2001

بسم الله الرحمن الرحيم

" و ما أوتيتم من العلم إلا قليلاً"

صدق الله العظيم سورة الإسراء, اية ١٥٨١١

Supervisors

Dr. Hatem Abd El-Rahman Moustafa

Professor of Oral Surgery

Faculty of Oral and Dental Medicine,

Cairo University

Dr. Mohamed Galal Gamal El-Din Beheiry

Professor of Oral Surgery,

Faculty of Oral and Dental Medicine,

Cairo University

Dr. Amr Emad El-Dakroury

Assistant Professor of Orthodontics,
Faculty of Oral and Dental Medicine,
Cairo University

Dedication

To my Father , my Mother

and

To My Wife

Acknowledgment

I would like to express my deepest gratitude and thanks to Dr. Hatem Abd El Rahman, Professor of Oral Surgery, Faculty of Oral and Dental Medicine, Cairo University, for his scientific kind supervision, ultimate assistance and continuous support throughout this thesis.

I'm really deeply obliged and grateful to Dr. Galal Behery, Professor of Oral Surgery, Faculty of Oral and Dental Medicine, Cairo University, for his continuous teaching, encouragement and scientific supervision he offered during this work.

I would like also to express my sincere gratitude and appreciation to Dr. Amr El Dakroury, Assistant Professor of Orthodontics, Faculty of Oral and Dental Medicine, Cairo University, for his valuable advises, scientific teaching and supervision during this work.

Deepest thanks to Dr. Ahmed Barakat , Dr. Fahmy Abd – El Al , lecturers of Oral Surgery , Faculty of Oral and Dental Medicine , Cairo University , for their sincere help in this study .

I would like to thank my colleague, Dr. Ahmed Hedar for his great help in tracing of radiographs of this study.

My deep hearty appreciation and gratitude to my wife, Dr. Eman Zaki Sheira for her unlimited effort in writing this thesis and actual support in its accomplishment.

List of Contents

SUBJECT	PAGE
INTRODUCTION	1
REVIEW OF LITERATURE	3
AIM OF THE STUDY	36
MATERIALS AND METHODS	37
RESULTS	81
DISSCUSION	125
SUMMARY AND CONCLUSIONS	133
APPENDIX	136
REFRENCES	139
ARABIC SUMMARY	171

LIST OF FIGURES

<u>Number</u>	<u>Title</u>	<u>Page</u>
Figure (1) :	Obwegeser's osteotomy	5
Figure (2) :	Carleton et al. modification	7
Figure (3):	Dal Pont modification	8
Figure (4):	Davis modification	8
Figure (5):	Facial proportions	- 38
Figure (6):	Pre-operative panoramic & lateral cephalometric	
	radiographs	42
Figure (7):	Bite block on the study model (up) &	
	Monoblock activator (down)	43
Figure (8) :	A patient from group (I) with (right) and without (left)	
	monoblock activator	44
Figure (9) :	Face bow record for mounting maxillary cast	46
Figure (10):	Instruments used for face bow record	46
Figure (11):	Squash bite for face bow record	47
Figure (12):	Semi-adjustable articulator	47
Figure (13):	Casts mounted in the pre-operative position	48
Figure (14):	Casts mounted in the desired post-operative position	48
Figure (15):	Inter-occlusal splint	49
Figure (16) :	Instruments used in surgical procedure	51
Figure (17) :	Intra-oral incision for BSSRO	52
Figure (18):	Exposure of the ramus and lingula	54
Figure (19):	Medial cut above the lingula	56
Figure (20):	Medial , Lateral and connecting cuts	56

Figure (21):	Double spatula chisel for separation of both segments	58
Figure (22) :	Splitting of the ramus by Obwegeser chisel	59
Figure (23):	Two segments are completely separated & the kocher	
	holding the proximal segment .	
	Right side (up) & Left side (down)	60
Figure (24):	IMF by arch bar and suspension wires guided by	
	intra-oral splint	61
Figure (25) :	Splint in position . Right side (up) & Left side (down)	62
Figure (26) :	Skin incision for transbuccal trocar	64
Figure (27):	Blunt dissection through skin incision	64
Figure (28) :	Introduction of transbuccal trocar	65
Figure (29) :	Placing of cheek retractor disc of transbuccal trocar	
	intra-orally	65
Figure (30):	Drilling of the screw holes	66
Figure (31):	Measuring the depth of the screw holes using	
	depth gauge	69
Figure (32) :	Placing of the screws	69
	The three screws placed intra-orally in an inverted "L"	
	shape pattern	70
Figure (34) :	The three screws placed intra-orally in a triangular	
	shape pattern	70
Figure (35):	The gap showing the amount of advancement .	
	Right side (up) & Left side (down)	71
Figure (36) :	Post-operative occlusion .	
	Right side (up) & Left side (down)	72

Figure (37) :	Closure of intra-oral wound .	
	Right side (up) & Left side (down) 7	3
Figure (38) :	Panoramic view .	
	Pre-operative (up) & post-operative (down) 7	4
Figure (39) :	Lateral cephalometric radiograph .	
	Pre-operative (up) & post-operative (down) 7	S
Figure (40) :	Diagram shows points , angular landmarks & linear	
	landmarks used for lateral cephalometric analysis 8	0
Figure (41) :	Case no.1 from activator group , frontal view .	
	Pre-operative (left) & post-operative (right) 10	7
Figure (42) :	Case no.1 from activator group , Right side view .	
	Pre-operative (left) & 1 year post-operative (right) 10	8
Figure (43) :	Case no.1 from activator group . Left side view .	
	Pre-operative (left) & 1 year post-operative (right) 10	9
Figure (44) :	Case no.1 from activator group . Frontal occlusion .	
	Pre-operative (left) & 1 year post -operative (right) 11	0
Figure (45) :	Case no.1 from activator group . Right side occlusion .	
	Pre-operative (left) & 1 year post-operative (right) 11	1
Figure (46) :	Case no.1 from activator group . Left side occlusion .	
	Pre-operative (left) & 1 year post -operative (right) 112	2
Figure (47) :	Case no.5 from control group . Frontal view .	
	Pre-operative (left) & 1 year post-operative (right) 113	3
Figure (48) :	Case no.5 from control group . Right side view .	
	Pre-operative (left) & 1 year post-operative (right) 114	4
Figure (49) :	Case no.5 from control group . Left side view .	
	Pre-operative (left) & 1 year post-operative (right) 115	5

Figure (50) :	Case no.5 from control group . Frontal occlusion .
	Pre-operative (left) & 1 year post-operative (right) 116
Figure (51):	Case no.5 from control group . Right side occlusion .
	Pre-operative (left) & 1 year post-operative (right) 117
Figure (52):	Case no.5 from control group . Left side occlusion .
	Pre-operative (left) &1 year post-operative (right) 118
Figure (53):	Case no. 3 (activator group) with genioplasty. Frontal view
	Pre-operative (up), 6 W post-operative (left) &
	1 Y post-operative (right) 119
Figure (54):	Case no. 3 (activator group) with genioplasty .
	Rt. Side view . Pre-operative (up) ,
	6 W post-operative (left) & 1 Y post-operative (right) 120
Figure (55):	Case no. 3 (activator group) with genioplasty.
	Left Side view . Pre-operative (up) ,
	6 W post-operative (left) & 1 Y post-operative (right) 121
Figure (56) :	Case no.3 (activator group) with genioplasty.
	Frontal occlusion . Pre-operative (up) ,
	6 W post-operative (left) & 1 Y post-operative (right) 122
Figure (57) :	Case no.3 (activator group) with genioplasty.
	Right side occlusion . Pre-operative (up),
	6 W post-operative (left) & 1 Y post-operative (right) 123
Figure (58):	Case no.3 (activator group) with genioplasty.
	Left side occlusion . Pre-operative (up) ,
	6 W post-operative (left) & 1 Y post-operative (right) 124