





ثبكة المعلومات الجامعية





جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15-25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية







SURGICAL ANATOMICAL APPROACH OF THE ABDOMEN IN THE GOAT

A Thesis

Presented to the Graduate School

Faculty of Veterinary Medicine, Alexandria University
In Partial fulfillment of the Requirements for the Degree

Of
Doctor of Philosophy in Veterinary Sciences

In (Anatomy)

By Samir Ahmed Awad Elgendy

May (2007)

SURGICAL ANATOMICAL APPROACH OF THE ABDOMEN IN THE GOAT

Presented by

Samir Ahmed Awad Elgendy

For the degree of

Doctor of Philosophy in Veterinary Sciences

In

Anatomy

Examiners' Committee:

Approved

Prof.Dr. Abd Alla Hifny Taha

Prof. of Anatomy and Embryology

Faculty of Veterinary Medicine Assiut University

Prof. Dr. Ali Abdel Kader Tolba Mansour

Prof. of Anatomy and Embryology and the Dean

of faculty of Veterinary Medicine Kafr Elsheikh University

Trand

Prof.Dr. El-Said Eissa

Prof. and Head of Anatomy and Embryology

Department Faculty of Veterinary Medicine

Alexandria University (Advisor)

Prof.Dr. Mohamed El-Said Amin

Prof. of Anatomy and Embryology

Faculty of Veterinary Medicine Alexandria University (Advisor)

Prof.Dr. Rafat Mohamed Ahmed El-Bakary

Prof. of Anatomy and Embryology

Faculty of Veterinary Medicine Alexandria University (Advisor)

Date: 16/5/2007

Advisor's Committee:

Prof.Dr. El-Said Eissa

Prof and Head of Anatomy and Embryology Department Faculty of Veterinary Medicine Alexandria University

Prof.Dr. Mohamed El-Said Amin

Prof. of Anatomy and Embryology Faculty of Veterinary Medicine Alexandria University

Prof.Dr. Rafat Mohamed Ahmed El-Bakary

Prof. of Anatomy and Embryology Faculty of Veterinary, Medicine Alexandria University

ACKNOWLEDGMENT

First and foremost, all thanks are due to ALLAH, The most beneficent and merciful.

I would like to express my heartily thanks for **Prof. Dr. E. E.**Enany Prof. and Head of Anatomy and Embryology Department,
Faculty of Veterinary Medicine, Alexandria University for his kind supervision, generous attitude, continuous support and help.

I am greatly indebted and express my sincere gratitude to **Prof. Dr. M. E. Amin** Professor of Anatomy and Embryology, Faculty of Veterinary Medicine, Alexandria University for his sincere guidance, continuous encouragement and help, and continuous interest and valuable advises throughout this work.

My deepest gratitude and faithful thanks to **Prof. Dr. R. M. El-Bakary**, Prof. of Anatomy and Embryology ,Faculty of Veterinary Medicine. Alexandria University for his guidance, continuous interst and valuable advises throughout this work.

My deepest thanks to, Dr. A. Elsharaby, Dr. M. Elsafy, Dr. Sh. Hafez and Dr. M.H. Elkamar, for their cooperation and for their kindness, continuous interest and valuable advises throughout this work.

Finally I wish to extend my appreciation to **Dr. M. Abu**Mandour for his continuous support and help, and to all staff member
and workers of the Department of Anatomy and Embryology Faculty of
Veterinary Medicine, Alexandria University.

Contents

	Page
Introduction	
Review of Literature	
I. The Abdomen	2
II. Abdominal cavity	3
III.Abdominal organs	
IV. Surgical approach of the abdomen	22
Material and Methods	24
Result	······················· 26
I. The Abdomen	26
II. Abdominal Cavity	26
III. Abdominal Organs	
IV. Cross sectional anatomy of the abdomen	43
V. Computed tomography of the abdomen	
VI. Surgical approach of the abdomen	46
Discussion:	103
• I. Abdomen	103
II. Abdominal cavity	103
III. Abdominal organs	
IV. Surgical approach of the abdomen	
Summary	118
Conclusion	120
Deference	121

LIST OF FIGURES

Fig. (1): The ventral view of the abdomen of the buck showed, the topo regions of the abdomen.	
Fig. (2): Lateral view of the abdomen of goat, explained the paralumbar foss	sa: 50
Fig, (3): Superficial dissection of the abdominal wall of the goat (Left lateral vie	ew). 51
Fig. (4): Superficial dissection of the abdominal wall of the buck (ventr view).	
Fig. (5): Right view of the abdominal wall of the goat.	53
Fig. (6): Enlarged part of external rectus sheath at the epigastric region, shearrangement of the aponeurosis of external and internal about oblique muscles.	dominal
Fig. (7): Left lateral view abdominal wall in the goat explained the about muscle.	
Fig. (8): Lateral view of abdominal wall of goat explained its arteries and nerv	es. 56
Fig. (9): Ventral view of the abdominal wall.	57
Fig. (10): Right lateral view the abdominal wall of goat explained its vein	58
Fig. (11): Ventral view abdominal wall explain its vein drainage.	59
Fig. (12): Abdominal cavity (caudal part):	60
Fig. (13): Caudal view the diaphragm.	61
Fig. (14):Left lateral view of the thorax and abdomen showed, the costal atta of the diaphragm by the dotted line.	achment
Fig. (15):Left lateral view of the abdomen of the goat	63
Fig. (16): Left lateral view explained the topography of the abdominal of the goat (omentum was removed)	

Fig. (17):	Left lateral view of the abdomen explained the abdominal organs in goat which was fasted 48 hrs65
Fig. (18):	The left lateral view explained the topography of the abdominal organs Rumen was reflected): 66
Fig. (19):	Right lateral view of the abdomen. 67
Fig. (20)	Right lateral view of the abdomen explained the topography of the abdominal organs.
Fig. (21):	Right lateral view of the abdomen, showed the topography of the abdominal organ (Removed greater omentum).
Fig. (22):	The ventral view of the abdomen, explained the abdominal organs of the goat70
Fig. (23):	Right lateral view of the abdomen explained the topography of the liver. 71
Fig. (24)	: Spiral colon show the special arrangement of the centripetal and centrifugal gyri.
Fig. (25):	Right lateral view of the pelvis and abdomen explained the topography of the abdominal and pelvic organs in the pregnant goat (4 months)73
Fig. (26)	Lateral abdominal radiograph of the goat gastrointestinal tract after 20 minutes of barium administration.
Fig. (27):	Lateral abdominal radiograph showed the position the various of the goat gastrointestinal tract after 1 hrs of barium administration75
Fig. (28):	Ventrodorsal view of abdominal radiograph explained goat stomach after 1 hrs of barium administration. 76
Fig. (29)	Lateral abdominal radiograph showed the position of the various part of the goat gastrointestinal tract after 4 hrs of barium administration77
Fig. (30)	The ventrodorsal view of abdominal radiograph showed the position of the gastrointestinal tract of goat after 24 hrs of barium administration 78
Fig. (31)	Lateral abdominal radiograph showed the position of gastrointestinal trac of the goat at 24 hr of barium administration.
Fig. (32)	Right view of the abdominal cavity showed the celiac artery.
Fig. (33)	: Right view of the abdominal cavity showed the celiac artery. 82

Fig. (34):	Right lateral of intestine explained the cranial mesenteric artery. 83
Fig. (35):	Right lateral view of goat stomach explained their celiac lymphocenter 84
Fig. (36):	Right lateral view of abdomen explained the cranial mesenteric lymph center.
Fig. (37):	Cross sectional anatomy of the cranial abdomen of the goat showed stomach compartment, liver, spleen and pancreas.
Fig. (38):	Cross sectional anatomy of goat middle abdomen. 87
Fig. (39):	Cross sectional anatomy of the goat caudal abdomen. 89
Fig. (40):	Axial-images of the computed tomography of the goat, cranial abdomen, showed the stomach compartment livers spleen and pancreas (B & F) lung windows.
Fig. (41):	Axial images of the computed tomography of the goat middle abdomen. 93
Fig. (42):	Axial images of the computed tomography of the goat caudal abdomen. 95
Fig. (43):	Cross sectional anatomy of three months abdomen of immature goat. 97
Fig. (44):	Left Lateral view of the abdomen of goat, explained the sites of the surgical approach of abdomen.
Fig. (45):	Right Lateral view of the abdomen of goat, explained the sites of the surgical approach of abdomen100
Fig. (46):	The surgical approach to the rumen (A) kidneys (B & D) spleen (C) gall bladder (E) and intestine (F).

INTRODUCTION

INTRODUCTION

Ruminant Anatomy has traditionally focused on the bovine model with limited reference to comparative anatomy of the small ruminant. The goats are often considered as being anatomically minimally different from the bovine, so that, we focus on the studies to topography of the abdominal wall and organs till give easy approach to the abdominal organs.

Clinicians and surgeons of the veterinary medicine spend a great deal time of examining the abdomen, particularly in auscultation and palpation to the goat stomach. There are also other diagnostic procedures such as percussion of the liver, spleen and take biopsy from liver and spleen and sampling the abomasum and gall bladder contents. In addition to that the surgeons attend approach any abdominal organs with easy technique and avoiding the main blood vessels. So that all of these techniques both diagnostic and surgical require working and knowledgment about the topographic anatomy of the abdominal wall and organs.

The uses the X-ray with contrast media are helpful in the studying of the structures and function of the gastrointestinal tract as well as diagnosing the diseased condition. The computed tomography (C.T) and a cross sectional anatomy give the normal topography of the abdominal organs.

The purposes of the present Studies are;

- 1. Studying the abdominal wall; muscles, blood vessels and nerves till help the veterinarians during their clinical work either nerve block or surgical approach.
- 2. Observation the normal anatomical pattern of caprine abdominal organs with different diagnostic tools as X-ray and C.T.
- 3. Establishment the base of C.T. image of abdomen referring to their normal cross-section anatomy.
- 4. Establishment the basic for surgical approach to each abdominal organ in the goat, from the normal studies to abdominal wall and organs.
- 5. How to use the normal anatomical pattern to apply on the live animal to establish the most clinical application of the abdomen in goat