ENVIRONMENTAL AND BIOLOGICAL STUDIES ON SOME MITES ASSOCIATED WITH THE DOMINANT AND WIDELY DISTRIBUTED PLANTS ARROUND QUAROUN LAKE AREAFAYOUM GOVERNORATE

BY

Faten Mamdouh Mohamed Fathy B.Sc., Sci., Cairo University,

AThesis Submitted in Partial Fulfilment of the Requirement for the Master Degree In Environmental science

Department of Natural and Biological Science
Institute of Environmental Studies & Research
Ain Shams University

Approval Sheet

ENVIRONMENTAL AND BIOLOGICAL STUDIES ON SOME MITES ASSOCIATED WITH THE DOMINANT AND WIDELY DISTRIBUTED PLANTS AROUND QAROUN LAKE AREA FAYOUM GOVERNORATE

By

Faten Mamdouh Mohamed Fathy

Univ., B.Sc. Science, Cairo

This Thesis for Master Degree in Environmental Science has been approved by

Prof. Dr. Amina Mohamed Abdel Rahman		
Prof. of Insect Control and Head of Entomology Dept.		
Fac. Sci., Cairo Univ.		
Prof.Dr. Mohamed Ahmed Hamouda		
Prof. of Plant Ecology, Ain Shams Univ.		
Prof. Dr. Sherief Mostafa		
Hafez		
Faculty of Agriculture, Ain Shams Univ.		
Prof. of Agriculture Zoology (Acarology).		
Dr. Hosny Abdel Aziz Mosalam		
••••••		
Assist. Prof. of Plant Ecology		
Fac. Sci., Ain Shams Univ.		

Committee in charge

ENVIRONMENTAL AND BIOLOGICAL STUDIES ON SOME MITES ASSOCIATED WITH THE DOMINANT AND WIDELY DISTRIBUTED PLANTS AROUND QAROUN LAKE AREA FAYOUM GOVERNORATE

By

Faten Mamdouh Mohamed Fathy B.Sc. Science, Cairo Univ.,

AThesis Submitted in Partial Fulfilment of the Requirement for the Master Degree In Environmental science

Under supervision of

Prof. Dr. Shereef Mostafa Hafez
Prof of Agriculture Zoology (Acarology)...

Prof. Dr. Mahmoud El-Sayed El-Naggar, Prof. of Acarology and Vice of Agricultural Research Center

Dr . Hosny Abd El-Azziz Mosalam, Assist. Prof. , Fac. Sci., Ain Shams Univ.

Contents

	Page
INTRODUCTION	
REVIEW OF LITERATURE	
I- Ecological studies	
I Phytophagous	l.
es	
II- Biological studies	
MATERIALS AND METHODS	
I- Ecological studies	
I. Incidence and survey study	
I. Study the population fluctuation of the dominant mites	
II – Anatomical study	
III- Biological studies	
VI- Statistical analysis	
RESULTS AND DISCUSSION	
I- Ecological studies	
I. Survey of mites on different hosts	

I. . a .Phytophagous mites
Ib. Predacious mites
I c. Uncertain feeding mites
I. . Seasonal abundance of the phytophagous mites
(tetranychild, tenuipalpid &eriophyid) and predaceous
mites on different hosts
Ia.Citrus
I. .b.Mango
Ic.Pear
Id.Olive II- Anatomical study
n- Anatomical study
II. Leaf blade
II. Mid-rib region
III. Biological studies
III. .Biological aspects of <i>Typhlodromous mangiferous</i> Zaher &El-Borolossy
IIIa. Habits and habitat
IIIb.
Hatching IIIc. Moulting
IIId. Mating
IIIe. Developmental stages of Typhlodromous Mangiferous
IIIf. Incubation period
IIIg. Larval stage
IIIh.Protonymphal stage

III.	.i.Deutonymphal stage
III.	.j.Life cycle
III.	. k . Pre-oviposition, oviposition and postoviposition Periods
III.	.l. Longevity
III.	. m.Fecundity
	d consumption of <i>T. mangierous</i> 2. mangiferae
SUMMARY and CO	ONCLOTSION
REFERENCES	
ARABIC SUMMA	ARY

Table No

Page

Occurrence of phytophagous mites on certain hosts around Qaroun lake, El-Fayoum Governorate during the period of August – July

Occurrence of predacious mites on certain hosts around aroun lake, El-Fayoum Governorate during the period August — July

Occurrence of uncertain feeding mites on certain hosts around Qaroun lake , El-Fayoum Governorate during the period of August – July

Population fluctuation of different phytophagous and predaceous mites on citrus trees at Qaroun region, El-Fayoum Governorate during – season

Population fluctuation of different phytophagous and predaceous mites on citrus trees at Qaroun region, El-Fayoum Governorate during – season

Population fluctuation of different phytophagous and predaceous mites on mango trees at Qaroun region, El-Fayoum Governorate during – season

Population fluctuation of different phytophagous and predaceous mites on mango trees at Qaroun region, El-Fayoum Governorate during – season

Population fluctuation of different phytophagous and predaceous mites on pear trees at Qaroun region , El-Fayoum Governorate during – season.

Population fluctuation of different phytophagous and predaceous mites on pear trees at Qaroun region , El-Fayoum Governorate during – season.

Population fluctuation of different phytophagous and

predaceous mites on olive trees at Qaroun region , El-Fayoum Governorate during – season

Population fluctuation of different phytophagous and predaceous mites on olive trees at Qaroun region , El-Fayoum Governorate during – season.

Duration of developmental stages of predatory mite, *Typhlodromous mangiferous* when fed on *Oligonychus mangiferae* at °C and % R.H.

Food consumption of *Typhlodromous mangiferous* on *Oligonychus mangiferae* during its life span at ° C and % R.H.

List of Figures

NO. Page

Population fluctuation of phytophagous and predaceous mites on citrus leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on citrus leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on mango leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on mango leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on pear leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on pear leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on olive leaves at Qaroun region, El-Fayoum Governorate during / season.

Population fluctuation of phytophagous and predaceous mites on olive leaves at Qaroun region, El-Fayoum Governorate during / season.

Environmental factors affecting on the different mites at Qaroun lake , EL –Fayoum governorate during - and - season.

Duration of developmental stages of predatory mite , Typhlodromous mangiferous when fed on Oligonychus mangiferaeat at ${}^{\circ}$ C $\underline{+}$ and ${}^{\otimes}$ R.H

Food consumption of *Typhlodromous mangiferous* on *Oligonychus mangiferae* during its life span at $^{\circ}$ C \pm and \pm % R.H.




Fig. (1): Population fluctuation of phytophagous and predacious mites on citrus leaves at Qaroun region, El- Fayoum Governorate during 2000-2001 season.




Fig. (2):Population fluctuation of phytophagous and predacious mites on citrus leaves at Qaroun region, El- Fayoum Governorate during 2001 - 2002 season.




Fig. (3):Population fluctuation of phytophagous and predacious mites on mango leaves at Qaroun region, El- Fayoum Governorate during 2000 - 2001 season.




Fig. (4): Population fluctuation of phytophagous and predacious mites on mango leaves at Qaroun region, El- Fayoum Governorate during 2001 - 2002 season.