· USING JOJOBA AS ECONOMICAL PLANT IN SAND DUNE FIXATION IN NORTH SINAI

By

MOSTAFA MOHAMED MOHY EL-DIN
B.Sc. Agric. (Higher Institute for Agriculture and Co-operation)
Shoubra El-Kheima, Cairo, ١٩٩٥

A Thesis Submitted in Partial Fulfillment

of

The Requirement for the Master Degree

in

Environmental Science

Department of Agricultural Science
Institute of Environmental Studies and Research,
Ain Shams, University.

٢٠٠٧

٢٠٠٧

USING JOJOBA AS ECONOMICAL PLANT IN SAND DUNE FIXATION IN NORTH SINAI

By

MOSTAFA MOHAMED MOHY EL-DIN

B.Sc. Agric. (Higher Institute for Agriculture and Co-operation)

Shoubra El-Kheima, Cairo, ١٩٩٥

A Thesis Submitted in Partial Fulfillment

of

The Requirement for the Master Degree

in

Environmental Science

Department of Agricultural Science

Institute of Environmental Studies and Research,

Ain Shams, University.

Under the supervision of:

Prof. Dr. Mohammed Abou Rawash Aly Badr……
Prof. Emeritus of Pomology, Faculty of Agriculture,
Ain shams University .

Dr. Ahmed Abd El-Hamid Awad **……**
Lecturer of Pomology, Faculty of Agriculture, Ain Shams University,

Prof. Dr. Mostafa EL-Nahas .....
Prof. Emeritus of Sand Dunes, Desert Research Center

APPROVAL SHEET

USING JOJOBA AS ECONOMICAL PLANT IN SAND DUNE FIXATION IN NORTH SINAI

By

MOSTAFA MOHAMED MOHY EL-DIN

B.Sc. Agric. (Higher Institute for Agriculture and Co-operation)
Shoubra El-Kheima, Cairo, ١٩٩٥

This thesis for M.Sc. degree has been approved by:

Prof. Dr. Mohammed Yehia Draz .....
Prof. of Sand Dunes, Desert Research Center

Prof. Dr. Said Abd El-Aty El-Shazly .....
Prof. Emeritus of Pomology, Faculty of Agriculture, Ain shams University .

Prof. Dr. Mohammed Abou Rawash Aly .....
Prof. Emeritus of Pomology, Faculty of Agriculture, Ain shams University (supervisor).

Date of Examination : / / ٢٠٠٧

استخدام الجوجوبا كنبات اقتصادي في تثبيت الكثبان
الرملية في شمال سيناء

رسالة مقدمة من

مصطفى محمد محي الدين

بكالوريوس علوم تعاونية زراعية

المعهد العالي للتعاون الزراعي ١٩٩٥

لاستكمال متطلبات للحصول على درجة

الماجستير في العلوم البيئية

قسم العلوم الزراعية البيئية

تمت مناقشة الرسالة والموافقة عليها :

أ.د / محمد يحيى دراز .....

أستاذ الكثبان الرملية - مركز بحوث الصحراء

أ.د / سعيد عبدالعاطى الشاذلى .....

أستاذ الفاكهة المتفرغ - كلية الزراعة - جامعة عين شمس

أ.د / محمد أبو رواش علي بدر .....

أستاذ الفاكهة المتفرغ - كلية الزراعة - جامعة عين شمس (المشرف الرئيسى)

٢٠٠٧

CONTENTS

Page

١. Introduction ……..……..….. ١

٢. Review of Literature ……..…… ٣

٣. Materials and Methods ……..… ٢٦

٤. Resuluts and Discussion ……..… ٤٢

٤,١. Dune studies **……** ٤٢

٤,١,١. Climatological factors **…….** ٤٢

٤.١,١.١. Air temperature **……** ٤٢

٤.١.١,٢. Rainfall **……..** ٤٢

٤.١.١,٣. Evaporation **…….** ٤٤

٤.١.١,٤. Wind **……** ٤٤

٤.١.٢. Sediment analysis **……** ٥٠

٤.١.٣. Dune type **…….** ٥٠

٤.٢. Wind tunnel simulation. **…….** ٥٣

٤.٢.١. The mechanism of sand movement**……** ٥٣

٤.٢.٢. The rate of sand movement and its relation to wind speed and the threshold wind velocity **……** ٥٥

٤.٢.٣. The distribution and pattern of the plant cover and the control of shifting sand ٥٧

٤.٣. Vegetative propagation experiments ٦٥

٤,٣,١. First Season ٦٥

٤,٣,١,١. Effect of IBA levels and collection dates on wounded cuttings of female jojoba plants during ٢٠٠٠ season ٦٥

٤,٣,١,١,١. Terminal cuttings ٦٥

٤,٣,١,١,١.١. Effect on rooting percentage ٦٥

٤,٣,١,١.١.٢. Effect on roots number per cutting ٦٥

٤,٣,١,١.١.٣. Effect on the average root length (cm) ٦٦

٤,٣,١,١.١.٤. Effect on survival percentage ٦٧

٤,٣,١.١.٢. Sub-terminal cuttings ٧٠

٤,٣,١.١.٢,١. Effect on rooting percentage ٧٠

٤,٣,١.١.٢,٢. Effect on roots number per cutting ٧٠

٤,٣,١.١.٢,٣. Effect on average root length(cm) ٧١

٤.٣,١.١.٢,٤. Effect on survival percentage ٧٣

٤,٣,١.٢. Effect of IBA levels and collection dates on

wounded cuttings of male jojoba plants during ٢٠٠٠ season ٧٣

٤,٣,١.٢.١. Terminal male cuttings ٧٣

٤,٣,١.٢.١.١. Effect on rooting percentage ٧٣

٤,٣.١.٢.١,٢. Effect on roots number per cuttings ٧٥

٤,٣,١.٢.١,٣. Effect on average root length (cm) ٧٧

٤,٣,١.٢.١,٤. Effect on survival percentage ٧٨

٤,٣.١.٢.٢. Sub-terminal male cuttings ٧٨

٤,٣.١.٢.٢.١. Effect on rooting percentage ٧٨

٤,٣.١.٢,٢.٢. Effect on roots number per cutting ٨٠

٤,٣.١.٢.٢.٣. Effect on average root length(cm) ٨١

٤,٣.١.٢.٢,٤ Effect on survival percentage ٨٤

٤,٣,٢. Second season ٨٦

٤,٣,٢,١. Effect of different rooting media on rooting ability and survival percentage of wounded terminal cuttings of female and male jojoba plants collected in Sep. and treated with ٤٠٠٠ ppm IBA during ٢٠٠١ season ٨٦

٤,٣.٢.١.١. Terminal cuttings of female jojoba plants ٨٦

٤,٣.٢.١,١.١. Effect on rooting percentage ٨٦

٤,٣.٢.١.١.٢. Effect on average roots number per cutting ... ٨٦

٤,٣.٢.١.١.٣. Effect on average root length (cm) ٨٦

٤,٣.٢.١.١.٤. Effect on the survival percentage ٨٧

٤,٣.٢.١.٢. Sub-terminal female plants ٨٧

٤,٣.٢.١.٢.١. Effect on rooting percentage ٨٧

٤,٣.٢.١.٢.٢ Effect on average root number per cutting ... ٨٧

٤,٣.٢.١.٢.٣ Effect on average root length (cm) ٨٧

٤,٣.٢.١.٢.٤ Effect on survival percentage ٨٩

٤,٣.٢.١.٣. Terminal male cuttings ٨٩

٤,٣.٢.١.٣.١. Effect on rooting percentage ٨٩

٤,٣.٢.١.٣.٢. Effect on average root number per cutting ... ٨٩

٤,٣.٢.١.٣.٣. Effect on average root length (cm) ٨٩

٤,٣.٢.١.٣.٤. Effect on survival percentage ٩١

٤,٣.٢.١.٤. Sub-terminal male cuttings ٩١

٤,٣.٢.١.٤.١. Effect on rooting percentage ٩١

٤,٣.٢.١.٤.٢. Effect on average root number ٩١

٤,٣.٢.١.٤.٣. Effect on average root length (cm) ٩١

٤,٣.٢.١.٤.٤. Effect of survival percentage ٩٤

٤,٣.٣. Effect of collection date on carbohydrates content, nitrogen content and C/N ratio of terminal cuttings of female jojoba plants during ٢٠٠٠ season ٩٤

٤,٣.٣.١. Terminal cuttings of female jojoba plants ٩٤

٤,٣.٣.١.١. Effect on total sugars content ٩٤

٤,٣.٣.١.٢. Effect on reducing sugars content ٩٥

٤,٣.٣.١.٣. Effect on non reducing sugars content ٩٥

٤,٣.٣.١.٤. Total carbohydrates contents ٩٥

٤,٣.٣.١.٥. Effect on total N content ٩٥

٤,٣.٣.١.٦. Effect on C/N ratio ٩٥

٤,٣.٣.٢. Sub -terminal female cuttings ٩٧

٤,٣.٣.٢.١. Effect on total sugars content ٩٧

٤,٣.٣.٢.٢. Effect on reducing sugars content ٩٧

٤,٣.٣.٢.٣. Effect on non reducing sugars content ٩٧

٤,٣.٣.٢.٤. Total carbohydrates contents ٩٧

٤,٣.٣.٢.٥. Effect on total N content ٩٨

٤,٣.٣.٢.٦.Effect on C/N ratio ٩٨

٤,٣.٤. Effect of collection date on carbohydrates content, nitrogen content and C/N ratio of terminal cuttings of male jojoba plants during ٢٠٠٠ season ٩٨

٤,٣.٤,١. Terminal male cuttings ٩٨

٤,٣.٤,١.١. Effect on total sugars content ٩٩

٤,٣.٤,١.٢. Effect on reducing sugars content ٩٩

٤,٣.٤,١.٣. Effect on non reducing sugars content ٩٩

٤,٣.٤,١.٤. Total carbohydrates contents ٩٩

٤,٣.٤,١,٥. Effect on total N content ٩٩

٤,٣.٤,١,٦. Effect on C/N ratio ١٠٠

٤,٣,٤.٢. Sub -terminal male cuttings ١٠٠

٤,٣,٤.٢.١. Effect on total sugars content ١٠٠

٤,٣,٤.٢.٢. Effect on reducing sugars content ١٠٠

٤,٣,٤.٢.٣. Effect on non reducing sugars content ١٠٠

٤,٣,٤.٢.٤. Total carbohydrates contents ١٠١

٤,٣,٤.٢,٥. Effect on total N content ١٠١

٤,٣,٤.٢,٦. Effect on C/N ratio ١٠١

٤,٣,٥ Effect of endogenous hormones contents ١٠٣

٤,٣,٥,١ Endogenous hormones contents of Jojoba female & male terminal and sub-terminal cutting prepared in Sep. and Nov. ٢٠٠٠ season ١٠٣

٤,٣,٥,٢ Endogenous hormones contents of Jojoba female & male terminal and sub-terminal cutting prepared in Sep. and Nov. ٢٠٠١ season ١٠٣

٥. Summary and Conclusion ١٠٨

٦. References ١١٣

٧. Appendix ١٢٦

٨. Arabic Summery .....

LIST OF TABLES

Table		Page
Table (١)	Rainfall and aridity factors in the study area.	٤٣
Table (٢)	Wind regime of El Arish area, average of ٢٠ years (١٩٧٢-١٩٩٢).	٤٣
Table (٣)	Determination of weighting factors for relative rate of sand transport.	٤٦
Table (٤)	The calculated average drift potential (DP) at El Arish (١٩٧٣-١٩٩٢)	٤٧
Table (٥)	Statistical parameters of the sediments of sand dunes in the study area	٥٢
Table (٦)	Analysis of soil samples	٥٤
Table (٧)	Influences of wind speed on sand transport rate	٥٦
Table (٨)	The relationship between the plant cover and the control of shifting sand.	٦١
Table (٩)	Effect of IBA levels and collection dates on rooting percentage and roots number per cutting of wounded terminal cuttings of female jojoba plants during ٢٠٠٠ season	٦٨

Table (١٠) Effect of IBA levels and collection dates on average root length(cm) and survival percentage of wounded terminal cuttings of female jojoba plants during ٢٠٠٠ season. ٦٩

Table (١١) Effect of IBA levels and collection dates on rooting percentage and roots number per cutting of wounded sub-terminal cuttings of female jojoba plants during ٢٠٠٠ season. ٧٢

Table (١٢) Effect of IBA levels and collection dates on average root length and survival percentage of wounded sub-terminal cuttings of female jojoba plants during ٢٠٠٠ season ٧٤

Table (١٣) Effect of IBA levels and collection dates on rooting percentage and roots number per cutting of wounded terminal cuttings of male jojoba plants during ٢٠٠٠ season ٧٦

Table (١٤) Effect of IBA levels and collection dates on average root length (cm) and survival percentage of wounded terminal cuttings of male jojoba plants during ٢٠٠٠ season ٧٩

Table (١٥) Effect of IBA levels and collection dates on rooting percentage and roots number per cutting of wounded sub-terminal cuttings of male jojoba plants during ٢٠٠٠ season ٨٢

Table (١٦) Effect of IBA levels and collection dates on average root length and survival percentage of wounded sub-terminal cuttings of male jojoba plants during ٢٠٠٠ season ٨٣

Table (١٧) Effect of different rooting media on rooting ability and survival percentage of wounded terminal cuttings of female jojoba plants collected in Sep. ٢٠٠١ and treated with ٤٠٠٠ ppm IBA ٨٨

Table (١٨) Effect of different rooting media on rooting ability and survival percentage of wounded sub-terminal cuttings of female jojoba plants collected in Sep. ٢٠٠١ and treated with ٤٠٠٠ ppm IBA ٩٠

Table (١٩) Effect of different rooting media on rooting ability and survival percentage of wounded terminal cuttings of male jojoba plants collected in Sep. ٢٠٠١ and treated with ٤٠٠٠ ppm IBA ... ٩٢