بسم الله الرحمن الرحيم

To
My
Late Professor
Dr. Hassan Elwan

التبول اللاإرادي الأولى عند الأطفال: دراسة إكلينيكيه و باستخدام دراسة النوم المتعددة

رسالة مقدمه من الطبيبة

إبراهيم

توطئه للحصول على درجه الماجستير العصبية النفسية

. ./ ساهر هاشم

العصبية جامعه القاهرة

. ./ صيام سعيد

الفسيولوجيا الاكلينيكيه للجهاز جامعه القاهرة

../ فهمی

العصبية جامعه القاهرة

العصبية كليه الطب- جامعه القاهرة

PRIMARY ENURESIS IN CHILDREN: A CLINICAL AND POLYSOMNOGRAPHIC STUDY

Thesis

Submitted for partial fulfillment of M.Sc. Degree In Neuropsychiatry

By

Sandra Mohamed Mahmoud Ibrahim Ahmed

Supervised by

Pr. Dr. Saher Hashem

Professor of Neurology Cairo University

Pr. Dr. Seyam Saeed

Professor of Clinical Neurophysiology Cairo University

Pr. Dr. Ibtesam Fahmy

Assistant Professor of Neurology Cairo University

> Department of Neurology Faculty of medicine Cairo University

> > 2006

INTRODUCTION & AIM OF WORK

REVIEW OF LITERATURE

SUBJECTS & WETHODS

RESULTS

CASE PRESENTATION

DISCUSSION

SUMMARY & CONCLUSION

REFERENCES

APPENDIX

List of tables

List of tables

Table number	page	
Table 1	11	Reflexes of the lower urinary tract
Table 2	70	The range and mean age of patients and controls
Table 3	7 1	Sex distribution among patients and controls
Table 4	7 3	Cystometric results in 20 patients with primary nocturnal enuresis
Table 5	74	The mean \pm SD of polysomnographic findings in patients and controls.
Table 6	7 8	Comparison between patients and controls in different sleep parameters.
Table 7	79	Comparison between male and female as regarding sleep parameters.
Table 8	81	Comparison between patients with normal bladder capacity and patients with reduced bladder capacity regarding different sleep parameters.
Table 9		
Table 10		
Table 11		
Table 12		
Table 13		
Table 14		

List of tables

List of figures

Figure number	page	
Figure 1	5	Anatomy of the urinary bladder
Figure 2	10	Diagram showing Innervation of the Bladder
Figure 3	15	Neurotransmitters regulating micturition
Figure 4	23	Factors interacting in the pathogenesis of nocturnal enuresis
Figure 5	43	Conventional EEG of a young healthy woman in stage 2 of NREM sleep
Figure 6	49	Conventional EEG of a 10 years old child in stage 2 of NREM sleep.
Figure 7	51	Typical night-time course of sleep stage progression and waking in a young child
Figure 8	55	Normal sleep cycles.
Figure 9	58	Polysomnogram prior (P) to and during micturition (MT) in an enuretic child
Figure 10	83	Correlation between age of patient and wake%.
Figure 11	85	Correlation between different parameters.
Figure 12		
Figure 13		
Figure 14		
Figure 15		
Figure 16		