



Alexandria University
Faculty of Agric. (Saba-Basha)

**INFLUENCE OF NEMATOCIDES AND CERTAIN
NATURAL PRODUCTS ON THE INFESTATION OF
NEMATODES ATTACKING TOMATO PLANTS**
(Lycopersicon esculentum, Mill)

BY

MOHAMED SALAH ELDIN HASSAN KHALIL

**A Thesis Submitted on Partial Fulfillment of the Requirements
Governing the Award of the Degree of**

MASTER OF AGRICULTURAL SCIENCES

(PESTICIDES)

PLANT PROTECTION DEPARTMENT

From

ALEXANDRIA UNIVERSITY

2009

SUPERVISOR' S COMMITTEE

Prof. Dr. Abdel-Fattah Sayed A. Saad

**Emeritus Prof. of Pesticides Chemistry and Toxicology,
Plant Protection Department,
Faculty of Agriculture (Saba Pasha),
Alexandria University.**

Prof. Dr. Magdy Abdel-Zaher Massoud

**Prof. of Pesticides Chemistry and Toxicology,
Plant Protection Department,
Faculty of Agriculture (Saba Pasha),
Alexandria University.**

Dr. Hala Saad Ibrahim Said

**Researcher of nematicide in central
Agricultural Pesticides Lab.**



Alexandria University
Faculty of Agric. (Saba-Basha)

**INFLUENCE OF NEMATOCIDES AND CERTAIN
NATURAL PRODUCTS ON THE INFESTATION
OF NEMATODES ATTACKING TOMATO
PLANTS (*Lycopersicon esculentum*, Mill)**

Presented by

MOHAMED SALAH ELDIN HASSAN KHALIL

For the Degree of

MASTER OF AGRICULTURAL SCIENCES

Examiner's Committee:

Approved

Prof. Dr. Abdel-Fattah Sayed A. Saad

**Emeritus Professor of Pesticides Chemistry and Toxicology,
Plant Protection Department, Faculty of Agriculture (Saba
Pasha), Alexandria University.**

.....

Prof. Dr. Sanaa A. Haroon

Prof. of Nematology, Faculty of Agriculture, Fayom University.

.....

Prof. Dr. Mohamed Anwer Al Saedy

**Prof. of Nematology and the Chairman of plant pathology
Department, Faculty of Agriculture, Alexandria University.**

.....

Prof. Dr. Magdy Abdel-Zaher Massoud

**Prof. of Pesticides Chemistry and Toxicology. Plant Protection
Department, Faculty of Agriculture (Saba Pasha),
Alexandria University.**

.....

ACKNOWLEDGEMENT

My heart full thanks and grateojlness are extended to **Prof. Dr. Abdel-Fattah Sayed A. Saad**, Emeritus Professor of Pesticides Chemistry and Toxicology, Plant Protection Department, Faculty of Agriculture (Saba Pasha), Alexandria University for his supervision, kind help follow up and valuable constructive ideas.

Great thanks are expressed to **Prof. Dr. Magdy Abdel-Zaher Massoud**, Professor of Pesticides Chemistry and Toxicology, Plant Protection Department, Faculty of Agriculture (Saba Pasha), Alexandria University, for his constructive supervision, follows up and valuable helping throughout this study.

Deepest and sincere gratitude and appreciation to **Dr. Hala Saad Ibrahim Said** Researcher of nematicide in central, Agricultural Pesticides Lab. for his provided facilities and kind cooperation.

I would like to express my deep appreciation to my colleagues of the Central Agricultural Pesticides Laboratory (CAPL), Agricultural Research Center, Plant Protection Research Station, Sabbahia, Alexandria and Staff members of Plant Protection Dept., Faculty of Agriculture, Saba Pasha, Alexandria University.

Sincere gratitude is expressed to my wife for her willing help encouragement.

CHAPTER 1

INTRODUCTION

CHAPTER 2

REVIEW OF LITERATURE

CHAPTER 3

MATERIALS AND METHODS

CHAPTER 4

RESULTS AND DISCUSSION

CHAPTER 6

REFERENCES

CHAPTER 5

SUMMARY

CHAPTER 7

ARABIC SUMMARY

CONTENTS

	<u>Page No.</u>
CHAPTER 1: INTRODUCTION	1
CHAPTER 2: REVIEW OF LITERATURE	3
2.1. The biological performance of agrochemicals against root-knot nematodes on vegetable crops.....	3
2.1.1. Chemical nematicides against root-knot nematode	3
2.1.2. The beneficial fungus (<i>Glomus intraradices</i>) as a tool to minimize the root-knot nematode (<i>Meloidogyne incognita</i>).....	7
2.1.3. The nematicidal effect of neem (<i>Azadirachta indica</i>) products and avermectins.....	11
2.1.4. The role of fungi and bacteria as defense line against plant-parasitic nematodes.....	13
2.1.5. Influence of chitosan and crustacean exoskeleton as natural nematicides.....	14
CHAPTER 3: MATERIALS AND METHODS	16
3.1. Agrochemical agents	16
3.1.1. Nematicides	16
3.2. Biopesticide agents	17
3.3. Natural products (Crude Crustacean).....	18
3.4. Natural products (Crude Crustacean).....	18
3.4.1. Beneficial fungus (<i>Glomus intraradices</i>).....	18
3.4.2. Antagonistic Fungus (<i>Trichoderma harzianum</i>).....	18
3.4.3. Antagonistic Bacterium (<i>Pseudomonas flourescence</i>).....	18
3.5. The Nematode extraction and inoculation.....	18
3.6. The Pots experiments.....	19
3.7. The Greenhouse experiment.....	19
3.8. Experimental design.....	20
3.8.1. The pots experiment during season 2007.....	20
3.8.2. The pots experiment during season 2008.....	20
3.8.3. The greenhouse experiment during season 2008.....	20
3.9. Fertilization and irrigation.....	21
3.9.1. Fertilization and irrigation in pots experiments.....	21
3.9.2. Fertilization and irrigation in greenhouse experiment.....	21
3.10. Statistical analysis	21
CHAPTER 4 : RESULTS AND DISCUSSIONS	22
4.1. Evaluation of biological performance of certain treatments against <i>Meloidogyne incognita</i> juveniles and galls during season 2007.....	22
4.1.1. Chemical and biopesticides.....	22
4.1.2. Natural product and beneficial fungi.....	22
4.2. The side effect of certain treatments on the length and weight of the root system in tomato plants during season 2007.....	25
4.2.1. Chemical and biopesticides	25
4.2.2. Natural product and beneficial fungi.....	25
4.3. The side effect of certain treatments on the length and weight of the shoot system in tomato plants during season 2007.....	25
4.3.1. Chemical and biopesticides	25

4.3.2. Natural product and beneficial fungi.....	26
4.4. Evaluation of biological performance of certain treatments against Meloidogyne incognita juveniles and galls during season 2008.....	30
4.4.1. Chemical and biopesticides.....	30
4.4.2. Natural product and beneficial fungi.....	30
4.5. The side effect of certain treatments on the length and weight of the root system in tomato plants during season 2008.....	33
4.5.1. Chemical and biopesticides	33
4.5.2. Natural product and beneficial fungi.....	33
4.6. The side effect of certain treatments on the length and weight of the shoot system in tomato plants during season 2008.....	36
4.6.1. Chemical and biopesticides.....	36
4.6.2. Natural product and beneficial fungi.....	36
4.7. Evaluation of biological performance of certain treatments against Meloidogyne incognita juveniles in clay soil in the greenhouse during season 2008.....	36
4.7.1. Chemical and biopesticides	39
4.7.2. Antagonistic fungi and bacteria	39
4.8. Evaluation of biological performance of certain treatments against Meloidogyne incognita root galls and egg masses in clay soil in the greenhouse during season 2008.....	43
4.8.1. Chemical and biopesticides	43
4.8.2. Antagonistic fungi and bacteria	43
4.9. The side effect of certain treatments on the length and weight of the root system in tomato plants in the greenhouse during season 2008.....	43
4.9.1. Chemical and biopesticides	43
4.9.2. Antagonistic fungi and bacteria	48
4.10. The side effect of certain treatments on the length and weight of the shoot system in tomato plants in the greenhouse during season 2008.....	48
4.10.1. Chemical and biopesticides	48
4.10.2. Antagonistic fungi and bacteria	48
4.11. Evaluation of biological performance of certain treatments against Meloidogyne incognita juveniles in sandy soil in the greenhouse during season 2008.....	51
4.11.1. Chemical and biopesticides	51
4.11.2. Antagonistic fungi and bacteria	51
4.12. Evaluation of biological performance of certain treatments against Meloidogyne incognita root galls and egg masses in sandy soil in greenhouse during season 2008.....	51
4.12.1. Chemical and biopesticides	51
4.12.2. Antagonistic fungi and bacteria	55
4.13. The side effect of certain treatments on the length and weight of the root system in tomato plants in sandy soil in the greenhouse during season 2008.....	55
4.13.1. Chemical and biopesticides	55
4.13.2. Antagonistic fungi and bacteria	55

4.14. The side effect of certain treatments on the length and weight of the shoot system in tomato plants in sandy soil in the greenhouse during season 2008.....	55
4.14.1. Chemical and biopesticides	55
4.14.2. Antagonistic fungi and bacteria	60
CHAPTER 5: SUMMARY	63
CHAPTER 6: REFERENCES	68
CHAPTER 7: ARABIC SUMMARY	

LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
1	Effect of two nematicides, biopesticides, natural products and beneficial fungus on the second stage Juvenile nematodes in soil and on galls in root system of tomato plants during season 2007	23
2	Effect of two nematicides, biopesticides, natural products and beneficial fungus on length and weight of the root system in tomato plants during season 2007	26
3	Effect of two nematicides, biopesticides, natural products and beneficial fungus on length and weight of the shoot system in tomato plants during season 2007	28
4	Effect of three nematicides, two biopesticides, natural products and beneficial fungus on the second stage Juvenile nematodes in soil and on galls in root system of tomato plants during season 2008	31
5	Effect of three nematicides, two biopesticides, natural products and beneficial fungus on length and weight of the root system in tomato plants during season 2008	34
6	Effect of different three nematicides, two biopesticides, natural products and beneficial fungi on length and weight of the shoot system in tomato plants during season 2008	37
7	The influence of used treatments on the Juvenile number (J2) in 250 g clay soil in the greenhouse experiment	40
8	The reduction percentage of the used treatments on the Juvenile number (J2) in 250 g Clay soil in the greenhouse experiment during season 2008	41
9	The influence of nematicides, biopesticides and antagonistic micro organisms on the root galls and on egg masses on the root system in tomato plants cultivated in clay soil at the greenhouse in season 2008	44
10	The influence of nematicides, biopesticides and antagonistic microorganisms on length and weight of the root system in tomato plants cultivated in clay soil at the greenhouse during season 2008	46
11	The influence of nematicides, biopesticides and antagonistic microorganisms on length and weight of the shoot system in tomato plants cultivated in clay soil at the greenhouse during season 2008	49
12	Table (12): The influence of the used treatments on the Juveniles number (J2) in 250g sandy soil in the greenhouse experiment.....	52
13	The reduction percentage of the used treatments on the Juvenile number (J2) in 250 g Sandy soil in the greenhouse experiment during season 2008	53