Chemical and Biological Investigation on Certain Species of Genus *Erythrina* Belonging to Family Leguminosae

A Thesis Submitted

In Partial Fulfillment of the Requirements

for the Degree of Master in Pharmaceutical Sciences

(In Pharmacognosy)

By

Naglaa Saad Eldin Mostafa

Bachelor of Pharmaceutical Sciences,

Faculty of Pharmacy, Ain Shams University, 2007

Under the Supervision of

Nahla A. Ayoub Ph. D.

Professor of Pharmacognosy Faculty of Pharmacy Ain Shams University

Ashraf B. Abdel-Naim Ph. D.

Professor of Pharmacology and Toxicology Faculty of Pharmacy Ain Shams University

Mohamed L. Ashour Ph. D.

Lecturer of pharmacognosy Faculty of Pharmacy Ain Shams University

Department of Pharmacognosy
Faculty of Pharmacy
Ain Shams University
Abbasia, Cairo, Egypt
2013

ACKNOWLEDGEMENT

First of all, I would like to extend due praise and thanks to **ALLAH**, the source of all knowledge, and may His peace and blessings be upon all his prophets; for granting me the chance and the ability to successfully complete this study.

I would like to express my deepest gratitude, sincere and profound appreciation to the following people who significantly contributed to the work done in this thesis:

I am deeply grateful to **Prof. Nahla A. Ayoub**, Professor of Pharmacognosy, Ain Shams University, for suggesting the research topic, continuous encouragement during the course of this work, for the wonderful hours we spent in the lab, for the systematic guidance and great effort she did during the work. I am indebted to her with every single word in this thesis as I am lucky to be her student.

I am deeply grateful to **Prof. Ashraf B. Abdel-Naim**, Professor of Pharmacology and Toxicology, Ain Shams University, for supervising and hosting the pharmacological study in this work and for his continuous support, motivation and immense knowledge.

I am really thankful to **Dr. Mohamed L. Ashour,** lecturer at Pharmacognosy department, Ain Shams University, for his support, his constructive criticism and suggestions helped me to improve the whole work.

I am really thankful to my colleague and friend **Dr. Mai Fathy**, Assistant lecturer of Pharmacology, Ain Shams University, for her great effort she did in hepatoprotective and cytotoxicity work in my thesis.

I am really thankful to **Dr. Mohamed Elshazly** and his student **Yu-Chi Tsai** for their efforts regarding estrogenic activity work using pER8:GUS system in Kaohsiung Medical University, Kaohsiung, Taiwan.

My colleagues; Dr. Ashymaa, Dr. Eman, Dr. Haidy, Dr. Iriny, Dr. Fadia, Dr. Nada, Dr. Sally, Dr. Mohamed, Dr. Ahmed, Dr. Sara, Dr. Mariam, Dr. Dina, Dr. Esraa, Dr. Shaimaa, Dr. Heba and Dr. Nouran for their cooperation, support and the friendship we share.

I would also like to thank my dearest great parents whom I really love and respect, I am proud to be their daughter. I am really grateful to my mother for her continuous support and motivation. I am really thankful for her as she suffered with me a lot she is the first one who believed in me. I am really thankful to my brother Mostafa for his continuous advice and support and for my sister Maha for her love and continuous care.

Finally, I would like to thank my lovely husband, Ahmed for his encouragement, support and for his patience to which I am truly grateful. My son, Ezz El-Din whom I hope will always be proud of me as I am of him.

Naglaa Saad El-Din Cairo, 2013

CONTENTS

	Page
LIS	T OF CONTENTSi
LIS'	T OF ABBREVIATIONSv
LIS'	T OF FIGURESviii
LIS	ST OF TABLESxi
1. II	NTRODUCTION1
2. R	REVIW OF LITERATURE
l.	Chemical review of genus <i>Erythrina</i> 3
II.	Biological review of genus <i>Erythrina</i> 52
III.	Folk medicinal uses of genus <i>Erythrina</i> 61
3. T	'AXONOMY 62
4. N	IATERIAL, APPARATUS AND METHODS
l.	MATERIAL66
	1) Plant material66
	2) Materials for the Phytochemical Investigation of Methanol Soluble
	Fraction of water extract (Aqueous methanol aerial parts extract) of
	Erythrina crista-galli (Leguminosae)66

3) Materials for the Biological Investigation of the Aeri	al Parts Extracts
and Fractions of Erythrina crista-galli (Leguminosea)	72
II. APPARATUS	76
III. METHODS	77
1) Methods for the Phytochemical Investigation of Aq	
Aerial parts extract of Erythrina crista-galli.(Leguminos	sae)//
2) Methods for the Biological Investigation of the Aerial F	Parts extracts and
Fractions of Erythrina crista-galli (Leguminosea)	84
 5. CHAPTER (1): Phytochemical Investigation of the Aqueen Extract of the Aerial Parts of Erythrina crista-galli (Leguminos A. Phytochemical Screening of the Aerial Parts of Erythrina Erythrina caffra (Leguminosae). 	crista-galli and
B. Phytochemical Investigation of the Aqueous Methanol Extra	act of the Aerial
Parts of Erythrina crista-galli (Leguminosae)	98
I. Chromatographic Investigation	98
1. Paper Chromatographic Investigation	98
2. Column Chromatographic Investigation	98
II. Isolation of compounds from the column fractions (I-lV):	100
Fraction I	100
Fraction II	100

Sub-fraction II-C
Isolation of compound (1)103
Identification of compound (1) Apigenin-7- <i>O</i> -rhamnosyl-6- <i>C</i> -glucoside (the new natural product)
natural producty 103
Sub-fraction II-D112
Isolation of compound (2)113
Identification of compound (2) Apigenin-6-C-glucoside; Isovitexin113
Isolation of compound (3)
Identification of compound (3) luteolin-6-C-glucoside; isoorientin122
Fraction III and VI
Identification of compound (4) Apigenin
Identification of compound (5) Luteolin
6. CHAPTER (2): Biological Investigation of the Aerial Parts Extracts and Fractions of <i>Erythrina crista-galli</i> (Leguminosae)
A) Assay of estrogenic activity of Erythrina crista-galli extracts and
fractions using pER8:GUS reporter assay system138
B) Cytotoxicity and proliferation assays of Erythrina crista-galli aerial
parts extracts and fractions on MCF-7 cell cultures142

C) Assay of hepatoprotective effects of <i>Erythrina crista-galli</i>	aerial
parts extracts and fractions	148
CONCLUSION AND RECOMMENDATIONS	160
GENERAL SUMMARY	163
REFERENCES	168
ARABIC SUMMARY	

LIST OF ABBREVIATIONS

AcOH-6% 6% acetic acid

ALT Alanine aminotranseferase

AST Aspartate aminotranseferase

ANOVA Analysis of variance

¹³C-NMR Carbon-13 Nuclear Magnetic Resonance

CC Column chromatography

CCL₄ Carbon tetrachloride

conc. concentrated

CoPC Comparative paper chromatography

D doublet

dd doublet of doublet

dil. Diluted

DTNB 5,5'-dithiobis-(2-nitrobenzoic acid), Elman's reagent

DMSO- d_6 Deutrated Dimethylsulfoxide- d_6

DPPH 1,1-diphenyl-2-picrylhydrazyl radical

EC₅₀ Efficient Concentration by 50%.

ECM Extracellular matrix

EDTA Ethylene diamine tetra-acetic acid

eq. equatorial

ER Estrogen receptor

ESI-MS Electro-Spray Ionization Mass Spectrometry

FBS Fetal bovine serum

Fig. figure

GFP Green Flouresecent protein

GSH Glutathione

 H_2O_2 Hydrogen peroxidase

HCL Hydrochloric acid

HepG2 Hepatocellular carcinoma cell line

¹**H-NMR** Proton Nuclear Magnetic Resonance

HHDP Hexahydroxydiphenoyl

HMBC Heteronuclear Multiple Bond Correlation

Hz Hertz

IC50 Inhibitory concentration by 50 %.

ID Inhibitory dose

IR Infrared

J value Coupling constant

MAC Minimum active concentration

MHz Mega hertz

MIC Minimum inhibitory concentration

mM Millimole

MRSA Methicillin resistant staphylococcus aureus

MS Mass spectrometry

MS medium Murashige and Skoog medium (for cell culture)

m/z Mass to charge ratio

nm Nanometer

PC Paper Chromatography

PH Hydrogen ion concentration

PPC Preparative paper chromatography

PMS Phenazine methosulphate

PTP1B Protien Tyrosin Phosphatase 1B

ppm Part Per Million

q quartet

R_f Retardation factor

R_t Retention time

RPMI Roswell Park Memorial Institute (culture medium)

s singlet

SEM Standered error of mean

SOD Superoxide dismutase

t triplet

TAC Total antioxidant capacity

TCA Trichloroacetic acid

TDPC/UV Two Dimensional Paper Chromatography/ Ultraviolet

TLC Thin Layer Chromatography

TMS Tetramethylsilane

MERSA Methecillin resistant Sataphylococcus eureus

μg/ml Microgram per milliliter

MIC Minimum inhibitory concentration

μM Micromole

mmol/L Millimole per liter

NBT Nitroblue tetrazolium

nm Nanometer

U2OS Human osteosarcoma cell line

UV Ultraviolet

δ Chemical shift by delta value

λ Wave length

2D-PC Two dimensional paper chromatography

LIST OF FIGURES

Figure	Page
1. Photograph of: A) Whole shrub (2X) and B) Branch of <i>Erythrina</i>	crista-galli
(4X)	.65
2. ¹ HNMR spectrum of compound (1): Apigenin-7-O-rham	nosyl-6-C-
glucoside	107
3. ¹³ C-NMR spectrum of compound (1): Apigenin-7-O-rham	nosyl-6-C-
glucoside	.108
4. ¹³ C-NMR spectrum of compound (1): Apigenin-7-O-rham	nosyl-6-C-
glucoside, sugar region expansion	.109
5. HMBC spectrum of compound (1): Apigenin-7-O-rham	nosyl-6- <i>C</i> -
glucoside	110
6. HMBC spectrum of compound (1): Apigenin-7-O-rham	nosyl-6-C-
glucoside1	11
7. ¹ HNMR spectrum of compound (2): Apigenin-6-C-glucos	side (Iso-
vetixin)1	17
8. ¹³ C-NMR spectrum of compound (2): Apigenin-6-C	C-glucoside
(Isovitexin)1	.18
9. HMBC spectrum of compound (2): Apigenin-6-C	C-glucoside
(isovetixin)	119

10.HMBC spectrum of compound	(2):	Apigenin-6-C-glucoside	(Iso-
vitexin)	•••••	12	0
11. HSQC spectrum of compound	(2):	Apigenin-6- <i>C</i> -glucoside.	(Iso-
vetixin)	•••••	12	1
12. HMNR spectrum of compound	d (3):	Luteolin-6- <i>C</i> -glucoside	(Iso-
orientin)		126	j
13. ¹³ C-NMR spectrum of compour	nd (3):	Luteolin-6- <i>C</i> -glucoside	(Iso-
orientin)	•••••	127	
14.HMBC spectrum of compound	d (3):	Luteolin-6- <i>C</i> -glucoside	(Iso-
orientin)		128	8
15.HMBC spectrum of compound	d (3):	Luteolin-6- <i>C</i> -glucoside	(Iso-
orientin)	•••••	129	9
16.HSQC spectrum of compound	(3):	Luteolin-6- <i>C</i> -glucoside	(Iso-
orientin)	•••••	13	0
17. HNMR spectrum of compound (4):	Apigen	in13	34
18. HNMR spectrum of compound (5):	Luteolii	n13	37
19.Minimum active concentration (N	MAC)	of 17β-estradiol (E ₂) o	n the
pER:GUS system		14	1
20.Estrogenic MAC of aqueous, aque	ous me	thanol extracts and fraction	ons II
and III			141

21.IC50 value of the aqueous extract (187 µg/mL)143
22.IC50 value of the aqueous methanol extract (> 1000 µg/mL)144
23.IC50 value of fraction II (23.3 µg/mL)145
24.IC50 value of fraction III (53.3 μg/mL)146
25.Proliferation assay on MCF-7 cell lines
26. The effect of the aqueous, aqueous methanol extracts and fractions on ALT
level150
27. The effect of the aqueous, aqueous methanol extracts and fractions on AST
level152
28. The effect of the aqueous, aqueous methanol extracts and isolated fractions
on SOD activity154
29. The effect of the aqueous, aqueous methanol extracts and isolated fractions
on GSH activity156
30. The effect of the aqueous, aqueous methanol extracts and isolated fractions
on TAC activity158

LIST OF TABLES

l'able	Page
1. Chemical structures of isolated isoflavones	
2. Chemical structures of isolated pterocarpans14	4
3. Chemical structures of isolated flavanones25	5
4. Chemical structures of isolated falvones30)
5. Chemical structures of isolated isoflavanones32	2
6. Chemical structures of isolated isoflavans	,
7. Chemical structures of isolated isoflav-3-enes38	}
8. Chemical structures of isolated cinnamyl phenols39)
9. Chemical structures of isolated chalcones40	
10. Chemical structure of isolated arylbenzofurans42	,
11. Chemical structures of isolated coumarins	}
12. Chemical structures of isolated alkaloids	
13.Chromatographic solvent systems used for investigation of phe	nolic
compounds using paper chromatographic technique	67
14.Materials for AST assay74	
15.Materials for ALT assay74	
16.Materials for Glutathion reduced (GSH) assay75	
17.Materials for Superoxide dismutase (SOD) assay75	j

18. Materials for Total antioxident capacity (TAC) assay
19.AST measurement procedure87
20.ALT measurement procedure
21. GSH measurement procedure89
22.SOD measurement procedure91
23.TAC measurement procedure94
24.Results of phytochemical screening of the aqueous methanol extract of the
Aerial Parts of Erythrina crista-galli (Leguminosea) cultivated in
Egypt96
25.Results of phytochemical screening of the aqueous methanol extract of the
Aerial Parts of Erythrina caffra (Leguminosea) cultivated in Egypt97
26.Results of column chromatographic fractionation of aqueous methanol
extract of the aerial parts of Erythrina crista-galli (Leguminosea)99
27.Results of column fractionation of fraction II
28.Results of column chromatographic fractionation of farction II-C102
29. Chromatographic and spectral data of compound (1)106
30.Results of column chromatographic fractionation of sub-fraction II-D112
31. Chromatographic and spectral data of compound (2) 116
32. Chromatographic and spectral data of compound (3)125