



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وَأَنْزَلَ اللَّهُ عَلَيْكَ الْكِتَابَ
وَالْحِكْمَةَ وَعَلَّمَكَ مَا لَمْ تَكُنْ
تَعْلَمُ وَكَانَ فَضْلُ اللَّهِ عَلَيْكَ
عَظِيمًا

صدق الله العظيم
سورة النساء
الآية (١١٣)



المشرفان

أ.د. / احلام احمد امام
استاذ العلاج التحفظى
كلية طب الفم و الاسنان
جامعة القاهرة

د. / رانيا سيد مسلم
مدرس العلاج التحفظى
كلية طب الفم و الاسنان
جامعة القاهرة

تأثير التبييض مقارنة بالتلميع على تغير اللون و طبوغرافيا سطح الراتنج المركب المصبوغ

رسالة مقدمة الى
كلية طب الفم و الاسنان – جامعة القاهرة
توطئه للحصول على درجه الماجيستير (فرع العلاج التحفظى)

من

الطبيبه / مروة عبد الحميد عيسى
بكالوريوس طب و جراحة الفم و الاسنان (٢٠٠٢)
جامعه القاهره

كلية طب الفم و الاسنان
جامعة القاهرة

(٢٠٠٩)

The Effect of Bleaching Versus Repolishing on Color Change and Surface Topography of Stained Resin Composite

Thesis
submitted to Faculty of Oral and Dental Medicine,
Cairo University
In partial fulfillment of the requirements of Master's Degree in
" Operative Dentistry "

By

**Marwa Abd-Elhamid Eissa
B.D.S.2002 (Cairo University)**

Faculty of Oral and Dental Medicine,
Cairo University

(2009)

Supervisors

Prof. Dr. Ahlam Ahmed Emam

**Professor of Operative Dentistry
Faculty of Oral and Dental Medicine
Cairo University**

Dr. Rania Sayed Mosallam

**Lecturer of Operative Dentistry
Faculty of Oral and Dental Medicine
Cairo University**

This work is dedicated to

my family especially my mother

*For their love, encouragement and support
in every step of my life*

First and above all, all thanks to Allah the merciful, the compassionate without his help, I could not finish this work.

I would like to express my deepest gratitude to Prof. Dr. Ahlam Ahmed Emam, Professor of Operative Dentistry, Faculty of Oral and Dental Medicine, Cairo University, for dedicating so much of her precious time and effort to help me complete this work. I really appreciate so much her constant guidance and assistance to me.

My profound appreciation goes to Dr. Rania Sayed Mosallam, Lecturer of Operative Dentistry, Faculty of Oral and Dental Medicine, Cairo University, who was always there to help me, to encourage me and very kindly offer me her valuable remarks.

I wish to express my profound gratitude and sincere appreciation to Dr. Dalia Ibrahim, for her great cooperation in the statistical analysis of the data for this work.

Finally, my thanks to Head of Operative Dentistry department, faculty of Oral and Dental Medicine, Cairo University, and all staff members for their support.

List of contents

	Page
List of Tables-----	i
List of Figures-----	ii
Introduction-----	1
Review of literature -----	4
I. The effect of immersion solutions on color change and surface roughness of resin composite-----	4
I.1.The effect of immersion solutions on color change of resin composite-----	4
I.2.The effect of immersion solutions on surface roughness of resin composite-----	8
II. The effect of bleaching on color change and surface roughness of resin composite-----	9
II.1. The effect of bleaching on color change of resin composite-----	9
II.2. The effect of bleaching on surface roughness of resin composite-----	12
III. The effect of ozone-----	17
IV. The effect of polishing on color change and surface roughness of resin composite-----	19

IV.1. The effect of polishing on color change of resin composite-----	19
IV.1. The effect of polishing on surface roughness of resin composite-----	21
Aim of the study-----	29
Materials and Methods-----	30
Results-----	44
Discussion-----	69
Summary and Conclusions-----	79
References-----	82
Appendix-----	A
Arabic summary-----	

المشرفان

أ.د. / احلام احمد امام
استاذ العلاج التحفظى
كلية طب الفم و الاسنان
جامعة القاهرة

د. / رانيا سيد مسلم
مدرس العلاج التحفظى
كلية طب الفم و الاسنان
جامعة القاهرة

تأثير التبييض مقارنة بالتلميع على تغير اللون و طبوغرافيا سطح الراتنج المركب المصبوغ

رسالة مقدمة الى
كلية طب الفم و الاسنان – جامعة القاهرة
توطئه للحصول على درجه الماجيستير (فرع العلاج التحفظى)

من

الطبيبه / مروة عبد الحميد عيسى
بكالوريوس طب و جراحة الفم و الاسنان (٢٠٠٢)
جامعه القاهره

كلية طب الفم و الاسنان
جامعة القاهرة

(٢٠٠٩)

List of Tables

	Page
Table (1): Materials used in the study-----	30
Table (2): Variables of the study-----	33
Table (3): Interaction of variables of the study-----	34
Table (4): Mean and SD of color values of the three groups at the baseline-----	45
Table (5): Mean and SD of color values of the three groups after immersion-----	46
Table (6): Tests of between-subjects effects-----	46
Table (7): Comparison between the three immersion solutions--	47
Table (8): Mean and SD of color values of the specimens after whitening-----	49
Table (9): Tests of between-subjects effects-----	50
Table (10): Comparison between the three whitening methods----	51
Table (11): General linear model (color change between the baseline, after immersion and after whitening)-----	52
Table (12): Mean and SD of surface roughness values of the three groups at the baseline-----	53
Table (13): Mean and SD of surface roughness values of the three groups after immersion-----	54
Table (14): Tests of between-subjects effects-----	55
Table (15): Surface roughness values after application of the different whitening methods-----	56
Table (16): Tests of between-subjects effects-----	57
Table (17): Difference between the three whitening methods----	58
Table (18): General linear model (surface roughness change between the baseline, after immersion and after whitening) -----	59
Table (19): Correlation between color and roughness-----	60

List of Figures

	Page
Figure (1): Heliomolar (Resin composite) -----	31
Figure (2): Lipton tea-----	31
Figure (3): Pepsi cola-----	31
Figure (4): Glandosane (artificial saliva)-----	31
Figure (5): Vivastyle (30% Carbamide peroxide) -----	32
Figure (6): Nupro (polishing paste)-----	32
Figure (7): KY gel-----	32
Figure (8): Split teflon ring and copper ring-----	34
Figure (9): Teflon ring seated in the copper ring-----	34
Figure (10): Resin composite before curing-----	36
Figure (11): Curing of resin composite-----	36
Figure (12): Opening of the split Teflon mold-----	36
Figure (13): Resin composite specimen ready for use-----	36
Figure (14): The container used for the immersion solutions---	37
Figure (15): Temperature control unit-----	37
Figure (16): Ozomax-----	39
Figure (17): Ozonated KY gel -----	39
Figure (18): The Steriomicroscope-----	41
Figure (19): The scanning electron microscope-----	42
Figure (20): Color values at the baseline-----	45
Figure (21): Color values after immersion in the three immersion solutions-----	47
Figure (22): Difference between color values of the three immersion solutions-----	48
Figure (23): Color values after whitening-----	50
Figure (24): Difference between color values of the three whitening methods-----	51
Figure (25): Difference between color values between baseline, after immersion and after whitening-----	52
Figure (26): Surface roughness values at the baseline-----	53
Figure (27): Surface roughness values after immersion-----	55
Figure (28): Surface roughness values after whitening-----	57
Figure (29): Difference between surface roughness values of the three whitening methods-----	58
Figure (30): Difference between surface roughness values between baseline, after immersion and after whitening-----	59
Figure (31): SEM image for resin composite specimens at the baseline 1000x-----	62

Figure (32): SEM image for resin composite specimens after immersion in artificial saliva for 12 hours 1000x-	63
Figure (33): SEM image for resin composite specimens after immersion in artificial saliva for 24 hours 1000x-	63
Figure (34): SEM image for resin composite specimens after immersion in artificial saliva for 12 hours and whitened with carbamide peroxide 1000x -----	64
Figure (35): SEM image for resin composite specimens after immersion in artificial saliva for 24 hours and whitened with carbamide peroxide 1000x -----	64
Figure (36): SEM image for resin composite specimens after immersion in artificial saliva for 12 hours and whitened with polishing paste 1000x -----	64
Figure (37): SEM image for resin composite specimens after immersion in artificial saliva for 24 hours and whitened with polishing paste 1000x -----	64
Figure (38): SEM image for resin composite specimens after immersion in artificial saliva for 12 hours and whitened with ozonated gel 1000x -----	64
Figure (39): SEM image for resin composite specimens after immersion in artificial saliva for 24 hours and whitened with ozonated gel 1000x -----	64
Figure (40): SEM image for resin composite specimens after immersion in tea for 12 hours 1000x-----	65
Figure (41): SEM image for resin composite specimens after immersion in tea for 24 hours 1000x-----	65
Figure (42): SEM image for resin composite specimens after immersion in tea for 12 hours and whitened with carbamide peroxide 1000x -----	66
Figure (43): SEM image for resin composite specimens after immersion in tea for 24 hours and whitened with carbamide peroxide 1000x -----	66
Figure (44): SEM image for resin composite specimens after immersion in tea for 12 hours and whitened with polishing paste 1000x -----	66
Figure (45): SEM image for resin composite specimens after immersion in tea for 24 hours and whitened with polishing paste 1000x -----	66
Figure (46): SEM image for resin composite specimens after immersion in tea for 12 hours and whitened with ozonated gel 1000x-----	66

Figure (47): SEM image for resin composite specimens after immersion in tea for 24 hours and whitened with ozonated gel 1000x-----	66
Figure (48): SEM image for resin composite specimens after immersion in cola for 12 hours 1000x-----	67
Figure (49): SEM image for resin composite specimens after immersion in cola for 24 hours 1000x-----	67
Figure (50): SEM image for resin composite specimens after immersion in cola for 12 hours and whitened with carbamide peroxide 1000x -----	68
Figure (51): SEM image for resin composite specimens after immersion in cola for 24 hours and whitened with carbamide peroxide 1000x -----	68
Figure (52): SEM image for resin composite specimens after immersion in cola for 12 hours and whitened with polishing paste 1000x -----	68
Figure (53): SEM image for resin composite specimens after immersion in cola for 24 hours and whitened with polishing paste 1000x -----	68
Figure (54): SEM image for resin composite specimens after immersion in cola for 12 hours and whitened with ozonated gel 1000x -----	68
Figure (55): SEM image for resin composite specimens after immersion in cola for 24 hours and whitened with ozonated gel 1000x -----	68