



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

BIOCHEMICAL STUDIES ON SOME ANTIMICROBIAL AGENTS

C No 006
✓

*Thesis Submitted to
Biochemistry Department
Faculty of Science
Ain Shams University*

**In Partial Fulfillment of the Requirements
For the Degree of Master of Science**

By
USAMA ABD ELNABY ABD ELLATIF

SUPERVISED BY

Prof. Dr.
IBRAHIM R. SHIMI
*Professor of Biochemistry
Faculty of Science
Ain Shams University*

Prof. Dr.
NADIA M.ABDALLAH
*Professor of Biochemistry
Faculty of Science
Ain Shams University*

I.R. Shimi

Dr.
FATMA F.ABDEL HAMID
*Lecturer of Biochemistry
Faculty of Science
Ain Shams University*

F.F. Abdel Hamid

the 1990s, the number of people in the UK who are aged 65 and over has increased by 1.5 million (1990-1999) (Office of National Statistics 2000).

There is a growing awareness of the need to address the health care needs of the elderly population. The Department of Health (1999) has set out a strategy for the NHS to meet the needs of the elderly population. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS. The strategy is based on the principle that the NHS should be able to meet the needs of the elderly population in a way that is consistent with the values of the NHS.

كَلِمَاتُ الْحِكْمِ

قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا

إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ

الْعَلِيمُ الْحَكِيمُ

صَدَقَ اللَّهُ الْعَظِيمُ

سُورَةُ الْبَقَرَةِ

آيَةُ رَقْم (٣٢)

The first part of the paper discusses the importance of the study of the history of the United States. It is argued that the study of the history of the United States is essential for a full understanding of the country and its people. The second part of the paper discusses the importance of the study of the history of the world. It is argued that the study of the history of the world is essential for a full understanding of the world and its people. The third part of the paper discusses the importance of the study of the history of the United States and the world. It is argued that the study of the history of the United States and the world is essential for a full understanding of the United States and the world.

*This thesis has not been submitted to this or
any other university*

Usama Abd Elnaby Abd Ellatif

CONTENTS

	<i>Page</i>
Abstract.	i
Acknowledgement.	ii
Abbreviations.	iii
List of Figures.	v
List of Tables.	vii
List of Photos.	viii
Introduction.	1
Aim of the Work.	3
 Chapter (1):	
Review of Literature.	4
1.1 Factors that influence the effectiveness of antimicrobial drugs.	5
1.2 Selectivity of action of antimicrobial agents.	7
1.3 Microbial resistance.	7
1.4 Mechanism of resistance.	8
1.5 Genetics of resistance.	11
1.6 Misuse of antimicrobial agents and causes of failure in antimicrobial therapy.	12
1.7 Biochemical targets for antimicrobial agents.	13
1.7.1 Inhibitors of cell wall synthesis.	15
1.7.2 Inhibitors of cell membrane function.	19
1.7.3 Inhibitors of protein synthesis.	23
1.7.4 Inhibitors of nucleic acid synthesis.	25
1.7.4a Inhibitors of the template function of DNA.	26
1.7.4b Inhibitors of DNA replication.	28
1.7.4c Inhibitors of RNA synthesis.	30
1.8 Views concerning β -lactam antibiotics.	31

	<i>Page</i>
Chapter (2):	
Materials and Methods.	34
2.1 Synthesis of different biologically active compounds.	34
2.2 Organisms and culture conditions.	35
2.3 Screening of various newly synthesized compounds against microbial organisms.	35
2.4 Preparation of cefadroxil derivatives.	36
2.5 Chromatographic behaviour of PCC.	36
2.6 Preparation of PCC solution for MIC determination.	37
2.7 Electron micrographs of PCC-treated and untreated <i>S.aureus</i> NRRL-B-767.	37
2.8 Effect of PCC on the accumulation of N-acetylgluco- samine in <i>S.aureus</i> NRRL-B-767.	38
2.9 Amino acids analysis in the metabolism solution of control and PCC-treated <i>S.aureus</i> cells.	39
2.10 Studies on the mode of action of PCC.	40
2.11 Fractionation and extraction of intracellular components of <i>S.aureus</i> cells.	41
2.11.1 Extraction of acid soluble phosphorus component.	41
2.11.2 Lipid extraction.	41
2.11.3 Protein extraction.	41
2.11.4 RNA extraction.	41
2.11.5 DNA extraction.	42
2.12 Quantitative determination of acid soluble phosphorus.	44
2.13 Quantitative determination of total proteins.	45
2.14 Quantitative determination of total lipids.	47
2.15 Quantitative determination of RNA.	48
2.16 Quantitative determination of DNA.	49
2.17 <i>In vitro</i> effect of PCC on thermal denaturation (T_m) of Salmon testis DNA.	50

	<i>Page</i>
2.18 <i>In vitro</i> development of <i>staphylococcus aureus</i> resistant strains to cefadroxil and PCC.	51
2.19 Isolation of DNA plasmids from cefadroxil and PCC resistant bacterial cells.	52
2.20 SDS-PAGE analysis of the intracellular proteins of sensitive and resistant <i>staphylococcus aureus</i> cells.	55
Chapter (3):	
Results.	
3.1 Screening of the synthesized compounds for antibacterial potentialities.	60
3.2 Physico-chemical properties of PCC.	63
3.3 Comparative chromatographic behaviour of PCC.	71
3.4 Electron micrographs of PCC treated and untreated <i>S. aureus</i> NRRL-B-676.	72
3.5 Effect of PCC on the accumulation of N-acetylglucosamine in <i>S.aureus</i> cells.	80
3.6 Amino acids analysis in the metabolism solution of control and PCC treated <i>S.aureus</i> cells.	80
3.7 Studies on the mode of action of cefadroxil and PCC on <i>S.aureus</i> cells.	84
3.7.1 Effect of cefadroxil and PCC on the growth rate of <i>S. aureus</i> cells.	84
3.7.2 Effect of cefadroxil and PCC on the macromolecules of <i>S. aureus</i> cells.	87
3.7.2a Effect of cefadroxil and PCC on the acid soluble phosphorus content of <i>S.aureus</i> cells.	87
3.7.2b Effect of cefadroxil and PCC on the lipid content of <i>S. aureus</i> cells.	87
3.7.2c Effect of cefadroxil and PCC on total proteins of <i>S. aureus</i> cells.	92

	<i>Page</i>
3.7.2d Effect of cefadroxil and PCC on the RNA content of <i>S. aureus</i> cells.	95
3.7.2e Effect of cefadroxil and PCC on the DNA content of <i>S. aureus</i> cells.	95
3.8 Effect of PCC on the thermal denaturation (T_m) of Salmon testis DNA.	100
3.9 Plasmid profile determined by agarose gel electrophoresis.	105
3.10 Protein profile determined by SDS polyacrylamide gel electrophoresis (PAGE).	105
Chapter (4) : Discussion.	 108
Chapter (5) : Summary and Conclusion.	 118
References.	121
Arabic Summary.	
Arabic Abstract.	