

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

Apoptosis as biomarkers in some anuran amphibian from Egypt

597,6

A Thesis

Submitted to the Faculty of Science,
Cairo University,
In partial fulfillment of the requirements of the
master degree of Science in Zoology

By

Aliaa Ragheb Mohammad Ibrahim

(B.Sc. in Zoology-Chemistry)

Department of Zoology

Faculty of Science

Cairo University

(2009)

Approval sheet

Title of the M.Sc. thesis

Apoptosis as biomarkers in some anuran amphibian from Egypt

Name of the Candidate

Aliaa Ragheb Mohammad Ibrahim

Supervision Committee:

Signature

(1)- Prof. Dr. Abdel-Hakim Saad El-Din

Professor of Immunology,
Zoology Department,
Faculty of Science, Cairo University

(2)- Dr. Alaa Shamakh

Lecturer of Comparative Anatomy, Zoology Department, Faculty of Science, Cairo University

(3)- Dr. Ahmed Abdel-Aziz Bayoumy
Lecturer of Cell Biology and Histology,
Zoology Department,
Faculty of Science, Cairo University

Almach A. AZIZ

Head of Zoology Department

Prof. Dr. Kawser Sayed Abou El Ala



TO WHOM IT MAY CONCERN

This is to certify that Ms. Aliaa Ragheb Mohmmad Ibrahim, has attended and passed successfully the following post graduate courses as a partial fulfillment of the requirements of the degree of master of science (Genetics and Cell, 2006).

1. Advanced cytology

2. Tissue culture.

3. Cancer biology.

4. Histology.

5. Pathology.

6. Electron microscope.

7. Radiobiology.

8. Genetics.

9. Molecular biology.

10.Embryology.

11. Biotechnology.

12.Cell biology

13. Histochemistry

14. Biostatistics.

15. Computer science.

16. German language.

This Certificate is issued at her own request.

Date of birth: 6 / 2 / 1985

Place of birth: Giza

Controller

Head of Zoology Department

Prof. Dr. Mona al Sharkawy

Prof. Dr. Kawthar Said

Acknowledgments

First of all I would like to thank my merciful ALLAH for completion of this work and sincere thanks and gratitude are aimed to acknowledge all those who helped this thesis attain its present form.

I would like to express my deepest gratitude to Prof. Dr. Abdel-Hakim Saad El-Din, Professor of Immunology, Department of Zoology, Faculty of Science, Cairo University, for his valuable supervision and continuos encouragement. I owe him much thanks for teaching me the art of research, accuracy and patience. Also, I would greatly appreciate the unfailing enthusiasm of the supervision during the writing and checking the final manuscript. I am very lucky to have such a great opportunity to be one of his students.

I would like also to express my sincere appreciation and deepest gratitude to **Dr. Alaa Schamk,** Lecturer of Comparative Anatomy, Faculty of Science, Cairo University. Also, for his continuous encouragement and direct supervision of this work.

I would like also to express my sincere appreciation and deepest gratitude to **Dr. Ahmed Abdel** Aziz, Lecturer of Cell Biology and Histology, Faculty of Science, Cairo University for his generous help, sincere effort, and continuous encouragement in supervision time research.

List of Abbreviations

ANOVA Analysis of Variance

Ca Calcium

Cd Cadmium

DNA Deoxyribonucleic Acid

EDCS Endocrine disrupting chemicals

EM Electron microscope

FCS Fetal calf serum

Fe Ferric

G6PDH Glucose-6-phosphate Dehydrogenase

GSH Glutathione

K Potassium

KCS kupffer cell

Mg Magnesium

MM Melanomacrophage

MMCS Melanomacrophage centres

MT Metallotnionein complex

Na Sodium

O2 Oxygen

Pb Lead

PCT Proximal Convoluted Tubule

RER Rough Endoplasmic Reticulum

SAS Statistical Analysis System

SOD Superoxide Dimutase

UV Ultraviolet

UV-B Ultraviolet -B

Zn Zinc

<u>List of Tables</u>

	Page No.
Table(1): Concentrations (mg/L) of the trace	
elements of environmental concern from the two	
study areas of Egypt	21
Table(2): Mean values (±SE) for body length,	
hepatosomatic index, surface area and color	
intensity of MMCS is the liver of adult Bufo	
regularis and Rana bedriagae form El Mansuriya	
(polluted) and Abu Rawash (unpolluted) control	
areas. Number in parentheses, sample size	23

<u>List of Figures</u>

	Page No
Fig. (1): Map of study area showing the sampling sites	15
Fig. (2): Area occupied by melanomacrophage center (MMCs) in	
the unpolluted control area (Abu Rawash) (A,C) and the	
polluted region (EL Mansuriya area) (B,D). Note the	
difference between the two animals: Bufo regularis (A,	
B) and Rana bedriagae. H & E stain. Bar=	
25μm	24
Fig. (3): Apolyploid (arrow head) snd some karyomegalic	
(arrows) hepatocytes from Bufo regularis (A) and Rana	
bedriagae (B) collected from the polluted area (i.e. El	
Mansuriya). Η & E stain. Bar= 25μm	27
Fig. (4): A vacuolated focus (surrounded by arrows) Bufo	•
regularis (A) and Rana bedriagae (B) collected from	
the polluted area (i.e. El Mansuriya). Note the intense	
vacuolation, pyknotic cells, and infiltrate (mainly	
lymphocytes). H & E stain. Bar= 25µm	28
Fig. (5): A section from the liver of Bufo regularis (A) and Rana	
bedriagae (B) collected from the polluted area (i.e. El	
. Mansuriya). A dense fibrotic area with duct-like	
structures lined with cuboidal epithelium was evident.	
The arrow point to two such ductal cells. H & E stain.	
Bar= 25μm	29
Fig. (6): A biliary duct from Bufo regularis (A) and Rana	
bedriagae (B) collected from the polluted area (i.e. El	
Mansuriya) filled with an amorphous eosinophilic mass	
mixed with pyknotic sloughed epithelial cells. H & E	
stain. Bar= 25um.	30

p	2	σ	Δ	ħ	J	ึก	
Г	a	Ľ	C	Г	v	u	

		_
Fig. (7):	Section of liver from Bufo regularis (A, B) and Rana	
	bedriagae (C, D) collected from the unpolluted area	
	(i.e. Abu Rawash). Note the normal distribution of	
	leucocytes (arrow) and apoptosis of some liver cells	
	around bile duct (C). H & E stain. Bar= 25µm	32
Fig. (8):	Section of liver from Bufo regularis (A,B) and Rana	
	bedriagae (C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic cells (arrows) occur mainly	
	around blood vessels. Dark pigments (P) are scattered in	
	the liver. H & E stain. Bar= 25μm	33
Fig. (9):	Section of kidney from Bufo regularis (A,B) and Rana	
	bedriagae (C,D) collected from the unpolluted area (i.e.	
	Abu Rawash). The parenchymatous tissue showing	
	normal distribution of kidney cells. Dark pigments (P)	
	lying in the center of the lumen of a proximal	
-	convoluted tubule (arrow). H & E stain. Bar= 25µm	36
Fig. (10).	Section of kidney from Bufo regularis (A,B) and Rana	
rig. (10).	bedriagae (C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic cells (arrow) with nuclear	
	fragment are evident. A proximal convoluted tubule is	27
	completely disorganized. H & E stain. Bar= 25µm	37
Fig. (11)	: Section of spleen from Bufo regularis (A,B) and Rana	
	bedriagae (C,D) collected from the unpolluted area (i.e.	
	Abu Rawash). Note the normal distribution of splenic	
	cells (arrows) in the white (W) and red (R) pulp. Dark	
	pigments (P) are scattered in the spleen. H & E stain.	
	Bar= 25μm	39
Fig. (12)	: Section of spleen from Bufo regularis (A,B) and Rana	
· ,	bedriagae (C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic cells (arrows) occur mainly in	
	the red pulp and around blood vessels. Dark pigments	
	(P) are scattered in the spleen. H & E stain. Bar= 25μm.	40
	, and the second of the second	

		Page No.
Fig. (13): Electron micrograph reveals morphological features	
	in the liver of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the unpolluted area (i.e. Abu	•
	Rawash). Apoptotic body (a) containing autophagic	
	vacuoles (arrow). N: nucleus, R: rough endoplasmic	
	reticulum, M: mitochondria. X25000	43
Fig. (14): Electron micrograph reveals morphological features	
	in the liver of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic body (a) show dark cytoplasm	
	with crescent-shaped nucleus (N). R: rough	
	endoplasmic reticulum, M: mitochondria. X25000	44
Fig. (15): Electron micrograph reveals morphological features in	
	the kidney of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the unpolluted area (i.e. Abu	
	Rawash). The nuclear membrane of the cell is clearly	
	intact and masses of compact chromatin are apparent.	
	N: nucleus, R: rough endoplasmic reticulum, M:	
	mitochondria. X25000	46
Fig. (16): Electron micrograph reveals morphological features in	
	the kidney of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic body (a) show dark cytoplasm	,
	and digitations of the cell membrane (arrow). Nucleus	
	(N) showing dispersed chromatin, R: rough	
	endoplasmic reticulum, M: mitochondria. X25000	47
Fig. (17): Electron micrograph reveals morphological features in	
	the spleen of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the unpolluted area (i.e. Abu	
	Rawash). The nucleus (N) of splenic cells show	
	condensed chromatin and autophagic vacuoles (arrows).	
	R: rough endoplasmic reticulum, M: mitochondria.	
	X25000	50

Fig. (18): Electron micrograph reveals morphological features in	
	the spleen of Bufo regularis (A,B) and Rana bedriagae	
	(C,D) collected from the polluted area (i.e. El	
	Mansuriya). Apoptotic body (a) containing light area	
	empty or filled with cell debris (arrows). The nuclei (N)	
	of apoptotic cells show dark cytoplasm and digitations	
	of the cell membrane. R: rough endoplasmic reticulum,	
	M: mitochondria. X25000	51
		. :
Fig. (19): Agarose gel electrophoresis of liver (A), kidney (B)	
	and spleen (C) of Bufo regularis (r) and Rana bedriagae	
	(b) collected from the polluted area (i.e. Abu Rawash,	
	a) and polluted area (i.e. El Mansuriya, m). reference	
	MW markers shown in lane M	53