

Studies on the bryoflora of some wadis in Saint Catherine protected area

A thesis

Submitted To The Faculty Of Science
Of Ain Shams University In Candidature
For The Degree Of Ph. D.
of Science In Botany (Bryology)

By

Mai Ahmed Mohamed Taha

M.Sc. of Science in Botany (Bryology) 2010

Supervised By

Prof. Dr. Wagieh El-Sayed El-Saadawi

Professor of Botany Faculty of Science Ain Shams University

Dr. Usama Yehia Abou-Salama

Assistant Professor of Botany
Faculty of Science
Ain Shams University

Botany Department Faculty of Science Ain Shams University 2014



Student Name: Mai Ahmed Mohamed Taha Thesis Title: Studies on the bryoflora of some wadis in Saint Catherine protected area Degree: Doctor of Philosophy of Science in Botany (Bryology) This thesis has been supervised by: Prof. Dr. Wagieh El-Sayed El-Saadawi Professor of Botany Faculty of Science Ain Shams University Dr. Usama Yehia Abou-Salama Assistant Professor of Botany

Faculty of Science

Ain Shams University



Approval sheet

Student Name: Mai Ahmed Mohamed Taha
Thesis Title: Studies on the bryoflora of some wadis in Saint
Catherine protected area
Degree: Doctor of Philosophy of Science in Botany (Bryology)
This thesis has been approved by:
Prof. Dr. Mohamed Ahmed Hamoda
Professor of Botany
Ain Shams University
Faculty of Girls
Prof. Dr. Gamal Mahmoud Abou Sabaa Lashin
Professor of Taxonomy of Cryptogames
Zagazig University
Faculty of Science
Prof. Dr. Wagieh El-Sayed El-Saadawi
Professor of Botany
Ain Shams University
Faculty of Science
Dr. Usama Yehia Abou-Salama
Assistant Professor of Botany
Ain Shams University
Faculty of Science

Acknowledgements

- First of all, thanks to Allah who granted me the ability to accomplish this work.
- ➤ I would like to express my deep thanks and gratitude to **Prof. Dr.**Wagieh El-Saadawi, for his valuable contribution to the reading and editing of my manuscript. I am deeply grateful to **Dr. Usama Yehia**Abou-Salama, who devoted his time, efforts, and experience to facilitate the achievement of this work and for guidance through excursions.
- ➤ Thanks and gratitude are also to **Prof. Dr. Mohamed El-Sayed Tantawy** Head of Botany Department, Faculty of Science, Ain Shams

 University, for his faithful help.
- > Thanks to my colleagues **Dr. Manal Ibrahim** and **Sahar Ibrahim** for their support.
- ➤ Special thanks to my colleagues **Mohamed Farag**, for his kind help during the excursion of 2012, and to **Mona Gaber** for being my best friend with all kinds of support and encouragement she gave me.
- Thanks are also extended to *Dr. Richard Zander from Missouri Botanical Garden for kindly confirming the identity of *Anoectangium handelii* Schiffn. and *Hymenostylium crassinervium* Broth. & Dix. and correcting the identity of *Weissia controversa* Hedw. *Didymodon australasiae* (Hook. & Grev.) R. H. Zander., *Didymodon tophaceus* (Brid.) Lisa and *Gymnostomum aeruginosum* Sm.

^{*:} richard.zander@mobot.org

Dedication

**** dedicate this thes*is*

All Thanks to Allah



To my family; my lovely mum, my dearest brothers, sister, my little sweeties Zeyad, Radwa, Omar and Salma. Every day I pray to Allah to keep you in good health and give you long life.

Thank you for your presence in my life, thank you for supporting me with kindness, advice, encouragement and love, thank you for being my family with all what the word "family" means and thank you for illuminating all my days.





I declare that this thesis
has been composed by my
self and that the work of
which is a record that has
been done by my self.
It has not been submitted
for a degree at this or any

other University.

Contents

Subject	raye
List of Plates	I
List of Tables	. III
List of Figures	VI
Abbreviations	VII
Abstract	XI
> Review	. 1
> Introduction	3
> Study area	. 9
> Material & Methods	
♦ Material	18
♦ Methods	24
> Results	
> part I	
♦ General considerations about the moss species of the	five
studied wadis	29
♦♦ Moss species in the study area	. 32
A. Keys and Illustrated Descriptions	36

B. States of major leaf characters	239
≻ part II	
1. Distribution of moss species in the study area 24	12
2. Occurrence of moss species in the study area 24	6
3. Purity and Association of moss species in the study area 2	248
4. Reproduction of moss species in the study area 2	252
> Floristic comparisons 2	58
> Discussion	276
> Summary	84
> Appendix I	289
> Appendix II	295
> Appendix III	298
> Appendix IV	333
> References	36
> Texts used for the identification of mosses and not mentioned	d in
the list of references	4
مستخلص	مأا
لخص لخص	الم

List of plates

Plate No.	Plate Caption	Page No.
1	Fissidens arnoldii	42
2	Eucladium verticillatum	50
3	Anoectangium handelii	54
4	Barbula bolleana	59
5	B. convoluta	63
6	Didymodon australasiae	69
7	D. luridus	73
8	D. tophaceus	78
9	D. umbrosus	82
10	D. vinealis	86
11	Gymnostomum aeruginosum	91
12	G. calcareum	95
13	Gyroweisia reflexa	100
14	Hymenostylium crassinervium	105
15	H. recurvirostrum	109
16	Syntrichia fragilis	114
17	S. handelii	118
18	Tortula atrovirens	124
19	T. brevissima	128
20	T. brevissima	129
21	T. inermis	134
22	T. inermis	135
23	T. subulata	139
24	T. subulata	141
25	Weissia controversa	146
26	Grimmia anodon	151
27	Entosthodon durieui	156
28	E. pulchellus	160
29	Bryum argenteum	167
30	B. dichotomum	172
31	B. radiculosum	176
32	B. subapiculatum	179
33	B. turbinatum	184

List of plates (contd.)

Plate No.	Plate Caption	Page No.
34	B.sp.1	188
35	B.sp.2	192
36	B.sp.3	196
37	B.sp.4	199
38	B.sp.5	202
39	B.sp.6	205
40	Imbribryum alpinum	209
41	Ptychostomum archangelicum	214
42	P. capillare	218
43	P. compactum	221
44	P. pseudotriquetrum	225
45	P. torquescens	229
46	Rhynchostegium riparioides	233
47	Photos of the studied moss plants when dry	235
48	Photos of the studied moss plants when dry	236
49	Photos of the studied moss plants when dry	237
50	Photos of the studied moss plants when dry	238

List of Tables

Table No.	Table caption	Page No.
1	Names of the 26 moss taxa (arranged alphabetically) reported by Abou-Salama (1985) from: 1- Wadi Genab, 2- Wadi El-Shaq, 3- Wadi Tala'a, 4- Wadi El-Teffaha, 5- Wadi Abo Zaytouna.	7
2	Data about locality, date of collection, habitat of site and herbarium number of the 191 moss samples collected from five wadis in Saint Catherine protected area.	19
3	The 43 moss taxa of the five studied wadis.	29
4	Countries of the world in which moss species have the highest similarity of the major leaf characters to those of the 34 species of the study area.	241
5	Distribution of the 43 studied moss species in the study area and the number of their specimens.	245
6	The purity of the 43 moss species in the study area showing percentage of pure and/or mixed specimens.	250
7	Association of moss species with each other in the study area.	251
8	Association of moss genera with each other in the study area.	252
9	Sexual and asexual reproductive structures in moss species in the study area.	255
10	The most established species in the study area according to distribution, occurrence, purity and reproduction.	257
11	The total bryoflora (based on Abou-Salama (1985) and the present work) of the five studied wadis	258
12	The distribution of the 43 fully identified moss species of the study area in phytogeographical regions of the world.	263
13	Distribution of the 43 moss species of the study area in countries of As 5.	267
14	Distribution of the 43 moss species of the study area in some countries of Eur.	268
15	Distribution of the 43 moss species of the study area in countries of Afr 1.	269
16	The distribution of the 43 moss species of the study area in other territories of Egypt.	271
17	Occurrence of the moss genera of the study area in other surveyed phytogeographic territories of Egypt represented by the number of their species in each territory.	273
18	The floristic elements of 32 out of 43 moss species of the study area.	275

List of Tables (contd.)

Table No.	Table caption	Page No.
19	States of major leaf characters of <i>Fissidens arnoldii</i> recorded in Saint Catherine protected area, other regions in Egypt and in the world.	300
20	States of major leaf characters of <i>Eucladium verticillatum</i> recorded in the study area, other regions in Egypt and in the world.	301
21	States of major leaf characters of <i>Anoectangium handelii</i> recorded in the study area and other regions in the world.	302
22	States of major leaf characters of <i>Barbula bolleana</i> recorded in the study area, other regions in Egypt and in the world.	303
23	States of major leaf characters of <i>Barbula convoluta</i> recorded in the study area, other regions in Egypt and in the world.	304
24	States of major leaf characters of <i>Didymodon australasiae</i> recorded in the study area and other regions in the world.	305
25	States of major leaf characters of <i>Didymodon luridus</i> recorded in the study area, other regions in Egypt and in the world.	306
26	States of major leaf characters of <i>Didymodon tophaceus</i> recorded in the study area, other regions in Egypt and in the world.	307
27	States of major leaf characters of <i>Didymodon umbrosus</i> recorded in the study area and other regions in the world.	308
28	States of major leaf characters of <i>Didymodon vinealis</i> recorded in the study area, other regions in Egypt and in the world.	309
29	States of major leaf characters of <i>Gymnostomum aeruginosum</i> recorded in the study area, other regions in Egypt and in the world.	310
30	States of major leaf characters of <i>Gymnostomum calcareum</i> recorded in the study area, other regions in Egypt and in the world.	311
31	States of major leaf characters of <i>Gyroweisia reflexa</i> recorded in the study area and other regions in the world.	312
32	States of major leaf characters of <i>Hymenostylium recurvirostrum</i> recorded in the study area and other regions in the world.	313
33	States of major leaf characters of <i>Syntrichia fragilis</i> recorded in the study area, other regions in Egypt and in the world.	314
34	States of major leaf characters of <i>Syntrichia handelii</i> recorded in the study area and other regions in the world.	316
35	States of major leaf characters of <i>Tortula atrovirens</i> recorded in The study area and other regions in the world.	315
36	States of major leaf characters of <i>Tortula inermis</i> recorded in the study area and other regions in the world.	316

List of Tables (contd.)

Table No.	Table caption	Page No.
37	States of major leaf characters of <i>Tortula subulata</i> recorded in the study area and other regions in the world.	317
38	States of major leaf characters of <i>Weissia controversa</i> recorded in the study area and other regions in the world.	318
39	States of major leaf characters of <i>Grimmia anodon</i> recorded in the study area and other regions in the world.	319
40	States of major leaf characters of <i>Entosthodon durieui</i> recorded in the study area and other regions in the world.	320
41	States of major leaf characters of <i>Entosthodon pulchellus</i> recorded in the study area and other regions in the world.	321
42	States of major leaf characters of <i>Bryum argenteum</i> recorded in the study area and other regions in the world.	322
43	States of major leaf characters of <i>Bryum dichotomum</i> recorded in the study area and other regions in the world.	323
44	States of major leaf characters of <i>Bryum subapiculatum</i> recorded in the study area and other regions in the world.	324
45	States of major leaf characters of <i>Bryum radiculosum</i> recorded in the study area and other regions in the world.	325
46	States of major leaf characters of <i>Bryum turbinatum</i> recorded in the study area and other regions in the world.	326
47	States of major leaf characters of <i>Imbribryum alpinum</i> recorded in the study area and other regions in the world.	327
48	States of major leaf characters of <i>Ptychostomum archangelicum</i> recorded in the study area and other regions in the world.	328
49	States of major leaf characters of <i>Ptychostomum capillare</i> recorded in the study area and other regions in the world.	329
50	States of major leaf characters of <i>Ptychostomum torquescens</i> recorded in the study area and other regions in the world.	330
51	States of major leaf characters of <i>Ptychostomum</i> pseudotriquetrum recorded in the study area and other regions in the world.	331
52	States of major leaf characters of <i>Rhynchostegium riparioides</i> recorded in the study area and other regions in the world.	332
53	Distribution of the 43 moss species of the study area in countries of Afr 2.	334
54	Distribution of the 43 moss species of the study area in countries of Afr 3 and Afr 4.	335

List of Figures

Figure No.	Figure caption	Page No.
Fig. 1	A map showing phytogeographical territories of Egypt.	2
Fig. 2	A map showing location of Sinai Peninsula in Egypt.	9
Fig. 3	A map showing the location of Saint Catherine protected area in Southern Sinai.	9
Fig. 4	A map showing part of Saint Catherine protected area.	11
Fig. 5	A map showing the 7 geomorphic districts of Sinai.	13
Fig. 6	Fig. Means of minimum and maximum temperatures and mean temperatures for the years 1961-1990.	15
Fig. 7	Fig. Average minimum and maximum temperatures over the course of an average year for the years 2007-2011.	15
Fig. 8	Variation in the percentage of occurrence of moss species recorded in the study area.	247
Fig. 9	A map showing phytogeographical regions of mosses of the world.	262
Fig. 10	A map showing the countries and Islands of Eur & As 5 under consideration.	265
Fig. 11	A map showing the countries of Afr 1 under consideration.	266
Fig. 12	A map showing the countries and islands of Afr 2, Afr 3 & Afr 4.	333

Abbreviations

AD: Andorra

AF: Afghanistan

Afr: Africa
AL: Albania
ALG: Algeria
Am: America
ANG: Angola
AR: Archegonia

As: Asia

ASC: Ascension Is. **Austr:** Australia

AZ: Azores

BA: Bosnia-Herzegovina

BEN: Benin **BG:** Bulgaria

BIO: Fernando Po (Bioko)

BKN: Burkina Faso

BL: Baleares **BOT:** Botswana **BUR:** Burundi

CAF: Central African Rep.

Cai: Cairo

CAIA: Ain Shams University herbarium

CHA: Chad

CMN: Cameroon **CN:** Canary Islands

CO: Corsica COM: Comoros

CPP: Cape (of Good Hope)

CT: Crete

CVI: Cape Verde