



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل



624,25

Histological and Physiological Studies on Flowering and Fruiting of Some Peach Cultivars Under Assiut Environments

By

Moamen Mohamed Al-Wasfy

B.Sc. Agric. Sci. (Pomology), Assiut Univ. (1988).

M.Sc. Agric. Sci. (Pomology), Assiut Univ. (1996)

DISSERTATION

Submitted in Partial Fulfillment of the
Requirements for the Degree of

DOCTOR OF PHILOSOPHY

In

Horticulture (Pomology)

Department of Horticulture
Faculty of Agriculture
Assiut University

2000

Supervised by:

Prof. Dr. Samir Z. El-Agamy, Major supervisor
Dr. Abd El-Fattah M. El-Salhy
Dr. Taha R. Mohamed

Examined by:

Prof. Dr. Assem D. Shaltout
Prof. Dr. Kamelia Ibrahim A. Amin
Prof. Dr. Samir Z. El-Agamy
Dr. Abd El-Fattah M. El-Salhy

CPA.
CP

APPROVAL SHEET

Histological and Physiological Studies on Flowering and Fruiting of Some Peach Cultivars Under Assiut Environments

By

Moamen Mohamed Al-Wasfy

This desertation has been approved by:

Prof. Dr. Assem D. Shaltout

----- A. Shaltout -----

Prof. Dr. Kamelia Ibrahim A.Amin

----- K. I. Ahmed Amin -----

Prof. Dr. Samir Z. El-Agamy

----- Samir ElAgamy -----

Dr. Abd El-Fattah M. El-Salhy

----- EL-Salhy -----

(Committee in charge)

Date: 26/6/2000

CONTENTS

Subject	Page
Introduction	1
Chapter 1. Histological study	
Review of Literature	6
Flower bud formation	6
A - Flower differentiation	6
B - Microsporogenesis	15
C - Megasporogenesis	17
Materials and Methods	20
Results and Discussion	21
Summary and Conclusion	39
Literature Cited	41
Chapter II: Accumulated chilling and growing degree hours (G.D.H.)	
Review of Literature	46
Dormancy in deciduous fruit trees	46
Terminology of dormancy	46
Hypothesis explain dormancy	47
A - environmental factors	47
1- Temperature	47
2- Light intensity has an important role on budbreak	52
3- Humidity and rains	52
B - Endogenous factors	53
a- The growth inhibitors	53
b- The growth promoters	55
1) Gibberellins	55
2) Cytokinins	55
3) Auxins	56
4) The balance between growth promoters and inhibitors	56
5) Others	57
Materials and Methods	58
Results and Discussion	61
A) Accumulated chilling	61
B) Heat units (Growing degree hours G.D.H.)	65
C) Endogenous hormone (ABA, IAA)	68
Summary and Conclusion	73
Literature Cited	75

Subject	Page
Chapter III: Effect of some rest breaking agents on flowering and fruiting of some peach cultivars under Assiut environments	
Review of literature	83
1- Effect of some rest breaking agents on certain physiological responses	83
1-1- Bud break and bud burst	83
1.2. Fruit set, yield and fruit quality	86
2- Effect of fruit thinning on yield and fruit quality	88
3- Effect of girdling on yield and fruit quality	94
Materials and Methods	98
Results and Discussion	102
I- Bud burst	102
1.1- Flower bud burst	102
San Pedro cv.	102
Y9/106 cv.	104
Rubidoux cv.	106
1.2- Vegetative bud burst	109
San Pedro cv.	110
Y9/106 cv.	110
Rubidoux cv.	113
II- Fruit set	116
San Pedro cv.	116
Y9/106 cv.	120
Rubidoux cv.	123
III- Physical and chemical fruit characters	126
IV- Heat units (Growing degree hours, G.D.H.)	133
Second Experiment	137
1- Physical fruit properties	137
Fresh fruit weight	137
Fruit dimention	138
Fruit firmness	139
2- Chemical fruit properties	140
Total soluble solids	140
Sugar contents	141
Total titratable acidity	142
Summary and Conclusion	145
Literature Cited	149
General Summary and Conclusion	156
Arabic Summary	-


A decorative border resembling a scroll, with a thick, textured line on the left side and rounded corners. The text "LIST OF TABLES" is centered within this border.

LIST OF TABLES

LIST OF TABLES

Table No.	Title	Page
1	Accumulated chill units during winter and early spring months of 1997/1998 and 1998/1999 seasons	59
2	Conversion of hourly temperatures to chilling units according to Utah model	59
3	Accumulated chill units and date of bud swelling for "San Pedro", Y9/106" and "Rubidoux" peach cultivars during 1998 and 1999 seasons	64
4	Bud development stage and corresponded GDH during 1998 and 1999 seasons	67
5	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of flower bud opening of "San Pedro" peach cv. during 1998 and 1999 seasons	103
6	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of flower bud opening of "Y9/106" peach cv. during 1998 and 1999 seasons	105
7	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of flower bud opening of "Rubidoux" peach cv. during 1998 and 1999 seasons	107
8	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of vegetative bud opening of "San Pedro" peach cv. during 1998 and 1999 seasons	111
9	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of vegetative bud opening of "Y9/106" peach cv. during 1998 and 1999 seasons	112
10	Effect of dormex, ammonium nitrate and mineral oil on the progressive succession of vegetative bud opening of "Rubidoux" peach cv. during 1998 and 1999 seasons	115
11	Fruit retained changes of "San Pedro" peach cv. as influenced by dormex, ammonium nitrate and mineral oil during 1998 and 1999 seasons	117
12	Fruit retained changes of "Y9/106" peach cv. as influenced by dormex, ammonium nitrate and mineral oil during 1998 and 1999 seasons	121
13	Fruit retained changes of "Rubidoux" peach cv. as influenced by dormex, ammonium nitrate and mineral oil during 1998 and 1999 seasons	124

Table No.	Title	Page
14	Physical and chemical properties of "San Pedro" peach cv. as affected by rest breaking agents spraying during 1998 and 1999 seasons.	130
15	Physical and chemical properties of "Y9/106" peach cv. as affected by rest breaking agents spraying during 1998 and 1999 seasons.	131
16	Physical and chemical properties of "Rubidoux" peach cv. as affected by rest breaking agents spraying during 1998 and 1999 seasons.	132
17	Bud development stage and corresponded GDH	136
18	Physical and chemical properties of "Tejon" peach cv. as affected by thinning and girdling treatments during 1998 and 1999 seasons	143
19	Physical and chemical properties of "Early Amber" peach cv. as affected by thinning and girdling treatments during 1998 and 1999 seasons	144



LIST OF FIGURE

LIST OF FIGURES

Figure No.	Title	Page
1	Longitudinal sections through the axillary buds of peach cv. Y9/106 showing: A: The vegetative bud with acute apex (50X). B: Elongation of the meristematic tissue in the flower bud (50X). C: Swilling of the meristematic tissue, and the apex of the flower bud became more flattened. Initiation of the sepal primordium is shown at one side. (200X). D: Elongation of the sepals primordia (Se) and beginning of initiation of the petals primordia (Pe). (200X)	26
2	Longitudinal sections through the flower buds of peach cv. Y9/106 showing: A: Elongation of petals primordia (Pe) and initiation of stamen primordium (St). (200X). B: Development of the anther (An) and filament (F) of the stamen. The inside base of the receptacle become more flattened. (100X). C: Initiation of carpel (Ca) as protuberance on the flattened inside base of the bud. (200X). D: Elongation of carpel. Appearance of two separated carpels was common in Y9/106 cv. (200X).	27
3	Longitudinal sections through the flower buds of peach cv. Y9/106 showing: A: Development of microsporangia (Mi); two in each of the two lobes of anther. The sporogenous cells are shown inside the microsporangia (400X). B: Appearance of the style and stigma, while the pistil base becomes more swelling. (50X). C: Appearance of the ovary locule. (50X) D: Formation of pollen tetrads (Po), they are still enclosed by the wall of spore mother cell. (400X).	28

Figure No.	Title	Page
4	<p>Longitudinal sections through the flower buds of peach cv. Y9/106 showing:</p> <p>A: Formation of ovule primordium (Ov). (100X).</p> <p>B: Mature separated pollen grains (Po). (400X).</p> <p>C: Development of two ovules inside the carpel locule. The ovule begin to initiate more close to the pistil base, then by increasing in size the ovules noticed to be attached to the adaxial margin of carpel (compare A with C). (100X).</p> <p>D: Beginning the differentiation of the ovule integument (In, one appeared at this time) and development of the nucellus (Nu). (400X).</p>	29
5	<p>Longitudinal sections through the axillary buds of peach cv. Rubideux showing:</p> <p>A: The vegetative bud with acute apex (200X).</p> <p>B: The side bud with more flattened apex. (50X).</p> <p>C: Initiation of sepals primordia (Se). (200X).</p> <p>D: Elongation of the sepals primordia (Se) and beginning of initiation of the petals primordia (Pe). (200X)</p>	30
6	<p>Longitudinal sections through the axillary buds of peach cv. Rubideux showing:</p> <p>A: Elongation of petals primordia (Pe) and initiation of stamen primordium (St). (200X).</p> <p>B: Development of the anther (An) and filament (F) of the stamen. The inside base of the receptacle become more flattened. (100X).</p> <p>C: Initiation of carpel (Ca) as protuberance on the flattened inside base of the bud; and beginning of formation of microsporangia (Mi). (200X).</p> <p>D: Elongation of carpel. (100X).</p>	31
7	<p>Longitudinal sections through the flower buds of peach cv. Rubidoux showing:</p> <p>A: Development of microsporangia (Mi); two in each of the two lobes of anther. The sporogenous cells are shown inside the microsporangia (400X).</p> <p>B: Appearance of the style and stigma, while the pistil base becomes more swelling. (100X).</p> <p>C: Appearance of the ovary locule. (100X)</p> <p>D: Formation of pollen tetrads (Po), they are still enclosed by the wall of spore mother cell. (400X).</p>	32