



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



شبكة المعلومات الجامعية
@ ASUNET



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of
15-25- c and relative humidity 20-40%

بعض الوثائق الأصلية تالفة

بالرسالة صفحات لم ترد بالاصل

872.7

SURGICAL TREATMENT FOR CONGENITAL DISLOCATION OF THE HIP IN CHILDREN

Thesis

Submitted for partial fulfillment of the requirements of M. D. degree in Orthopaedics
and Traumatology

By

Ahmed Omar Youssef

M.B.B.Ch., Ms.D.

Supervised by

Prof. Dr. Hussein Abd El-Salam Nazim
Prof. of Orthopaedics and Traumatology
Faculty of Medicine - El-Minia University

Prof. Dr. Yehia Nour El-Din Tarraf
Prof. of Orthopaedics and Traumatology
Faculty of Medicine - Cairo University

Prof. Dr. Nady Saleh El-Said
Prof. of Orthopaedics and Traumatology
Faculty of Medicine - El-Minia University

Dr. Mohamed Mohamed Fouad Abd El-Latef
Assist. Prof. of Orthopaedics and Traumatology
Faculty of Medicine - El-Minia University

El-Minia university

2002

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا إِنَّكَ أَنْتَ الْعَلِيمُ الْحَكِيمُ

صَدَقَ اللَّهُ الْعَظِيمُ

سورة البقرة آية (٢٢)

TO
MY MOTHER
SPIRITS OF MY FATHER
MY WIFE
MY SON MAHMOUD

Acknowledgments

To THE ALMIGHTY MERCIFUL ALLAH, whose celestial assistance has offered me the great chance to be instructed by such most respectable scientists and honorable professors.

To Prof. Hussein Abdel Salam Nazim, Professor of Orthopaedic Surgery & Traumatology, Faculty of Medicine, EL- Minia University, I give tribute of what can words convey of gratitude together with love and admiration, for without his enthusiastic help, care, and encouragement, this work would not have come to light. Let me admit, that through his remarks, guidance, and moralism, I have been able to get valuable experience, information and avoid glaring errors. His valuable advice and support are beyond acknowledgment.

To Prof. Yehia Nour El-Din Tarraf, Professor of Orthopaedic Surgery & Traumatology, Faculty of Medicine, Cairo University, it is a great honor for me to take this opportunity to express my sincere appreciation and my deep respect for his intellectual guidance, his valuable advice, and his peerless efforts throughout the whole work, also he has kindly directed me and offered a great help in finishing this study.

A special "Thank you" is owed to Prof. Nadi Saleh El-Sayed, Professor of Orthopaedic Surgery & Traumatology, Faculty of Medicine, El-Minia University, for his full support, careful supervision, constant enthusiasm, in exhaustive efforts, valuable advice, sustained encouragement, endless meticulous supply of the most recent knowledge, valuable discussions which highlighted the main core of this work. Also, deepest thanks and gratitude to his patience throughout the completion of this thesis and my appreciation to his ideas in organizing its main items.

To Dr. Mohamed Mohamed Fouad abd-El-Latef, Assistant Professor of Orthopaedic Surgery & Traumatology, Faculty of Medicine, El-Minia University, to whom I am indebted for his patience, kind guidance, continuous constructive criticism, valuable and generous advice, and great endless encouragement, his assistance was indispensable throughout this work.

To all staff members of Orthopaedic Surgery & Traumatology Department, Faculty of Medicine, El-Minia University, who dedicated their valuable times to help me during my work.

Last but not least, I would like to thank my patients for their cooperation.

Ahmed Omar Youssef

LIST OF CONTENTS

Contents	Page
INTRODUCTION	1
AIM OF THE WORK	3
REVIEW OF LITERATURE	
Historical review	4
Anatomy of the hip joint	9
Development of human hip joint	16
Pathomechanics	24
Pathology	28
Incidence and etiology	37
Clinical diagnosis of DDH	50
Radiographic examination	60
Computed tomography (CT)	70

Magnetic resonance imaging (MRI)	72
Arthrography	74
Treatment	78
Complications of treatment	98
MATERIAL AND METHODS	109
RESULTS	142
CASES PRESENTATION	171
DISCUSSION	199
SUMMARY	223
CONCLUSION	229
REFERENCES	231
ARABIC SUMMARY	

LIST OF FIGURES

Figure	Page
Fig. 1: The bench of Hippocrates.	5
Fig. 2: Right hip-joint from the front.	11
Fig. 3: The hip joint from behind.	12
Fig. 4: Left hip joint, opened by removing the floor of the acetabulum from within the pelvis.	13
Fig. 5: Hip joint, front view. The capsular ligament has been largely removed.	14
Fig. 6: Structures surrounding right hip joint.	15
Fig. 7: Diagram of right innominate bone.	20
Fig. 8: Infant proximal femur.	22
Fig. 9: Adaptive soft tissue changes in DDH.	31
Fig. 10: Abnormal capsular adhesions.	31
Fig. 11: Hourglass constriction of the capsule.	32
Fig. 12: The pelvifemoral muscles.	33
Fig. 13: Eversion of the acetabulum.	34
Fig. 14: Associated deformities with DDH.	49
Fig. 15: Newborn at risk of DDH.	51
Fig. 16: Ducklike waddle or sailor's gait in bilateral hip dislocation.	53
Fig. 17: Physical finding suggesting DDH.	54
Fig. 18: Limited abduction.	55
Fig. 19: Piston Mobility or telescoping.	56
Fig. 20: Absence of femoral head.	56
Fig. 21: Nelaton' line.	57
Fig. 22: Trendelenbug test.	58
Fig. 23: Bilateral hip dislocation.	59

Fig. 24: Diagram showing Hilgenreiner's line or the Y line and vertical Perkins's line.	62
Fig. 25: Method of measuring lateral displacement of the femoral head.	63
Fig. 26: Measurement of superior displacement.	64
Fig. 27: Schematic diagram of radio-graphic types of tear drops.	66
Fig. 28: Acetabular index.	67
Fig. 29: CE angle.	68
Fig. 30: The Tonnis grades of dislocation.	69
Fig. 31: Drawing of medial pooling ratio calculation.	77
Fig. 32: The three groups of pelvic osteotomies.	82
Fig. 33: Salter innominate osteotomy.	85
Fig. 34: Pemberton acetabuloplasty.	87
Fig. 35: Steel's triple innominate osteotomy.	89
Fig. 36: Staheli osteotomy.	91
Fig. 37: Chiari pelvic osteotomy.	92
Fig. 38: Femoral anteversion in CDH and the effect of capsulorrhaphy, derotation osteotomy and Salter osteotomy.	97
Fig. 39: The 4 types of ischemic necrosis of the proximal femur.	102
Fig. 40: sex incidence.	110
Fig. 41: Side affected.	110
Fig. 42: Bikini incision.	122
Fig. 43: Iliofemoral incision.	123
Fig. 44: Incision in the deep fascia.	124
Fig. 45: Dissection between tensor fasciae latae and sartorius muscle.	124
Fig. 46: Iliac apophysis split and subperiosteal release of tensor fasciae latae, gluteus medius and minimus muscles.	125
Fig. 47: Distal reflection of sartorius and two heads of rectus femoris muscles.	126
Fig. 48: Iliopsoas tendon recession.	127

Fig. 49: T-shaped capsular incision.	128
Fig. 50: Inspection for intra-articular barriers to reduction and excision of ligamentum teres.	128
Fig. 51: Removal of fibrofatty tissue from the acetabulum.	128
Fig. 52: Technique of capsulorrhaphy.	131
Fig. 53: Technique of derotation osteotomy and femoral shortening.	133
Fig. 54: Technique of spica cast application.	136
Fig. 55: Clinical result.	145
Fig. 56: Radiological results.	148
Fig. 57: Results and age at operation.	151
Fig. 58: Comparison between results in unilateral and bilateral cases.	154
Fig. 59: Results and side affected.	156
Fig. 60: Results and gender.	158
Fig. 61: Incidence of avascular necrosis.	159
Fig. 62: Incidence of complete and partial avascular necrosis.	160
Fig. 63: AVN and age at operation.	162
Fig. 64: AVN and surgical procedure.	164
Fig. 65: AVN and hip stiffness.	165
Fig. 66: Case number 1.	171
Fig. 67: Case number 6.	176
Fig. 68: Case number 7.	180
Fig. 69: Case number 12.	183
Fig. 70: Case number 16.	186
Fig. 71: Case number 22.	189
Fig. 72: Case number 28.	192
Fig. 73: Case number 31.	194
Fig. 75: Case number 35.	197