



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكرو فيلم

جامعة عين شمس

التوثيق الالكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



شبكة المعلومات الجامعية



بالرسالة صفحات
لم ترد بالأصل

**THE EFFECT OF NURSING INTERVENTION IN
RELIEVING PERINEAL PAIN DURING THE POST
PARTUM PERIOD**

THESIS

**SUBMITTED TO THE FACULTY OF NURSING
UNIVERSITY OF ALEXANDRIA**

**IN PARTIAL FULFILLMENT OF THE REQUIREMENTS
OF THE DEGREE OF
DOCTOR OF MATERNITY & GYNAECOLOGIC
NURSING**

BY

FATMA AHMED MOHAMED ABOU ROMIA

BSc. N. ; MSc. N. ALEXANDRIA UNIVERSITY

**FACULTY OF NURSING
ALEXANDRIA UNIVERSITY**

1999

B 7415

SUPERVISORS:

Prof. Dr. MAGDA YOUSSEF HELMI MOURAD

**Professor and Head of the Department
of Maternity and Gynaecologic Nursing**

**Faculty of Nursing
Alexandria University**

Prof. Dr. TEREZA HABIB FARAGALLA

**Professor of Public Health Nursing
Higher Institute of Nursing**

Tanta University

Dr MIREILLE SAMY RAGHEB

**Assistant Professor of Maternity and
Gynaecologic Nursing**

**Faculty of Nursing
Alexandria University**

ACKNOWLEDGEMENT

Thanks should be offered above all to **Allah** for continuous support and enlightenment for me to present this work.

I would like to express my deepest gratitude and appreciation to **Professor Dr. Magda Mourad**, Professor and Head of the Department of Maternity and Gynaecologic Nursing, Faculty of Nursing, Alexandria University, for all the help, time, support and effort she gave in order to complete this work. Her tireless efforts and kind guidance are obvious in every page of this work and will always be remembered.

I am very much indebted to **Professor Dr. Tereza Habib Faragallah**, Professor of Public Health Nursing, Higher Institute of Nursing, Tanta University, for her continuous help and support throughout the study. She has been most generous with her time and effort.

Great thanks and deep gratitude are offered to **Professor Dr Khalil Al Kashlan**, Professor of Public Health, Tanta University, for his kind support and help regarding the statistics of this work. His marvelous ability to simplify and solve problems is reflected on the present work.

The help of **Dr Mireille Samy Ragheb**, Assistant Professor, Maternity and Gynaecologic Nursing, Faculty of Nursing, Alexandria University, will not be forgotten.

I would like to thank all those who shared in the production of this work especially the mothers who participated in the study, they were very helpful during their difficult times to make my work easy.

CONTENTS

<i>CHAPTER</i>	<i>Page</i>
I. INTRODUCTION	1
II. AIM OF THE WORK	43
III. MATERIAL AND METHODS	44
IV. RESULTS	52
V. DISCUSSION	115
VI. CONCLUSION AND RECOMMENDATIONS	133
VII. SUMMARY	138
VIII. REFERENCES	145
APPENDICES	
ARABIC SUMMARY	

LIST OF TABLES

Table No	Page
(I) Distribution of the mothers of the three studied groups According to their age	54
(II) Distribution of the mothers of the three studied groups according to their level of education	56
(III) Distribution of the mothers of the three studied groups according to their state of employment	58
(IV) Distribution of the mothers of the three studied groups according to their place of residence	60
(V) Distribution of the mothers of the three studied groups according to their marital status	62

(VI) Distribution of the mothers of the three studied groups according to the presence or absence of the husband with his wife at home 64

(VII) Distribution of the mothers of the three studied groups according to the number of family members 66

(VIII) Distribution of the mothers of the three studied groups according to the income of the family 68

(IX) Distribution of the mothers of the three studied groups according to the number of rooms in their houses 70

(X) Distribution of the mothers of the three studied groups according to their psychological state during pregnancy 72

(XI) Distribution of the mothers of
the three studied groups according
to the presence or absence of intra familial problems 74

(XII) Distribution of the mothers
of the three studied groups according
to the parity of the mothers 76

(XIII) Distribution of the mothers of the
three studied groups according to the
presence or absence of episiotomy 78

(XIVa) Effect of simple relaxation
technique on perineal pain graded
as *severe* before nursing intervention 81

(XIVb) Effect of simple relaxation
technique on the perineal pain described
as *moderate* before intervention 83

(XIVc) Effect of simple relaxation
technique on perineal pain graded
as *mild* before intervention 85

(XVa) Effect of cutaneous stimulation
technique on the perineal pain graded
as *severe* before intervention 87

(XVb) Effect of the cutaneous stimulation
technique on the perineal pain graded
as *moderate* before intervention 89

(XVc) Effect of cutaneous stimulation
technique on perineal pain graded
as *mild* before nursing intervention 91

(XVIa) Effect of simple distraction
technique on the perineal pain described
as *severe* before intervention 93

(XVIb) Effect of simple distraction
technique on perineal pain graded
as *moderate* before intervention 95

(XVIc) Effect of simple distraction
technique on perineal pain graded
as *mild* before nursing intervention 97

(XVII) Effect of simple relaxation
technique as a nursing intervention
on the symptoms related to the onset
of perineal pain after delivery 99

(XVIII) Effect of cutaneous stimulation
technique as a nursing intervention on the
symptoms related to the onset of perineal
pain after delivery 101