

127, 17 27, 17 (20) 77, 17 (20









جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15 – 25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية





Information Netw. " Shams Children Shams of the Shame of the S شبكة المعلومات الجامعية @ ASUNET بالرسالة صفحات لم ترد بالأص

IMMUNOTOXICOLOGICAL STUDY ON EFFECT OF TWO ALKYLATING AGENTS IN ALBINO RATS

Thesis

Submitted in Partial Fulfillment of Master Degree in Clinical Toxicology

By RAGYA MAHMOUD M. HEGAZY

M.B., B.Ch.

Demonstrator at department of Forensic Med. & Clin. Toxicology Benha Faculty of Medicine Zagazig University

Supervisors

PROF. DR. MOHAMED KAMEL AHMED

Prof. and Head of Forensic Medicine and Clinical Toxicology
Benha Faculty of Medicine
Zagazig University

DR. OLA GABER HAGGAG

Assist. Prof. of Forensic Medicine and Clinical Toxicology Benha Faculty of Medicine Zagazig University


DR. WAFAA EL-MOSALLAMY

Assist. Prof. of Microbiology Benha Faculty of Medicine Zagazig University

BENHA FACULTY OF MEDICINE ZAGAZIG UNIVERSITY

1999





ACKNOWLEDGMENT


First and foremost, thanks are due to **ALLAH** the most beneficent and merciful, by the grace of whom this work was possible.

I wish to thank cardially and express supereme gratitude and indebtedness to *Professor Mohamed Kamel Ahmed*, professor and Head of Forensic Medicine and Clinical Toxicology, Benha Faculty of Medicine, Zagazig University who suggested this work and guided me and has never been except an ideal professor.

It is a sincere pleasure and a great honour to express my deepest gratitude and appreciation to *Dr. Ola Gaber Haggag*, Assistant Professor of Forensic Medicine and Clinical Toxicology, Benha Faculty of Medicine, Zagazig University, for her continous encouragement and for her unlimited guidance. Her knowledge and perception had a significant impact on the structure and releavance of the completed research.


Wording is not enough to express my profound thanks and obligation to *Dr. Wafaa El-Mosallamy*, Assistant Prof. of Microbiology, Benha Faculty of Medicine, Zagazig University, for her patience, encouragement and guidance, she did her best in the practical part of this thesis.

Finally, I would like to express may thanks to any member supported me through this work.



CONTENTS

	Page
❖ INTRODUCTION AND AIM OF THE WORK	1
❖ REVIEW OF LITERATURE	
- Immune system	3
- Alkylating agents	11
- Cyclophosphamide	16
- Malphalan	35
- Acute toxicity of alkylating agents	49
❖ MATERIAL AND METHODS	54
❖ RESULTS	73
❖ DISCUSSION	99
❖ SUMMARY AND CONCLUSIONS	107
* REFERENCES	111
❖ ARABIC SUMMARY	



LIST OF ABBREVIATIONS

AFC assay	Antibody forming cell assay
ADH	Anti diuretic hormone
BACOP	Bleomycin, adriamycin, cyclophosphamide, vincristine and
	predinsone.
B.M.	Bone marrow
Cy.	Cyclophosphamide
EAC	Erythrocytes – amboceptor complement
ELISA	Enzyme linked immunosorbent assay
G-CSF	Granulocyte colony stimulating factor
GSH	Glutathione
Ig	Immunoglobulin
L-BSO	L-buthionine sulfoximine
MESNA	Sodium 2 mercapto-ethan-sulfonate
МОРР	Mechlorethamine, vincristine procabazine and predinsone
M.P.	Melting point
MZ	Marginal zone
NADP	Nicotinamide adenine dinucleotide phosphate
PALS	Periarteriolar lymphoid sheath
PFC assay	Plaque forming cell assay
RIA	Radio immuno assay
SRBC	Sheep red blood cells
TC	Cytotoxic T-cell
TCR	T-cell antigen receptor.
TH	T-helper cells
VMCP	Vincristine, melphalan and cyclophosphamide

LIST OF FIGURES

Figure	Title	Page
No.	. 1140	Page
	FIGURES IN REVIEW	<u> </u>
I	Structures of the most commonly used alkylating agents.	15
II	Structure of cyclophosphamide.	16
III	Steps of metabolism of cyclophosmphamide	18
IV	Structure of melphalan.	35
	FIGURES IN RESULTS	
1	Body weight gain, spleen weight and cellularity and PFC response in adult albino rats receiving a single administration of cyclophosphamide (intravenous).	74
2	Body weight gain, spleen weight and cellularity and PFC response in adult albino rats receiving single administration of melphalan (oral).	76
3	Comparison between the effect of single IV dose (10 mg/kg) of cyclophosphamide and single oral dose (6 mg/kg) of melphalan on body weight gain, spleen weight and cellularity and PFC response in normal adult albino rats.	78
4	Comparison between the effect of single I.V. dose (30 mg/kg) of cyclophosphamide and single oral dose (20 mg/kg) of melphalan on body weight gain, spleen weight and cellularity and PFC response in normal adult albino rats.	79
5	Body weight gain, spleen weight and cellularity and PFC response in adult albino rats receiving cyclophosphamide for 7 days (intraverous).	81
:6.	Body weight gains spleen weight and cellularity and PFC response in adult albino rats administered melphalan for 2 days (oral).	83
7	Comparison between the effect of daily IV doses (3mg/kg) of cyclophosphamide and daily oral doses (2 mg/kg) of melphalan for 7 days on body weight gain, spleen weight and cellularity and PFC response in normal adult albino rats.	85
8	Comparison between the effect of daily I.V. dose (10 mg/kg) of cyclophosphamide and daily oral dose (6 mg/kg) of melphalan on body weight gain, spleen weight and cellularity and PFC response in normal adult albino rats.	86

Figure No.	Title	Page
	FIGURES IN RESULTS	· · · · · · ·
9	Effect of single IV doses of cyclophosphamide (10 & 30 mg/kg) on leukocyte and platelet counts in normal adult albino rats.	88
10	Effect of single oral doses of melphalan (6 & 20 mg/kg) on leukocytic & platelet counts in normal adult albino rats.	90
11	Effect of daily IV doses of cyclophosphamide for 7 days on leukocytic and platelet counts in adults albino rats.	93
12	Effect of daily oral doses of Melphalan for 7 days on leukocytic and platelet counts in adult albino rats.	95

.

.

.

.

•

•

-