Evaluation of von Willebrand factor as a Marker For early diagnosis of Acute Respiratory Distress Syndrome (A.R.D.S) in comparison to Interleukin 6

Thesis Submitted for Partial Fulfillment of MD Degree in general Intensive care medicine

By

Samar Ibrahem Mahmoud Aimer

M.B. B.Ch., M. Sc intensive care Faculty of Medicine, Ain Shams University

Supervised By

Prof. Mohammed Abd El Khalek Mohammed Ali

Professor of Anesthesiology and General Intensive Care medicine Faculty of Medicine, Ain Shams University

Assist. Prof. Ehab Hamed Abd El-Salam

Assistant Professor of Anesthesiology and General Intensive Care medicine Faculty of Medicine, Ain Shams University

Dr. Walid Abdallah Ibrahem

Lecturer of Anesthesiology and General Intensive Care medicine Faculty of Medicine, AinShams University

Dr. Dalia Mahmoud Ahmed El Fawy

Lecturer of Anesthesiology and General Intensive Care medicine Faculty of Medicine, AinShams University



Acknowledgements

First, and foremost, my deepest gratitude and thanks should be offered to "ALLAHI", the Most Kind and Most Merciful, for giving me the strength to complete this work.

I would like to express my sincere gratitude to **Prof.**Mohammed Abd el Khalek Mohammed Ali

Professor of Anesthesiology and general Intensive Care
medicine, Ain Shams University Faculty of Medicine, for his
continuous support and guidance for me to present this work. It
really has been an honor to work under his generous supervision.

I acknowledge with much gratitude to **Dr. Ehab Hamed Abd El-Salam** Assistant Professor of

Anesthesiology and general Intensive Care medicine, Ain Shams

University Faculty of Medicine for his great supervision, efforts

and unlimited help to provide all facilities in the whole work.

My deepest appreciation is to Dr. Walid Abdallah Ibrahem, and Dr. Dalia El Fawy Lecturers of Anesthesiology and general Intensive Care medicine, Faculty of Medicine, Ain Shams University for their kind advices and great efforts throughout this work they never ending determination to bring the best out of this work.

Samar Ibrahem Mahmoud aimer

Dedication

To soul of my father, who didn't deprive me his pray for the length of his life

To every patient who may need my help

Samar ibrahem mahmoud aimer

Content

List of Content	I
List of Abbreviations	II
List of Tables	VI
List of Figures	IX
Introduction	1
Review of literature :	
• Chapter 1 : Physiological Respiratory	
Considerations	4
Chapter 2:Clinical bases of A.R.D.S	14
Chapter 3:Biomarkers of A.R.D.S	50
Patients and methods	65
Results	75
Discussion	118
Recommendation	132
References	133
English summary	
Arabic summary	

Abbreviations

ADAMTS: A Disintegrin And Metalloproteinase with

Thrombo Spondin

AECC: American European Consensus Conference

ALVEOLI trials: Assessment of Low Tidal Volume and

Elevated End-Expiratory Pressure to Obviate Lung

Injury

APC : Activated protein C

APRV : Airway pressure-release ventilation

ARDS : Acute respiratory distress syndrome

ARM : Alveolar recruitment maneuvers.

ATI : Type I pneumocytes

ATII : Type II pneumocytes

AUC : Area under the curve

BALF : Broncho -alveolar lavage fluid

BIPAP : Bi-level positive airway pressure

CAPs : Channel activating proteases

COP : Critical opening pressure

CPAP : Continuous positive airway pressure

CPS : Child Pugh score

DAD : Diffuse alveolar damage-

ECMO : Extracorporeal membrane oxygenation

ENaC : Epithelial sodium channel

EVLW : Extra-vascular lung water

GMCSF : Granulocyte-macrophage colony stimulating

factor

GP Ib, IIb : Glycol protein Ib, IIb.

HARP study: Hydroxymethylglutaryl-CoA reductase inhibition

with simvastatin in Acute lung injury to Reduce

Pulmonary dysfunction

HFOV: High-frequency oscillatory ventilation),

HMGB1 : High Mobility Box-1 protein

HMGB-1 : Mobility group box-1 protein

ICAM-1 : Intercellular adhesion molecule-1

IIT : Intensive insulin therapy

IPAP : inspiratory positive airway pressure

IPF: interstitial pulmonary fibrosis

IRDS : Infant respiratory distress syndrome

KL-6 : Krebs von den Lungen 6

LBP : Lipopolysaccharide binding protein

LPVS : Lung-protective ventilatory strategy

MELD : Model for End-Stage Liver Disease

MMP : Matrix Metalloprotease

MMP-9 : Metallo-proteinases

NIH : National Institutes of Health

NIV : Noninvasive ventilation

NMBs : Neuromuscular blockers

NO : Nitric oxide

PAI-1 : Plasminogen activator inhibitor-1

PCP : Procollagen peptide

PCWP : Pulmonary capillary wedge pressure

RAGE : Receptor for advanced glycation end-products

RMA: Respiratory Management in Acute Lung

Injury/Acute Respiratory Distress Syndrome

ROC curve : Receiver operating characteristic curve

RR : Respiratory rate

SPs : Surfactant proteins

TFPI: Tissue factor pathway inhibitor

TRALI : Transfusion related acute lung injury

VEGF : Vascular endothelial growth factor

VILI : Ventilator-Induced Lung Injury

VOCs : Volatile organic compounds

VWF : Von Willebrand Factor

List of Table

Table		Page
Table (1):	The Berlin definition of ARDS	15
Table(2):	Underlying etiologies of pulmonary and extra	
	pulmonary acute respiratory distress	16
	syndrome	
Table (3):	Lung Injury Prediction Score calculation	
	worksheet	17
Table (4):	Average LIPS for patients with and without	
	the development of ARDS	18
Table (5):	Current therapeutic strategies available for	
	the management of patients with ARDS/ALI	24
table (6)	FIO2 and PEEP adjustment table in A.R.D.S	
	patients	27
Table (7):	Modalities to treat refractory hypoxemia in	
	Patients With ARDS	30
Table (8):	Advantages and disadvantages of each of the	
	components of airway pressure release	
	ventilation	34
Table (9):	List of studied serum biomarkers in ARDS	56
Table (10):	Murray score of acute lung injury	68
Table (11):	Patients characteristics at day of enrollment	75
Table (12):	Comparison between the two groups as	