





ثبكة المعلومات الجامعية





جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15-20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of 15-25c and relative humidity 20-40 %



ثبكة المعلومات الجامعية







Psychosocial Sequelae of Juvenile Diabetes in Egyptian Children

THESIS

Submitted for Fulfillment of Ph. D. Degree in Childhood Studies

By

Samia Mohamed Sami Ibrahim

M.B, B.CH., M.Sc. (Pediatrics) Assistant Lecturer, National Research Center

SUPERVISED By

Prof. Dr. Aly Zein El Abdeen

Professor of Tropical Medicine Tudor Belharz Research Institute

Prof. Dr. Zeinab Bishry

Prof. of Neurology & Psychiatry Faculty of Medicine, Ain Shams University

Prof. Dr. Salah El Din Taha Abdel Haleem

Diabetes Institute, Ministry of Health

Institute of Postgraduate Childhood Studies

Medical Department

Ain Shams University

1995

DISCUSSION AND JUDJMENT COMMITTEE

The vice-president for higher studies and research of Ain-Shams University has approved to form the following commmmittee for the discussion of Mrs. Samia Mohamed Samia I brahim

·1	Prof Dr Zeinab Bishry Prof of Neurology & Paychia Medicine, Ain Shamillniversity	U	ultif
	Prof Dr Bothama M. Abdel Azzir El News Prof of Pediatrics, AL Azhar University		1912
	Prof. Dr. Oliveya M. Abdel Baky Ass. Prof. of Medical Childhood Studies Institute of raductor Childhood Studies - Arn Shams University	Member	Dow
4			

Member

ACKNOWLEDGMENT

First and always thanks to "GOD", The most beneficient and merciful.

I would like to express my deepest gratitude to Prof. Dr. Aly Zein El Abdeen, prof. of Tropical Medicine, Tudor Belharz Research Institute, for his valuable guidance and continuous encouragement.

It is my pleasure to extend my sincerest gratitude to **Prof. Dr. Zeinab Bishry**, Prof. of Neurology & Psychiatry, Faculty of Medicine, Ain Shams University, for her kind supervision, endless support and unlimited effort and assistance.

I am much obliged to **Prof. Dr. Salah El Din Taha Abdel Haleem**, Diabetes Institute, Ministry of Health, who offered all help and facilities for performing the practical part of the study in addition to his valuable advice in reviewing this thesis.

It is really difficult to find words that can express my endless thanks and gratitude to **Prof. Dr.**Samia Abd El Razak Hemeida, Head of Community Medicine Department, National Research Center of Cairo, for her objective support, endless help, continuous encouragement and great effort throughout accomplishing this thesis.

In a few grateful words, I would like to express my greatest thanks to **Dr. Magdy Ismail**, Consultant of Pediatrics, Cairo University, for his help in collecting the control group.

My endless thanks to Dr. Ammal Mokhtar Metwally, lecturer of public health, National Research Center of Cairo, for her creative ideas, sincere cooperation and performing statistical part of this study.

Finally, I would like to send my best regards and great thanks to all children who shared in this study and their families for their patience and cooperation, hoping that it would be beneficial for them and aiming to be a step in improving the quality of medical care offered to all diabetic children.

Samia Mohamed Sami Ibrahim Cairo, 1995.

CONTENTS


	Page
* LIST OF TABLES.	
* LIST OF FIGURES	iii
* INTRODUCTION	1
* AIM OF THE WORK	
* REVIEW OF LITERATURE	
DEFINITION & CLASSIFICATION	4
TYPE I IDDM	13
Epidemiology	13
Etiology	16
Pathology of the Pancreas	19
Pathophysiology	22
Clinical Presentation	27
Investigations	31
Treatment	36
Complications	47
* SUBJECTS AND METHODS	74
* RESULTS	92
* DISCUSSION	169
* SUMMARY	187
* CONCLUSIONS	194
* RECOMMENDATIONS	196
* REFERENCES	200
* ARABIC SUMMARY	

-3-		
Personal Data among Cases and Controls95	(T)	Table
Distribution of Sex among Age97	(2)	Table
Anthropometric Measures among Cases and Controls100	(3)	Table
Distribution of Different Grades of IQ among Cases and Controls102	(4)	Table
Relation between IQ and Age among Cases and Controls106	(5)	Table
Distribution of IQ among Sex of Cases108	(9)	Table
Relation between 1Q and Sex among Cases and Controls110	(7)	Table
Relation between IQ and Weight Per Age (WAZ Score) According To Sex of The Cases113	(8)	Table
Relation between IQ and Height Per Age (HAZ Score) According To The Sex of The Cases115	(6)	Table
Relation between IQ and Age of Onset of Diabetes117	(10)	Table
Relation between IQ and The Number of Attacks of Hypoglycemia among Cases120	(11)	Table
Relation between IQ and The Number of Attacks of DKA among Cases123	(12)	Table
Relation between IQ and The Duration of Diabetes among Cases125	(13)	Table
Correlation between The IQ Level and Some Selected Parameters among Cases and Controls	(14)	Table
Psychosomatic Symptoms among Cases and Controls	(15)	Table

Table	(16)	Relation between IQ and The Psychosomatic Symptoms among Cases and Controls
Table	(17)	Distribution of Personality Traits among Cases and Controls
Table	(18)	Relation between Personality Trait and Age among Cases and Controls
Table	(19)	Distribution of Personality Traits among Sex of The Cases
Table	(20)	Relation between The Personality Trait and Sex among Cases and Controls141
Table	(21)	Relation between Personality Trait and Weight Per Age Z Score (WAZ Score) According To Sex of The Cases
Table	(22)	Relation between Personality Trait and Height Per Age Z Score (HAZ Score) According To Sex of The Cases
Table	(23)	Relation between Personality Trait and The Age of Onset of Diabetes149
Table	(24)	Relation between The Personality Traits and The Number of Attacks of Hypoglycemia among Cases
Table	(25)	Relation between Personality Trait and Number of Attacks of DKA among Cases
Table	(26)	Relation between Personality Trait and The Duration of Diabetes among Cases157
Table	(27)	Relation between Personality Trait and Psychosomatic Symptoms among Cases and Controls
Table	(28)	Distribution of Symptoms of Abnormal Conduct among Cases and Controls162
Table ((29)	Relation between The Personality Trait and Symptoms of Abnormal Conduct among Cases and Controls
Table ((30)	Distribution of Personality Traits Over The Different Grades of IQ among Cases167

LIST OF FIGURES

		Page
	-	- 480
Fig	(1)	Distribution of Different Grades of IQ among Cases and Controls
Fig	(2)	Relation between IQ and Age of Onset of Diabetes118
Fig	(3)	Relation between IQ and The Number of Attacks of Hypoglycemia among Cases121
Fig	(4)	Distribution of Personality Traits among Cases and Controls134
Fig	(5)	Relation between Personality Trait and The Age of Onset of Diabetes150
Fig	(6)	Relation between The Personality Traits and The Number of Attacks of Hypoglycemia among Cases
Fig	(7)	Distribution of Personality Traits over The Different Grades of IQ among Cases168



INTRODUCTION

What constitutes a favorable outcome in the treatment program for chronically ill children is a question which has beset investigators and clinicians for a number of decades.

Favorable outcome in the presence of acute illness is usually defined as recovery with absence of symptoms, however this approach fails to meet our need when it comes to evaluate long term outcome of illness and treatment in chronically ill children.

Recently increasing attention has been given to the formulation of functional criteria for desirable outcome in chronic illness and developing measures by which these can be quantified.