

شبكة المعلومات الجامعية







شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأفلام قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار في درجة حرارة من ١٥-٥٠ مئوية ورطوبة نسبية من ٢٠-٠٠% To be Kept away from Dust in Dry Cool place of 15-25- c and relative humidity 20-40%



بعض الوثائـــق الإصليــة تالفــة



بالرسالة صفحات لم ترد بالإصل

Salivary constituents of children with Down and Turner syndrome in relation to dental caries incidence

CVV (

THESIS

SUBMITTED TO THE FACULITY OF ORAL & DENTAL MEDICINE CAIRO UNIVERSITY

IN PARIAL FULFILLMENT OF THE REQUIRMENT FOR DOCTOR'S DEGREE IN DENTAL MEDICINE (PEDODONTICS)

BY:

GHADA ABD ELWAHAB AHMED SALEM

ASSISSTENT RESEARCHER (National Research Center)


)

CAIRO UNIVERSITY

2008

2/

J. ici



قَالُوا سِبُحَانَاتَ لَا عِلَم لَنَا إِلَا مَا عَلَم الْمُعَالِمُ الْمُعَلِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَالِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَالِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَالِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعِلِمُ الْمُعَلِمُ الْمُعِلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعِلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعَلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعِلِمُ الْمُعْلِمُ الْمُعِلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعِلَمُ الْمُعِلَمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعِلَمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعِلَمُ الْمُعْلِمُ الْمُعِلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِمُ الْمُعْلِ

Supervisors

Prof. Dr. Sherine Ezz El Din Taha

Professor and head of Pediatric and community Dentistry

Department

Faculty of Oral and Dental Medicine

Cairo University

Prof. Dr. Olfat Gameel Shaker

Professor of Medical Biochemistry

Faculty of Medicine

Cairo University

Ass. Prof. Dr. Fatma Ahmed Hamdy Elshehaby
Assistant Professor of Pediatric and community Dentistry
Department
Faculty of Oral and Dental Medicine
Cairo University

Ass. Prof. Dr. Mona M. El Batran

Assistant Professor of Oral BioAnthropology

National Research Center

<u>Acknowledgment</u>

I would like to express my sincere gratitude for my advisor professor doctor Sherine Ezz El Din Taha Professor and head of Pediatric and community Dentistry Department, Faculty of Oral and Dental Medicine, for providing me with here continuous support, unfailing enthusiasm, and good ideas. I will always remember here relentless encouragement and friendship, and I was greatly honored working under her supervision.

Deepest appreciation and thanks are extended to Ass. Prof. Dr. Fatma Ahmed Hamdy Elshehaby Assistant Professor of Pediatric and community Dentistry Department, Faculty of Oral and Dental Medicine, for here encouragement, meticulous supervision, great help, unique cooperation, patience and constructive effort during the supervision of this dissertation.

I am greatly indebted and extremely grateful to **Prof. Dr. Olfat**Gameel Shaker Professor of Medical Biochemistry, Faculty of Medicine for her continuous concern, unlimited effort and generous assistance in accomplishing this work.

My gratitude and thanks to Ass. Prof. Dr. Mona M. El Batran Assistant Professor of Oral BioAnthropology, National Research Center for here support and effort.

Also my sincere thanks to all the staff members of pediatric Dentistry department for their enormous help, support and motivation.

Dedication

This work is dedicated to:

Loving memory to my dear father

To my dear mother, to my beloved husband for there continuous help and support. Finally to my beloved son Aly and beloved daughter Rana.

Table of contents

Pages

Introduction	1
Review of literature	4
Aim of the study	51
Materials and methods	52
Results	88
Discussion	118
Summary	129
Conclusion	131
Recommendations	132
References	133

<u>List of the Tables</u>

Table (1)	The means± SD of DMF and def of the three tested groups.
Table (2)	The means± SD of pH and viscosity of the three tested groups.
Table (3)	The means± SD of Electrolytes of the three tested groups.
Table (4)	The means± SD of IgA and St. mutans culture counts of the three tested groups.
Table (5)	The means± SD of PCR of the three tested groups.
Table (6)	Means and standard deviations values of the different variables in normal group, Down syndrome group and Turner's syndrome.
Table (7)	Correlation between PCR and different variables.
Table (8)	Correlation between IgA and different variables.
Table (9)	Correlation between DMF and different variables.
Table (10)	Regression coefficients of PCR and Culture as a predictor of caries activity.

<u>List of the Figures</u>

Figure (1)	A photograph of Turner syndrome girl with marked short stature and failure of breast development.
Figure (2)	A photograph of Down syndrome boy with short palpepral fissures, wide nasal root, flat broad bridge of the nose and high upper lip.
Figure (3)	Show lower arch of Down syndrome child with low caries indices and neglected oral hygiene.
Figure (4)	Show upper arch of Down syndrome child with abnormal, delay sequence of eruption and low caries incidence.
Figure (5)	Show lower arch of Turner syndrome child with low caries incidence.
Figure (6)	Show upper arch of Turner syndrome child with low caries incidence.
Figure (7)	Show the PH meter [Engineering system and Design (ESD) PH 59. USA].
Figure (8)	Show Elansari microviscometer
Figure (9)	Curve of ELISA reader
Figure (10)	Enzyme-linked immunosorbent assay (ELISA) Machine (Tecon)
Figure (11)	Ion Chromatograph Dionex DX 600
Figure (12)	Automatic micropipette (Pipetman Gilson, Gilson Medical Electronics, France)

Figure (13)	Mitis-salivarius (BD Difco, france)
Figure (14)	Bacitracin disks (OXOID, Hampshire, England)
Figure (15)	show streptococcus mutans count on mitis salivarius agar plate of control patient (22.445x103 CFU/ml)
Figure (16)	show streptococcus mutans count on mitis salivarius agar plate of Down syndrome patient (16.500x103 CFU/ml)
Figure (17)	show streptococcus mutans count on mitis salivarius agar plate of Turner syndrome patient (7.419x103 CFU/ml)
Figure (18)	PCR machine (Biometra, Toradent, UK)
Figure (19)	The means± SD of DMF and def of the three tested groups.
Figure (20)	The means± SD of pH of the three tested groups.
Figure (21)	The means± SD of viscosity of the three tested groups.
Figure (22)	The means± SD of Electrolytes of the three tested groups.
Figure (23)	The means± SD of IgA of the three tested groups.
Figure (24)	The means± SD of St. mutans culture counts of the three tested groups.
Figure (25)	The means± SD of PCR of the three tested groups.
Figure (26)	Agarose gel electrophoresis 1.5% stained with ethidium bromide showing PCR products of Streptococcus Mutans at 294 bp. Lane M: Molecular DNA marker (100 bp, Biorone, Germany). Lanes 1-4: PCR products of Streptococcus Mutans of control samples Lanes 5-7: PCR products of Streptococcus Mutans of Turnner cases

Figure (27)	Agarose gel electrophoresis 1.5% stained with ethidium bromide showing PCR products of Streptococcus Mutans at 294 bp. Lane M: Molecular DNA marker (100 bp, Biorone, Germany). Lane 1: PCR products of Streptococcus Mutans of control samples Lanes 2-5: PCR products of Streptococcus Mutans of Down syndrome cases Lane 6: Negative control
Figure (28)	Correlation between PCR and DMF in control group.
Figure (29)	Correlation between PCR and IgA in control group.
Figure (30)	Correlation between PCR and st. mutans culture in control group.
Figure (31)	Correlation between PCR and DMF in Down syndrome group.
Figure (32)	Correlation between PCR and def in Down syndrome group.
Figure (33)	Correlation between PCR and st. mutans culture in Down syndrome group.
Figure (34)	Correlation between PCR and DMF in Turner syndrome group.
Figure (35)	Correlation between PCR and IgA in Turner syndrome group.
Figure (36)	Correlation between PCR and st. mutans culture in Turner syndrome group.
Figure (37)	Correlation between IgA and DMF in normal group.
Figure (38)	Correlation between IgA and st. mutans culture in normal group.
Figure (39)	Correlation between IgA and DMF in Down syndrome group.