

**Computerized Tomographic and Clinical Assessment
Of Spread of Maxillary Odontogenic Infections**

Thesis

Submitted to the Faculty of
Oral and Dental Medicine

Cairo University

For Partial Fulfillment of the

Master Degree in Oral Surgery and Radiology

By

Silvana Edward Magdy

B.D.S. (1998)

Faculty of Oral and Dental Medicine

Cairo University

2008

Supervisors

Dr. Eman Abd Elaziz Ahmed

Prof. of Oral Radiology
Faculty of Oral and Dental Medicine
Cairo University

Dr. Khairy Abdel Hamied Elmorsy

Lecturer of Oral and Maxillofacial Surgery
Faculty of Oral and Dental Medicine
Cairo University

Dr. Rasha Mohamed Kamal Eldin

Prof. of Radiodiagnosis
Faculty of Medicine
Cairo University

ACKNOWLEDGEMENT

*Thank to **"ALLAH"** for giving me the power and strength to carry out this work,*

Words stand short where they come to express my gratefulness to my supervisors.

*I would like to express my sincere gratitude to Professor Dr. **Eman Abd El-Aziz Ahmed**, Prof. of oral Radiology, Faculty of Oral and Dental Medicine, Cairo University who gave me much of her efforts and experience, provided me continuous encouragement and support, her guidance, supervision and constructive effort had a pivotal role in the completion of this study, endless cooperation and true concern to accomplish this work in the best possible image, providing me the ideas and methods how to perform high quality research.*

*It is a great honour to express my deep gratitude and thanks to Dr. **Khairy Abdel Hamied Elmorsy**, Lecturer of Oral and Maxillofacial Surgery, Faculty of Oral and Dental Medicine, Cairo University, for his generous effort, continuous encouragement, valuable guidance, valuable experience, support and sincere help.*

*I would like also to extend my gratitude to Dr. **Rasha Mohamed Kamal Eldin**, Prof. of Radiodiagnosis, Faculty of Medicine Cairo University, for her great encouragement and constant support, without her help this work would never had been accomplished, her patience and continuous guidance throughout this study. She didn't save any effort in solving all the difficulties I had faced upon starting my work, words are not sufficient to express my deep gratitudes for her.*

I would like also to thank the Head, all staff members and technicians of Oral Radiology Department, Faculty of Oral and Dental Medicine, as well as those of Radio Diagnosis Department, Faculty of Medicine, Cairo University.

LIST OF CONTENTS

Item	Page
Introduction	1
Review of literature	3
Aim of the study	53
Materials and methods	54
Results	59
Case presentation	95
Discussion	108
Summary & Conclusion	118
References	120
Arabic Summary	

List of Figures

Fig. No.	Title	Page
1	Sequelae of pulpitis	7
2	Sequelae of periapical inflammation	7
3	Lymphatic drainage of the head and neck	17
4	Venous drainage of the face and intracranial connections	17
5	Summary of the possible pathways of odontogenic infection originating in the maxillary teeth.	21
6	Schematic drawing of the muscles and fascial spaces in the maxillofacial region.	22
7	Routes of spread of odontogenic infection.	24
8	A , Buccal space lies between buccinator muscle and overlying skin and superficial fascia. This potential space may become involved via maxillary or mandibular molars. B , This buccal space infection was result of maxillary molar.	25
9	An image of a 48-year-old female with infection of the maxillary right first premolar shows involvement in the levator anguli oris and buccinator muscles	26
10	A) CT scan of a temporal space infection. Note the air fluid level in the superior deep temporal space (arrows). (B) Infratemporal and temporal spaces show swelling (arrows)	28
11	Masticator space	29
12	Anatomical boundaries of the masticator space	30
13	The masticator space involvement characterized by swelling of the masseter and temporal muscle is depicted on an axial image of a 31-year-old female with infection originating in the right second molar. No changes are seen in the buccal space	30
14	Maxillary buccal vestibule	33
15	Hematogenous spread of infection from jaw to cavernous sinus may occur anteriorly via inferior or superior ophthalmic vein or posteriorly via emissary veins from pterygoid plexus	40
16	CT scan in the axial plane. Note the gray soft tissue imaging and the radiopaque bone.	48
17	Three axial CT images, using a contrast medium, of a soft tissue infection demonstrating streaking (reticulation pattern) of the fat planes and thickening of the skin (arrow) (A); thickening of the masseter muscle (white arrow) and a	49

	radiolucent pocket of gas (black arrow) (B); and loss of distinctive soft tissue planes, for example, individual muscles defined by fat planes [the lateral border of the normal lateral pterygoid muscle (arrow) is not apparent on the opposite effected side] (C)	
18	CT scanning unit. Adjustment of the patient during axial scan.	58
19	All orientation planes.	58
20	Pie chart showing the frequency of age in all cases.	60
21	Pie chart showing the frequency of sex in all cases.	60
22	Pie chart showing the frequency of involved region in all cases.	61
23	Pie chart showing frequency etiology of odontogenic infections.	62
24	Histogram presenting cardinal signs of inflammation.	64
25	Pie chart showing distribution of cardinal signs of inflammation.	65
26	Histogram showing pathways of spread of maxillary odontogenic infection.	66
27	Pie chart showing distribution character of spread of maxillary odontogenic infection.	67
28	Histogram presenting fascial spaces involved by odontogenic	70
29	Bar chart showing fascial spaces involvement.	72
30	Bar chart presenting number of fascial spaces involvement.	73
31	Histogram presenting expression muscle involvement.	77
32	Bart chart showing distribution character of expression muscle involvement.	79
33	Pie chart showing distribution character of expression muscle involvement.	80
34	Histogram presenting cortical plates changes.	82
35	Histogram presenting involvement of adjacent soft tissues.	85
36	Bar chart showing adjacent soft tissues involvement.	87
37	Pie chart showing adjacent soft tissues involvement.	88
38	Pie chart showing changes in fat planes.	90

39	Histogram presenting frequency of maxillary sinus changes.	92
40	Bar chart showing maxillary sinus changes.	93
41	Pie chart representing distribution character of maxillary sinus changes.	94
42	Panoramic (A) and periapical (B) radiographs revealing badly decayed maxillary left 1 st and 2 nd premolars and 1 st molar.	95
43	CT scan of the maxilla and paranasal sinuses in axial (A,B) and coronal cuts (C,D) showed that the inflammatory process was related to UL 4,5,6 teeth region. It was extending to involve the B.S. and M.S. with evidence of markedly swollen related muscles	96
44	Panoramic (A) and periapical (B) radiographs revealing ill defined periapical radiolucency related to the apex of fractured maxillary right central incisor.	97
45	C.T. scan of the maxilla and Paranasal sinuses in axial (A,B) (C,D) cuts showed a small periapical abscess related to UR1 tooth with evidence of overlying labial cortical plate disruption (short arrow) (A, B). Mildly swollen related muscles OO, LAN, ILS, LAO (arrow head C, D). No evidence of changes of maxillary sinus.	98
46	CT of the maxilla and paranasal sinuses.	99
47	(C,D,E) Axial cuts in soft tissue window for the same case show extension of the inflammatory process within BU, LAN, ILS, BU, ZM with smudged intervening fat planes (arrow heads, C, D). A small abscess cavity is seen within the buccal space (long arrow E).	100
48	Panoramic (A) and periapical (B) radiographs showing badly decayed maxillary right canine, 1 st premolar and 1 st molar. Generalized inter dental alveolar bone resorption.	101
49	CT of the maxilla and paranasal sinuses	102
50	Coronal cuts in soft tissue (E) and bone window (F) of the case show the inflammatory process is seen extending within the buccal space and masticatory space (arrow head). The maxillary sinuses shows circumferential, mural thickening with no air fluid levels.	103
51	(G) Axial cut shows a less aggressive reaction is also seen related to the upper left first molar with no evidence of palatal cortical plate disruption and no significant adjacent	103

	soft tissue affection (short arrow).	
52	CT scan of the maxilla and paranasal sinuses in axial and coronal cuts shows circumferential mucosal thickening of the left maxillary antrum (A, B) with obvious defect of the left maxillary sinus floor at the site of the extracted UL6 tooth (long arrow C,D).	104
53	Panoramic radiograph revealing a well defined radiolucent lesion involving right maxillary anterior and premolar periapical region and encroaching on the right antrum.	105
54	CT scan of the maxilla and paranasal sinuses in axial and coronal cuts shows: (A,B,C,D) Axial cuts in bone window (A,B) and soft tissue window (C,D) showed a large cyst related to the causative teeth UR 3,4,5,6 (arrow A, B). The inflammatory process is seen extending within BS and MS space with evidence of swollen related muscles OO, LAN, LLS, BU and smudged intervening fat planes, (arrow head).	106
55	(E,F) Coronal cuts in bone window of the same case show the cyst is seen bulging within the floor of the right maxillary antrum (arrow), the right maxillary antrum is totally opacified, the left maxillary antrum shows mural thickening.	107

List of Tables

Table No.	Title	Page
1	Distribution of clinical features in all cases.	59
2a&b	Statistical Analysis showing etiology of odontogenic Infection in all cases	62
3	Distribution of the cardinal signs of inflammation in all cases.	63
4	Distribution of the cardinal signs of inflammation in all cases.	64
5a&b	Statistical analysis of distribution of signs of inflammation.	65
6	Pathways of spread of maxillary odontogenic infection.	66
7	Distribution character of spread of maxillary odontogenic infection.	67
8a&b	Distribution character of spread of maxillary odontogenic infection	68
9	Fascial Spaces involvement.	69
10	Fascial spaces involved by odontogenic infection.	70
11	Statistical analysis of the highly involved fascial space.	71
12	Number of fascial spaces involved.	73
13a&b	Statistical analysis of fascial spaces involvement.	74
14	Expression muscles involvement as depicted in CT scans.	75
15	Distribution of expression muscle involvement.	76
16	Statistical analysis of the highly involved muscle.	78
17	Distribution character of expression muscles involvement.	80
18	Changes of cortical plates.	81
19	Distribution of cortical plates changes.	82
20	Statistical analysis of the highly involved cortical plate.	83
21	Adjacent Soft Tissues Changes.	84
22	Adjacent soft tissue changes.	85
23	Statistical analysis showing the highly involved adjacent soft tissues.	86

24	Statistical analysis showing involvement of adjacent soft tissues.	87
25	Distribution character of adjacent soft tissues involvement.	88
26a&b	Statistical analysis of adjacent soft tissues involvement.	89
27	Changes in fat planes.	90
28	Maxillary sinus changes.	91
29	Distribution of maxillary sinus changes.	92
30	Distribution character of maxillary sinus changes.	94

بِسْمِ اللَّهِ الرَّحْمَنِ
الرَّحِيمِ

Introduction

Aim of the Study

Review of Literature