# **Analytical Study of Some Anti-Viral Drugs**

Presented for Partial Fulfillment of Master Degree in Pharmaceutical Sciences

(Pharmaceutical Analytical Chemistry)

By

Marwa Abd El-Rahman Mohammed

B.Sc.Pharmacy, Ain Shams University, 2003

Under Supervision of

**Assistant Prof. Dr.** 

Maha Farouk Abd El-Ghany

Assistant Professor of Pharmaceutical

Analytical Chemistry

Faculty of Pharmacy –Ain Shams University

**Assistant Prof. Dr.** 

Lobna Abd El-Aziz Hussein

Assistant Professor of Pharmaceutical

**Analytical Chemistry** 

Faculty of Pharmacy –Ain Shams University

Dr.

Faten Abd El -Aziz Fatahalla

Chairman of National Organization for Research and Control of Biologicals

#### ACKNOWLGMENT

No words can ever express my gratitude to ALLAH, who guides and aids me in every step in my life.

I would like to express my deepest gratitude to Assistant Prof. Dr. Maha Farouk ,the head of Pharmaceutical Analytical Chemistry Department , Faculty of Pharmacy, Ain Shams University , for her valuable efforts in suggesting the point ,constant advising and supervision.

I am greatly indebted to Dr. Lobna Abd El- Aziz, Assistant Prof. of Pharmaceutical Analytical Chemistry Department, Faculty of Pharmacy, Ain Shams University, for her keen supervision, valuable assistance, beneficial discussion, great effort and continuous encouragement.

I am also deeply grateful to Dr. Faten Abd El-Aziz, Chairman of National Organization for Research and Control of Biologicals , for her keen supervision, kind guidance , valuable advices .

I wish to express my cordial thanks and gratefulness to my parents, brother and my sister for their continuous encouragement and support.

Finally, I wish to express my appreciation and thanks to everyone who helped and supported me to accomplish this work.

Marwa Abd El Rahman

#### List of abbreviations

INN International Non proprietary Name

USAN United State Adopted Name CZE Capillary Zone Electrophoresis

MEKC Miceller Electro Kinetic Chromatography
HPLC High Performance Liquid Chromatography
UHPLC Ultra High Pressure Liquid Chromatography
RRLC Rapid Resolution Liquid Chromatography
UPLC Ultra Performance Liquid Chromatography
RSLC Rapid Separation Liquid Chromatography
FPLC Fast Performance Liquid Chromatography

DAD Diode Array Detector i.d. Internal diameter B. No. Batch number

M Molar

SD Standard deviation

RSD Relative Standard Deviation

r Correlation coefficient
LOD Limit of detection
LOQ Limit of quantitation

QC Quality Control

n Number of observations

IS Internal Standard

TLC Thin Layer Chromatography

 $R_f$  Retardation factor  $\Delta\lambda$  Spectral bandwidth

<sup>1</sup>DD First derivative of the ratio spectra

ICH International Conference on Harmonization

# **CONTENTS**

# **PART I: Introduction**

### **Section A**

# **General Introduction**

		Page
Virus and A Drug Stabili	nti-Viral drugs ity	1 6
	Section B	
	Literature Review	
I.B.1.	Valaciclovir Hydrochloride	9
I.B.1.1.	Methods of analysis	10
I.B.1.1.1.	Spectroscopic methods	10
I.B.1.1.1.1.	Colorimetric methods	10
I.B.1.1.1.2.	UV-spectrophotometric methods	10
I.B.1.1.2.	Electrochemical methods	11
I.B.1.1.3.	Capillary Zone Electrophoresis	11
I.B.1.1.4.	Miceller Electrokinetic Chromatography	11
I.B.1.1.5.	High Performance Liquid chromatography	12
I.B.2.	Oseltamivir Phosphate	15
I.B.2.1.	Methods of analysis	16
I.B.2.1.1.	Electrochemical methods	16
I.B.2.1.2.	Spectroscopic methods	16
I.B.2.1.2.1.	Colorimetric methods	16
I.B.2.1.2.2.	Spectrofluorimetric methods	16
I.B.2.1.3.	Capillary Zone Electrophoresis	17
I.B.2.1.4.	High Performance Liquid chromatography	17
I.B.3.	Zanamivir	21
I.B.3.1.	Methods of analysis	22
I.B.3.1.1.	High Performance Liquid chromatography	22

# Part II: Chromatographic methods

#### **Section A**

<b>Introduction to</b>	<b>Ultra High</b>	<b>Pressure Liq</b>	uid Chroma	tography

II.A.1.	Fast liquid chromatography(Fast LC) techniques	24
II.A.2.	Ultra High Pressure Liquid Chromatography(UHPLC)	25
II.A.3.	UHPLC instrumentation	28

### **Section B**

# Stability Indicating RRLC Method for Determination of Valaciclovir HCl in Presence of Its Acid-and Alkaline- Dregradates.

II.B.1.	Experimental	31
II.B.1.1.	Instrumentation	31
II.B.1.2.	Samples ,chemicals and reagents	31
II.B.1.2.1	Samples	31
II.B.1.2.1.1	Pure standard	31
II.B.1.2.1.2	Market pharmaceutical dosage form	32
II.B.1.2.2	Chemicals and reagents	32
II.B.1.3.	Standard solutions	32
II.B.1.3.1.	Stock standard solution of valaciclovir HCl (0.1mg ml <sup>-1</sup> )	32
II.B.1.3.2.	Alkaline-degradate solution (0.1mg ml <sup>-1</sup> )	33
II.B.1.3.3.	Acid-degradate solution (0.1mg ml <sup>-1</sup> )	33
II.B.1.4.	Procedures	33
II.B.1.4.1.	Chromatographic conditions	33
II.B.1.4.2.	Method validation	34
II.B.1.4.2.1	Linearity	34
II.B.1.4.2.2.	Accuracy	34
II.B.1.4.2.3.	Precision	35
II.B.1.4.2.3.a	Repeatability	35
II.B.1.4.2.3.b	Intermediate precision	35
II.B.1.4.2.4.	Selectivity	35
II.B.1.4.2.5.	Robustness	36
II.B.1.4.2.6.	Application to the pharmaceutical formulations	36
II.B.1.4.2.7.	Validation by standard addition	36
II B 2	Results and Discussion	37

### **Section C**

# **Bioanalytical RRLC Method for Determination of Aciclovir, The Active** Metabolite of Valaciclovir, in Spiked Human Plasma

II.C.1.	Introduction	49
II.C.2.	Experimental	49
II.C.2.1.	Instrumentation	49
II.C.2.2.	Samples ,chemicals and reagents	50
II.C.2.2.1	Pure standard	50
II.C.2.2.2	Chemicals and reagents	50
II.C.2.3.	Standard solutions	51
II.C.2.3.1	Stock standard solution of aciclovir (1.0mg ml <sup>-1</sup> )	51
II.C.2.3.2.	Working standard solutions of aciclovir	51
II.C.2.3.3.	Ampicillin sodium internal standard solution (25.0 mg ml <sup>-1</sup> )	51
II.C.2.4.	Procedures	51
II.C.2.4.1	Chromatographic conditions	51
II.C.2.4.2	Sample preparation	52
II.C.2.4.2.1	Spiked plasma samples preparation	52
II.C.2.4.3.	Method validation	52
II.C.2.4.3.1.	Linearity	52
II.C.2.4.3.2.	Accuracy	53
II.C.2.4.3.3.	Precision	53
II.C.2.4.3.3.a.	Repeatability	53
II.C.2.4.3.3.b.	Intermediate precision	53
II.C.2.4.3.4.	Selectivity	54
II.C.2.4.3.5.	Recovery	54
II.C.2.4.3.6.	Stability	54
II.C.2.4.3.6.a.	Freeze-thaw stability	54
II.C.2.4.3.6.b.	Short -term stability (bench- top stability)	55
II.C.2.4.3.6.c.	Long- term stability	55
II.C.3.	Results and discussion	55
	Section D	
Stability Ind	icating RP- RRLC for Determination of Oseltamivir Phosph in Presence of Its Alkaline- Degradate	ate

II.D.1.	Experimental	67
II.D.1.1.	Instrumentation	67
II.D.1.2.	Samples ,chemicals and reagents	67
II.D.1.2.1.	Samples	67
II.D.1.2.1.1.	Pure standard	67
II.D.1.2.1.2.	Market pharmaceutical dosage form	68

II.D.1.2.2.	Chemicals and reagents	68
II.D.1.3.	Standard solutions	68
II.D.1.3.1	Stock standard solution of oseltamivir phosphate	68
	$(1.0 \text{ mg ml}^{-1})$	
II.D.1.3.2.	Alkaline-degradate solution (0.1mg ml <sup>-1</sup> )	69
II.D.1.4.	Procedures	69
II. D.1.4.1.	Chromatographic conditions	69
II.D.1.4.2.	Method validation	70
II.D.1.4.2.1.	Linearity	70
II.D.1.4.2.2.	Accuracy	70
II.D.1.4.2.3.	Precision	71
II.D.1.4.2.3.a.	Repeatability	71
II.D.1.4.2.3.b.	Intermediate precision	71
II.D.1.4.2.4.	Selectivity	71
II.D.1.4.2.5.	Robustness	72
II.D.1.4.2.6.	Application to the pharmaceutical formulations	72
II.D.1.4.2.7.	Validation by standard addition technique	72
II.D.2.	Results and discussion	73
	Section E	
Stability In	ndicating RP-HPLC for Determination of Valaciclovir HCl in	
Stability In	ndicating RP-HPLC for Determination of Valaciclovir HCl in Presence of Its Acid – and Alkaline- Degradates	
Stability In	_	83
•	Presence of Its Acid – and Alkaline- Degradates	
II.E.1	Presence of Its Acid – and Alkaline- Degradates Introduction	83
II.E.1 II.E.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction  Experimental	83 85
II.E.1 II.E.2. II.E.2.1.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation	83 85 85
II.E.1 II.E.2. II.E.2.1. II.E.2.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents	83 85 85 85
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions	83 85 85 85 85
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> )	83 85 85 85 85 85
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1. II.E.2.3.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions	83 85 85 85 85 86 86
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> )	83 85 85 85 85 86 86
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1. II.E.2.3.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> )	83 85 85 85 85 86 86
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> )	83 85 85 85 85 86 86 86
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3. II.E.2.4. II.E.2.4.1. II.E.2.4.2.	Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Chromatographic conditions Method validation	83 85 85 85 85 86 86 86 87 87
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3. II.E.2.4.1. II.E.2.4.2. II.E.2.4.2. II.E.2.4.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Chromatographic conditions Method validation Linearity	83 85 85 85 86 86 86 87 87 87
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3. II.E.2.4.1. II.E.2.4.2. II.E.2.4.2.1. II.E.2.4.2.1. II.E.2.4.2.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Chromatographic conditions Method validation Linearity Accuracy	83 85 85 85 86 86 86 87 87 87 87
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3. II.E.2.4.1. II.E.2.4.2. II.E.2.4.2. II.E.2.4.2.1. II.E.2.4.2.2. II.E.2.4.2.3.	Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Chromatographic conditions Method validation Linearity Accuracy Precision	83 85 85 85 86 86 86 87 87 87 87 88
II.E.1 II.E.2. II.E.2.1. II.E.2.2. II.E.2.2.1 II.E.2.2.2. II.E.2.3.1. II.E.2.3.2. II.E.2.3.3. II.E.2.4.1. II.E.2.4.2. II.E.2.4.2.1. II.E.2.4.2.1. II.E.2.4.2.2.	Presence of Its Acid – and Alkaline- Degradates  Introduction Experimental Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of valaciclovir HCl (0.25mg ml <sup>-1</sup> ) Alkaline-degradate solution (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Chromatographic conditions Method validation Linearity Accuracy	83 85 85 85 86 86 86 87 87 87 87

II.E.2.4.2.4.	Selectivity	89
II.E.2.4.2.5.	Robustness	89
II.E.2.4.2.6.	Application to the pharmaceutical formulations	89
II.E.2.4.2.7.	Validation by standard addition technique	90
II.E.3.	Results and discussion	90
	Section F	
Stability Inc	dicating RP-HPLC for Determination of Oseltamivir 1	Phosphate in
	Presence of Its Alkaline- Degradate	
II.F.1.	Experimental	100
II.F.1.1.	Instrumentation	100
II.F.1.2.	Samples ,chemicals and reagents	100
II.F.1.2.1.	Samples	100
II.F.1.2.2.	Chemicals and reagents	100
II.F.1.3.	Standard solutions	101
II.F.1.3.1	Stock standard solution of oseltamivir phosphate	101
	$(0.1 \text{ mg ml}^{-1})$	
II.F.1.3.2.	Alkaline-degradate solution (0.1mg ml <sup>-1</sup> )	101
II.F.1.4.	Procedures	101
II.F.1.4.1.	Chromatographic conditions	101
II.F.1.4.2.	Method validation	102
II.F.1.4.2.1.	Linearity	102
II.F.1.4.2.2.	Accuracy	102
II.F.1.4.2.3.	Precision	103
II.F.1.4.2.3.a.	Repeatability	103
II.F.1.4.2.3.b.	Intermediate precision	103
II.F.1.4.2.4.	Selectivity	103
II.F.1.4.2.5.	Robustness	104
II.F.1.4.2.6.	Application to the pharmaceutical formulations	104
II.F.1.4.2.7.	Validation by standard addition technique	104
II.F.2.	Results and discussion	105
	Section G	
Stability Inc	dicating RP-HPLC for Determination of Zanamivir in	Presence of
	Its Acid-Degradate	
II.G.1.	Experimental	115
II.G.1.1.	Instrumentation	115
II.G.1.2.	Samples ,chemicals and reagents	115
II.G.1.2.1.	Samples senements and reagents	115
	~ minpro	113

II.G.1.2.1.2.	Market pharmaceutical dosage form	115
II.G.1.2.2.	Chemicals and reagents	116
II.G.1.3.	Standard solutions	116
II.G.1.3.1.	Stock standard solution of zanamivir (0.2mg ml <sup>-1</sup> )	116
II.G.1.3.2.	Acid-degradate solution (0.2mg ml <sup>-1</sup> )	116
II.G.1.4.	Procedures	117
II.G.1.4.1.	Chromatographic conditions	117
II.G.1.4.2.	Method validation	117
II.G.1.4.2.1.	Linearity	117
II.G.1.4.2.2.	Accuracy	118
II.G.1.4.2.3.	Precision	118
II.G.1.4.2.3.a.	Repeatability	118
II.G.1.4.2.3.b.	Intermediate precision	118
II.G.1.4.2.4.	Selectivity	119
II.G.1.4.2.5.	Robustness	119
II.G.1.4.2.6.	Application to the pharmaceutical formulations	119
II.G.1.4.2.7.	Validation by standard addition technique	120
II.G.2.	Results and discussion	120
	Section H	
•	dicating TLC Spectrodensitometric Method for Determina Valaciclovir HCl in Presence of Its Alkaline - Degradate	tion of
II.H.1.	Introduction	130
II.H.2.	Experimental	130
II.H.2.1.	Instrumentation	132
II.H.2.2.	Samples ,chemicals and reagents	132
II.H.2.2.1.	Samples same reagents  Samples	132
II.H.2.2.2.	Chemicals and reagents	132
II.H.2.3.	Standard solutions	133
II.H.2.3.1.	Stock standard solution of valaciclovir Hydrocloride	133
	$(1.0 \text{mg ml}^{-1})$	
II.H.2.3.2.	Alkaline-degradate solution (1.0mg ml <sup>-1</sup> )	133
II.H.2.4.	Procedures	134
II.H.2.4.1.	Chromatographic conditions	134
II.H.2.4.2.	Method validation	134
II.H.2.4.2.1.	Linearity	134
II.H.2.4.2.2.	· · · · · · · · · · · · · · · · · · ·	107
II.H.2.4.2.3.	Accuracy	135
11.11.22	Precision	135 135
II.H.2.4.2.3.a.	· · · · · · · · · · · · · · · · · · ·	

115

II.G.1.2.1.1. Pure standard

	Section I	
	licating TLC Spectrodensitometric Method for determination of ltamivir Phosphate in Presence of Its Alkaline - Degradate	
II.I.1.	Experimental	146
II.I.1.1.	Instrumentation	146
II.I.1.2.	Samples ,chemicals and reagents	146
II.I.1.2.1.	Samples	146
II.I.1.2.2.	Chemicals and reagents	146
II.I.1.3.	Standard solutions	147
II.I.1.3.1.	Stock standard solution of oseltamivir phosphate (5.0mg ml <sup>-1</sup> )	147
II.I.1.3.2.	Alkaline-degradate solution (5.0mg ml <sup>-1</sup> )	147
II.I.1.4.	Procedures	148
II.I.1.4.1.	Chromatographic conditions	148
II.I.1.4.2.	Method validation	148
II.I.1.4.2.1	Linearity	148
II.I.1.4.2.2	Accuracy	149
II.I.1.4.2.3.	Precision	149
II.I.1.4.2.3.a.	Repeatability	149
II.I.1.4.2.3.b.	Intermediate precision	149
II.I.1.4.2.4.	Selectivity	150
II.I.1.4.2.5.	Application to the pharmaceutical formulations	150
II.I.1.4.2.6.	Validation by standard addition technique	150
II.I.2.	Results and discussion	151
	PARTIII: Spectrophotometric methods	
	Section A	
Stability	Indicating First Derivative of Ratio Spectra Spectrophotometri	c

Application to the pharmaceutical formulations

Validation by standard addition technique

136

136

136

137

159

161

161

161

Selectivity

Results and discussion

II.H.2.4.2.4.

II.H.2.4.2.6

II.H.2.4.2.7

II.H.3.

III.A.1.

III.A.2.

III.A.2.1.

III.A.2.2.

Samples ,chemicals and reagents

Introduction

Experimental

Instrumentation

Method for determination of Oseltamivir Phosphate in Presence of its Alkaline-Degradate

III.A.2.2.2.	Chemicals and reagents	162	
III.A.2.3.	Standard solutions	162	
III.A.2.3.1.	Stock standard solution of oseltamivir phosphate		
	$(0.1 \text{mg ml}^{-1})$		
III.A.2.3.2.	Alkaline-degradate solution (0.1mg ml <sup>-1</sup> )	162	
III.A.2.4.	Procedures	163	
III.A.2.4.1.	Spectral characteristic of oseltamivir phosphate and its	163	
	alkaline-degradate		
III.A.2.4.2.	Method validation	163	
III.A.2.4.2.1.	Linearity	163	
III.A.2.4.2.2.	Accuracy	164	
III.A.2.4.2.3.	Precision	164	
III.A.2.4.2.3.a.	Repeatability	164	
III.A.2.4.2.3.b.	Intermediate precision	165	
III.A.2.4.2.4.	Selectivity	165	
III.A.2.4.2.5.	Application to the pharmaceutical formulations	165	
III.A.2.4.2.6.	Validation by standard addition technique	166	
III.A.3.	Results and discussion	166	
	Section B		
	icating First Derivative of Ratio Spectra Spectrophotometric		
Method for o	letermination of Zanamivir in Presence of its acidic- Degrada	te	
III.B.1.	Experimental	176	
III.B.1. III.B.1.1.	Experimental Instrumentation	176 176	
	•		
III.B.1.1.	Instrumentation	176	
III.B.1.1. III.B.1.2.	Instrumentation Samples ,chemicals and reagents	176 176	
III.B.1.1. III.B.1.2. III.B.1.2.1.	Instrumentation Samples ,chemicals and reagents Samples	176 176 176	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> )	176 176 176 176	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions	176 176 176 176 177	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3. III.B.1.3.1.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> )	176 176 176 176 177 177	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.1. III.B.1.3.4. III.B.1.4.1.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate	176 176 176 176 177 177	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.2. III.B.1.3.4. III.B.1.4.1. III.B.1.4.2.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures	176 176 176 176 177 177 177	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3. III.B.1.3.1. III.B.1.3.2. III.B.1.4. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate	176 176 176 177 177 177 178 178	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3. III.B.1.3.1. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.1. III.B.1.4.2.1.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy	176 176 176 177 177 177 178 178 178 178 178	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3. III.B.1.3.1. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.1. III.B.1.4.2.2. III.B.1.4.2.3.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision	176 176 176 177 177 177 178 178 178 178 179	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.1. III.B.1.4.2.3. III.B.1.4.2.3.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision Repeatability	176 176 176 177 177 177 178 178 178 178 179 179	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3. III.B.1.3.1. III.B.1.3.2. III.B.1.4. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3.a. III.B.1.4.2.3.b.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision Repeatability Intermediate precision	176 176 176 177 177 177 178 178 178 178 179 179	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.2. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision Repeatability Intermediate precision Selectivity	176 176 176 177 177 177 178 178 178 178 179 179 179 180	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.2. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2.1. III.B.1.4.2.1. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3.b. III.B.1.4.2.4. III.B.1.4.2.5.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision Repeatability Intermediate precision Selectivity Application to the pharmaceutical formulations	176 176 176 177 177 177 178 178 178 178 179 179 179 180 180	
III.B.1.1. III.B.1.2. III.B.1.2.1. III.B.1.2.2. III.B.1.3.1. III.B.1.3.2. III.B.1.3.2. III.B.1.4.1. III.B.1.4.2. III.B.1.4.2.1. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3. III.B.1.4.2.3.	Instrumentation Samples ,chemicals and reagents Samples Chemicals and reagents Standard solutions Stock standard solution of zanamivir (0.1mg ml <sup>-1</sup> ) Acid-degradate solution (0.1mg ml <sup>-1</sup> ) Procedures Spectral characteristic of zanamivir and its acid - degradate Method validation Linearity Accuracy Precision Repeatability Intermediate precision Selectivity	176 176 176 177 177 177 178 178 178 178 179 179 179 180	

161

Samples

III.A.2.2.1.

III.B.2.	Results and discussion PART IV	181
	General Discussion	
IV.	General Discussion	190
	PART V	
	References	
V.	References	196

# **List of Tables**

Гable No.		Page No.
1	Results of assay validation obtained using the proposed RRLC for determination of valaciclovir HCl in presence of its acid- and alkaline - degradates.	45
2	Accuracy of the proposed RRLC method for the analysis of pure samples of valaciclovir HCl.	46
3	Determination of valaciclovir HCl in laboratory prepared mixtures containing its acid- and alkaline –degradates by the proposed RRLC method.	46
4	System suitability parameters of the proposed RRLC method for determination of valaciclovir HCl.	47
5	Results from robustness testing of the proposed RRLC method	47
6	Determination of valaciclovir HCl in pharmaceutical formulation by the proposed RRLC method and application of standard addition technique.	48
7	Statistical comparison between the proposed RRLC method and the manufacturer * method for determination of valaciclovir HCl.	48
8	Assay parameters and regression characteristic of determination of aciclovir in human plasma sample by proposed RRLC method .	63
9	Recovery of aciclovir from human plasma.	63
10	Accuracy of the proposed RRLC method for the determination of aciclovir in spiked human plasma.	64
11	Intra- and inter – day precision and accuracy for the determination of aciclovir in human plasma.	64
12	Summary for stability of aciclovir in human plasma at varying conditions.	65
13	Statistical comparison between the proposed RRLC method and the published method for determination of aciclovir in human plasma.	66
14	Results of assay validation obtained using the proposed RRLC method for determination of oseltamivir phosphate in presence of its alkaline – degradate.	79
15	Accuracy of the proposed RRLC method for the analysis of pure samples of oseltamivir phosphate.	80

16	Determination of oseltamivir phosphate in laboratory prepared mixtures containing its alkaline –degradate by the proposed RRLC method.	80
17	System suitability parameters of the proposed RRLC method for determination of oseltamivir phosphate.	81
18	Results from robustness testing of the proposed RRLC method for determination of oseltamivir phosphate.	81
19	Determination of oseltamivir phosphate in pharmaceutical formulation by the proposed RRLC method and application of standard addition technique.	82
20	Statistical comparison between the proposed RRLC method and the official $^{\ast}$ method for determination of oseltamivir phosphate.	82
21	Results of assay validation obtained using the proposed HPLC method for determination of valaciclovir HCl in presence of its alkaline – and acid-degradate .	96
22	Accuracy of the proposed HPLC method for the analysis of pure samples of valaciclovir HCl.	97
23	Determination of valaciclovir HCl in laboratory prepared mixtures containing its acid- and alkaline –degradates by the proposed HPLC method.	97
24	System suitability parameters of the proposed HPLC method for determination of valaciclovir HCl.	98
25	Results from robustness testing of the proposed HPLC method method for determination of valaciclovir HCl.	98
26	Determination of valaciclovir HCl in pharmaceutical formulation by the proposed RRLC method and application of standard addition technique.	99
27	Statistical comparison between the proposed HPLC method and the manufacturer * method for determination of valaciclovir HCl.	99
28	Results of assay validation obtained using the proposed HPLC method for determination of oseltamivir phosphate in presence of its alkaline – degradate.	111
29	Accuracy of the proposed HPLC method for the analysis of pure samples of oseltamivir phosphate.	112
30	Determination of oseltamivir phosphate in laboratory prepared mixtures containing its alkaline –degradate by the proposed HPLC method.	112

31	System suitability parameters of the proposed HPLC method for determination of oseltamivir phosphate.	113
32	Results from robustness testing of the proposed HPLC method for determination of oseltamivir phosphate.	113
33	Determination of oseltamivir phosphate in pharmaceutical formulation by the proposed HPLC method and application of standard addition technique.	114
34	Statistical comparison between the proposed HPLC method and the official method for determination of oseltamivir phosphate.	114
35	Results of assay validation obtained using the proposed HPLC method for determination of zanamivir in presence of its acid -degradate.	126
36	Accuracy of the proposed HPLC method for the analysis of pure samples of zanamivir.	127
37	Determination of zanamivir in laboratory prepared mixtures containing its acid –degradate by the proposed HPLC method.	127
38	System suitability parameters of the proposed HPLC method for determination of zanamivir.	128
39	Results from robustness testing of the proposed HPLC method for determination of zanamivir.	128
40	Determination of zanamivir in pharmaceutical formulation by the proposed HPLC method and application of standard addition technique.	129
41	Statistical comparison between the proposed HPLC method and the manufacturer * method for determination of zanamivir.	129
42	Results of assay validation obtained using the proposed TLC method for determination of valaciclovir HCl in presence of its alkaline-degradate.	143
43	Accuracy of the proposed TLC method for the analysis of pure samples of valaciclovir HCl.	144
44	Determination of valaciclovir HCl in laboratory prepared mixtures containing its alkaline -degradate by the proposed TLC method.	144
45	Determination of valaciclovir HCl in pharmaceutical formulation by the proposed TLC method and application of standard addition technique.	145
46	Statistical comparison between the proposed TLC method and the Manufacturer * method for determination of valaciclovir HCl.	145