

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وَقُلْ اَعْمَلُوا فَسَيَرَى اللَّهُ عَمَلَكُمْ وَرَسُولُهُ

وَالْمُؤْمِنُونَ

صَدَقَ اللَّهُ الْعَظِيمِ

[التوبة: ١٠٥]



**THE ROLE OF MULTIDETECTOR COMPUTED
TOMOGRAPHY IN THE EVALUATION OF GASTRIC AND
SMALL INTESTINAL NEOPLASMS**

Essay

Submitted in Partial Fulfillment of the Master Degree in
Radiodiagnosis

By

Reham Anwar Mohamed Farid

M.B.B.Ch.

Supervised by

Dr. Ahmed Mostafa Mohamed

Assistant Professor of Radiodiagnosis

Faculty of Medicine

Ain Shams University

Dr. Eman Ahmed Shawky Geneidi

Assistant Professor of Radiodiagnosis

Faculty of Medicine

Ain Shams University

Faculty of Medicine

Ain Shams University

2010



Acknowledgment

First and foremost thanks to Allah, the most beneficial and merciful.

I am so grateful and most appreciative to the efforts of Dr. Ahmed Mostafa Mohamed, Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University. No words can express what I owe him for his endless patience and continuous advice and support.

Also I would like to express my thanks to Dr. Eman Ahmed Shawky Geneidi, Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for her kind assistance and valuable instructions.

Finally, I am deeply thankful and indebted to my family for their kind support and love which allowed the completion of this work.

Reham Anwar

TABLE OF CONTENTS

Contents	Page
• Introduction	1
• Chapter 1:	
Anatomy Of The Stomach	3
Anatomy Of The Small Intestine	15
• Chapter 2:	
Pathology Of Gastric Neoplasms.....	35
Pathology Of Duodenal Neoplasms	53
Pathology Of Small Intestinal Neoplasms	62
• Chapter 3:	
Basic Physical Principles Of MDCT	72
Techniques Of MDCT Examinations Of The Stomach	88
Techniques Of MDCT Examinations Of The Small Intestine	98
• Chapter 4:	
Manifestations Of MDCT In Gastric Neoplasms	115
Manifestations Of MDCT In Duodenal Neoplasms	153
Manifestations Of MDCT In Small Intestinal Neoplasms	164
• Summary & Conclusion	186
• References	190
• Arabic Summary	199

LIST OF ABBREVIATIONS

2D	Two dimensional
3D	Three dimensional
AJCC	American Joint Committee on Cancer
CCS	Cronkhite-Canada syndrome
CECT	Contrast enhanced computed tomography
CT	Computed tomography
CTA	Computed tomography angiography
CTE	Computed tomography enteroclysis
CTG	Computed tomography gastrography
EGC	Early gastric cancer
FAPS	Familial adenomatous polyposis syndrome
GI	Gastrointestinal
GISTs	Gastrointestinal stromal tumors
GIT	Gastrointestinal tract
HPF	High power fields
HU	Hounsfield unit
IV	Intravenous
JP	Juvenile polyposis

MALT	Mucosa association lymphoid tissue
MDCT	Multidetector computed tomography
MEN	Multiple Endocrine Neoplasia
MHS	Multiple hamartoma syndrome / Cowden disease
MinIP	Minimum intensity projections
MIP	Maximum intensity projections
MPR	Multiplanar reformation
PEG	Polyethelne glycol
PJS	Peutz-Jeghers syndrome
SDCT	Single detector computed tomography
SSD	Shaded surface display
TNM	T: Primary tumor N: Regional lymph nodes M: Distant metastases
UGIS	Upper gastrointestinal series
US	Ultrasound
VG	Virtual gastroscopy
VRD	Volume rendering display
WHO	The World Health Organization

LIST OF TABLES

Table No		Page
1	Comparison between jejunum and ileum	29
2	Advantages of MDCT	75
3	Suggested CT Techniques for Imaging of Gastric Lesions	97
4	CT Criteria for T and N Staging of Gastric Cancer	141
5	CT Features of Gastric Malignancies	152
6	Diagnostic Findings of CT of the Gastrointestinal Tract	185

LIST OF FIGURES

Fig. No		Page
1-1	The parts of the stomach	4
1-2	Anterior relations of the stomach	6
1-3	Posterior relations of the stomach	7
1-4	Gross internal anatomy of the stomach	8
1-5	Arterial supply of the stomach	9
1-6	Venous drainage of the stomach	10
1-7	The lymphatic drainage of the stomach	11
1-8	CT of normal stomach distended with negative contrast and air	12
1-9	CT of normal stomach (A) Normal soft tissue prominence at gastro-esophageal junction (B) On a slightly more caudal image	12
1-10	CT scan performed during the arterial phase shows normal single layer enhancement of the gastric wall	13
1-11	CT scan performed during the arterial phase shows normal double and triple layer enhancement of the gastric wall	14
1-12	Internal aspect of a representative sample of the proximal jejunum	16
1-13	The four parts of the duodenum	17

1-14	The duodenum of the small intestine and related organs	18
1-15	The relations of the duodenum (A) anterior surface (B) posterior surface	20
1-16	Major arterial supply to the duodenum	21
1-17	The venous drainage of the duodenum	22
1-18	Diagrammatic presentation of duodenal lymphatics	23
1-19	Normal duodenum CT scan obtained with oral administration of whole milk	24
1-20	Position of jejunum and ileum	26
1-21	Differences in the arterial supply to the small intestine	27
1-22	The superior mesenteric artery and its branches	27
1-23	The lymphatic drainage of jejunum and ileum	29
1-24	Normal appearance of ileum and jejunum at axial CT (A) Normal appearing ileum (B) normal appearing jejunum	31
1-25	Axial CT image demonstrates increased attenuation in collapsed normal jejunal loop relative to distended normal jejunal loops	31
1-26	An ileal diverticulum (of Meckel)	32
1-27	The ileocaecal valve and ileal orifice	33

1-28	CT image shows the ileocaecal valve	34
1-29	CT image shows the ileocaecal valve	34
2-1	Endoscopic photo shows antral polyp	35
2-2	Endoscopic photograph shows a submucosal benign gastric stromal tumor	38
2-3	Macrospecimen of a resected stomach with moderately differentiated adenocarcinoma	41
2-4	Macroscopic classification of early and advanced gastric carcinoma	43
2-5	Infiltrating gastric adenocarcinoma Photograph of the resected surgical specimen	44
2-6	Photograph of the resected surgical specimen with low grade MALT lymphoma	48
2-7	Photograph of the opened resected surgical specimen shows the intramural malignant GIST	50
2-8	Photograph of the resected surgical specimen shows the intramural mass of carcinoid	51
2-9	Gross specimen of villous adenoma arising near papilla	54
2-10	Photograph of gross specimen shows stromal tumor	56
2-11	Endoscopic photograph of large lipoma	56

2-12	Gross specimen shows lobulated villous adenocarcinoma	58
2-13	Pathological specimen showing benign GISTs	63
2-14	Pathological specimen shows lipoma of the small intestine	64
2-15	Neurilemmoma, endoscopy confirms the presence of a polypoid intraluminal mass	65
2-16	Resected specimen shows Infiltrative adenocarcinoma of the jejunum	67
2-17	Pathological specimen showing carcinoid tumor of the ileocaecal valve	68
2-18	Gross specimen demonstrates annular infiltration of lymphoma	69
2-19	Pathological specimen demonstrates malignant GISTs	70
3-1	Helical or spiral scanning involves translating the patient longitudinally through the rotating gantry	73
3-2	Section thickness influences the diagnostic accuracy of post-processed images	81
3-3	Coronal maximum intensity projection image displays both mesenteric arterial supply and venous	84

3-4	3D CT gastrography images resulting from use of surface shaded (A) and transparent (B) volume rendering technique	85
3-5	(A) Normal appearance of gastric folds as seen on the virtual endoscopy (B) Normal appearance of the pylorus as seen on the virtual endoscopy	87
3-6	Contrast material enhanced CT scan obtained with water as an oral contrast agent	89
3-7	Coronal contrast enhanced 3D volume rendered MDCT scan obtained with water as an oral contrast agent	89
3-8	Coronal (A), axial (B), and sagittal (C) multiplanar reformatted images in a patient with gastric cancer	93
3-9	Coronal contrast enhanced 3D volume rendered MDCT scans obtained in a patient with gastric cancer	95
3-10	Three dimensional endoluminal image of the stomach in a patient with gastritis	95
3-11	Normal CT findings at enterography. (A) Coronal reformatted image of small bowel using neutral oral and IV contrast agents. (B) Coronal reformatted image of small bowel using positive oral contrast material.	100

3-12	Coronal volume rendered contrast enhanced MDCT with water as oral contrast	103
3-13	Coronal volume rendered contrast enhanced MDCT using water as oral contrast	103
3-14	(A) Coronal reformation of CT enteroclysis image obtained with water as neutral enteral contrast material (B) Coronal reformation of CT enteroclysis image obtained with dilute 0.1% barium sulfate	108
3-15	Coronal reformation of CT enteroclysis image obtained with water as enteral contrast agent	109
3-16	Coronal section of CTE using a 15% iodinated enteral contrast at level of cecum	110
3-17	(A) Axial CTE image at level of lower descending duodenum (B) Axial CTE image at level of Meckel's diverticulum (C) Coronal CTE image at level of descending duodenum (D) Sagittal CTE image	112
3-18	Small bowel metastases with history of colon cancer (A) Transverse conventional CT image with oral and intravenous contrast material (B) Transverse CT enteroclysis image with positive contrast material obtained 2 weeks later	114

4-1	Coronal reformatted image shows multiple hyperplastic polyps of the gastric wall	115
4-2	Axial CT scan shows an adenomatous polyp in the gastric antrum	116
4-3	Sagittal (A) and axial oblique (B) contrast enhanced 3D volume rendered CT scans demonstrate a benign GIST at surgery	117
4-4	Gastric GIST (A) Oblique coronal 2D MPR image (B) Transparency rendered image (C) Image from virtual gastroscopy	118
4-5	Axial contrast enhanced CT shows lipoma	119
4-6	Gastric lymphangioma. (A) The MDCT axial image (B)The sagittal reformation image	119
4-7	Gastric schwannoma. Axial CT scan	120
4-8	Coronal (A) and axial oblique (B) contrast enhanced 3D volume rendered CT scans obtained in a patient with gastric cancer	121
4-9	(A) Coronal contrast enhanced 3D volume rendered CT scan obtained in a patient with gastric cancer (B) Axial CT scan obtained in the same patient	122
4-10	Locally invasive gastric adenocarcinoma (A) Heterogeneous thickening of the gastric fundus (B) It is also extending into the pancreas	122

4-11	Early gastric cancer (type I) (A) Oblique coronal 2D MPR image (B) Transparency rendered image (C) Image from virtual gastroscopy	124
4-12	(A) Early gastric cancer (type II a+c), Image from virtual gastroscopy (B) Early gastric cancer (type IIb), Image from virtual gastroscopy	125
4-13	Advanced gastric cancer (Borrmann type 2) (A) Oblique coronal 2D MPR image (B) Transparency rendered image (C) Image from virtual gastroscopy	126
4-14	Advanced gastric cancer (Borrmann type 3) (A) Oblique coronal 2D MPR image (B) Transparency rendered image (C) Image from virtual gastroscopy	127
4-15	Stage T1–T4 gastric tumors (A) Coronal reformatted image shows a stage T1 tumor (B) Axial CT scan shows a stage T2 tumor (C) Coronal reformatted image shows a stage T3 tumor (D) Axial CT scan shows a stage T4 tumor with invasion of the colon (E) Coronal reformatted image shows a stage T4 tumor infiltrating the distal pancreatic body (F) Axial CT scan shows a stage T4 tumor with gross infiltration of the lateral segment of the liver	129