

Cierla Territa Con





ثبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيل



جامعة عين شمس

التوثيق الالكتروني والميكروفيلم



نقسم بللله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأفلام قد اعدت دون آية تغيرات



يبب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 - 20 منوية ورطوبة نسبية من 20- 40 %

To be kept away from dust in dry cool place of 15-25c and relative humidity 20-40 %



شبكة المعلومات الجامعية





نبكة المعلومات الجامعية





University of Mansoura Faculty of Engineering Department of Public Works

Integrated Low Cost Technology for Rural Areas Sanitation

Tre H:

By

Dawas Fuhaid Alshammari

M.Sc. Faculty of Engineering, University of Mansoura, 1995

A thesis

Submitted in Partial Fulfillment for the Requirements of the Degree of Doctor of Philosophy

Public Works Engineering

Supervised by

Prof. Dr.

AHMED FADEL AHMED ASHRY

Prof. of Sanitary Engineering
Faculty of Engineering
University of Mansoura

B

000

SUPERVISOR

CANDIDATE NAME

: Dawas Fuhaid Alshammari

THESIS TITLE

: Integrated Low Cost Technology for

Rural Areas Sanitation

SUPERVISOR:

1) Prof. Dr. Ahmed Fadel Ahmed Ashry Ahmed Fadel
Prof. of Sanitary Engineering
Faculty of Francis

Faculty of Engineering

Mansoura University



First of all, thanks to GOD whose magnificent help and support was the main factor in completing this work.

I would like to express my deep and profound gratitude and respect to my supervisor **Prof. Dr. Ahmed Fadel Ahmed Ashry** for this generous encouragement and support together with patience and guidance during the preparation of this work; he never declined from offering help, however, busy.

I am also deeply thankful to **Dr. Ragab Barakat and Eng. Khalid Hassan** for the support, help and valuable remarks during the editing of this work.

I wish to thank all the Egyptian people for their kindness and hospitality during my stay in Egypt. I also wish to thank all those that helped me in the preparation of this work.

Finally, I wish to thank and also send my love to my wife and dear children for their patience and moral support; without their patience and sacrifice this work would not have been possible to achieve.

Dawas

Table of contents

| Chapter | One: | Intro | duc | tion |
|---------|------|-------|-----|------|
|---------|------|-------|-----|------|

| | | | Page |
|-------|-------------|--|-------|
| 1 - 1 | General | | 1-1 |
| 1-2 | Problem | Definition | 1-2 |
| 1-3 | Scope o | f work | 1-3 |
| 1-4 | Overvie | w of both systems under study | 1-4 |
| Chap | ter Two: Li | iterature Review | |
| 2-1 | Introduc | etion | 2-1 |
| 2-2 | Wastew | ater alternative collection systems | 2-1 |
| | 2-2-1 | Pressure sewer systems | 2-2 |
| | 2-2-2 | Vacuum sewer systems | 2-13 |
| | 2-2-3 | Shallow sewer systems | 2-27 |
| | 2-2-4 | Small bore sewer systems | 2-31 |
| 2-3 | Wastew | ater treatment systems | |
| | 2-3-1 | General | 2-68 |
| | 2-3-2 | Wastewater flow rates | 2-70 |
| | 2-3-3 | Characteristics of wastewater | 2-70 |
| | 2-3-4 | The objectives of wastewater treatment | 2-80 |
| | 2-3-5 | Classification of wastewater treatment methods | 2-81 |
| | 2-3-6 | Application of wastewater treatment | 2-91 |
| | 2-3-7 | Factors affecting the choice of treatment processes | 2-92 |
| | 2-3-8 | Characteristics of Egyptian raw and sullage wastewater | 2-95 |
| | 2-3-9 | Wastewater treatment alternatives | 2-96 |
| | 2-3-10 | Scope and objectives of this research work | 2-102 |

Chapter Three: Materials and Methods

| | - | | Page |
|------|-----------------|--|--------|
| 3-1 | Introduc | etion | 3-1 |
| 3-2 | Nawag s | small bore sewer system | 3-2 |
| | 3-2-1 | Population estimates and design discharges | 3-2 |
| | 3-2-2 | The small bore sewer network | 3-2 |
| | 3-2-3 | Wastewater pumping station | 3-5 |
| | 3-2-4 | Force main | 3-5 |
| | 3-2-5 | Wastewater treatment plant | 3-5 |
| 3-3 | Baramo | n conventional gravity sewer system | |
| | 3-3-1 | Gravity sewer network | 3-24 |
| | 3-3-2 | Pumping station and force mains | 3-25 |
| , | 3-3-3 | Wastewater treatment plant | 3-27 |
| 3-4 | Method | s and equipment | . 3-38 |
| | 3-4-1 | Estimation of pH | 3-38 |
| | 3-4-2 | Estimation of COD | 3-39 |
| | 3-4-3 | Estimation of BOD ₅ | 3-41 |
| | 3-4-4 | Estimation of VSS & SS | 3-42 |
| Chap | ter Four: F | Results and discussion | |
| 4-1 | Introduc | | 4-1 |
| 4-2 | Design criteria | | 4-2 |
| | 4-2-1 | Population | 4-2 |
| | | Discharge | 4-3 |
| | 4-2-3 | · | 4-4 |

| 4-3 | Network | c analysis | 4-22 |
|-----|---------|--|------|
| | 4-3-1. | Discharge | 4-23 |
| | 4-3-2 | Diameters | 4-23 |
| | 4-3-3 | Slope and velocities | 4-24 |
| | 4-3-4 | Excavation | 4-24 |
| | 4-3-5 | Sewer appurtenance | 4-25 |
| | 4-3-6 | Operation and maintenance requirements | 4-25 |
| | 4-3-7 | Trouble shooters | 4-27 |
| 4-4 | Pumping | g station analysis | 4-27 |
| | 4-4-1 | Baramon pumping station | 4-28 |
| | 4-4-2 | Nawag pumping station | 4-31 |
| 4-5 | Force m | nain analysis | 4-32 |
| | 4-5-1 | Baramon force main | 4-32 |
| | 4-5-2 | Nawag force main | 3-39 |
| 4-6 | Wastew | rater treatment plants analysis | 4-33 |
| | 4-6-1 | Population and design discharges | 4-34 |
| | 4-6-2 | Inlet, screens and grit removal | 4-35 |
| | 4-6-3 | Aeration tanks | 4-35 |
| | 4-6-4 | Final sedimentation tanks | 4-36 |
| | 4-6-5 | Contact basin | 4-36 |
| | 4-6-6 | Sludge thickeners | 4-37 |
| | 4-6-7 | Drying beds | 4-37 |
| | 4-6-8 | Sludge lifting station | 4-37 |
| | 4-6-9 | Transformers and generators | 4-38 |
| | 4-6-10 | Effluent wastewater analysis | 4-39 |
| 4-7 | Conclus | sion | 4-33 |

.

Chapter Five: Comparative cost analysis

| | | | Page |
|------|-------------|--------------------------------------|-------|
| 5-1 | Introduc | ction | 5-1 |
| 5-2 | Cost est | timation | 5-2 |
| | 5-2-1 | Land cost | 5-2 |
| | 5-2-2 | Construction costs | 5-3 |
| | 5-2-3 | Operation and maintenance costs | 5-7 |
| 5-3 | Cost co | mparison | |
| Chap | ter Six: Er | nvironmental assessment and feedback | |
| 6-1 | Introdu | ction | 6-1 |
| 6-2 | Commu | unity | 6-1 |
| 6-3 | Sewage | promotion | 6-1 |
| 6-4 | Commu | unity participation & management | 6-2 |
| Chap | ter Sever | n: Conclusions and recommendations | |
| 7-1 | General | | 7-1 |
| 7-2 | Conclu | sion | 7-2 |
| 7-3 | Recom | mendations and future work | - 7-4 |
| | | | |

References

Appendix 1

Arabic Summary

List of figures

| rigure (2-1) | . Orinder pump (Or) system | 2-4 |
|---------------|---|------|
| Figure (2-2) | : Septic tank effluent pump system | 2-5 |
| Figure (2-3) | : Typical layout - vacuum sewer system | 2-15 |
| Figure (2-4) | : Water sewer / vacuum system similarities | 2-16 |
| Figure (2-5) | : Major components of a vacuum sewer system | 2-19 |
| Figure (2-6) | : Auxiliary vent location | 2-21 |
| Figure (2-7) | : Typical inspection chamber details | 2-30 |
| Figure (2-8) | : Sewered aqua-privy blocks in the chipanda area of | |
| | Matero, Lusaka, Zambia | 2-34 |
| Figure (2-9) | : The four different functional zones in a septic tank | 2-42 |
| Figure (2-10) | : A typical septic tank with its inlet and outlet connections | 2-47 |
| Figure (2-11) | : Typical house connection to a septic tank | 2-48 |
| Figure (2-12) | : Flow attenuation in a home sewer and septic tank | 2-51 |
| Figure (2-13) | : Typical cleanout detail | 2-62 |
| Figure (2-14) | : Typical cleanout detail and house connection | 2-63 |
| Figure (2-15) | : Biological wastewater treatment processes | 2-84 |
| Figure (3-1) | : Arial view of Nawag village showing the sewerage | |
| | network | 3-4 |
| Figure (3-2) | : Typical cleanout and house connection used in the | |
| | Nawag project | 3-11 |
| Figure (3-3) | : Cross-section of the Nawag pumping station | 3-12 |
| Figure (3-4) | : Layout of the Nawag wastewater treatment plant | 3-13 |
| Figure (3-5) | : Arial view of Baramon village showing the sewerage | |
| | network | 3-26 |
| Figure (3-6) | : Layout of the Baramon wastewater treatment plant | 3-28 |
| Figure (4-1) | : Arial view of Baramon village showing the site of the | |
| | pumping stations and wastewater treatment plant | 4-29 |
| Figure (4-2) | : Arial view of Nawag village showing the site of the | |
| | pumping station and wastewater treatment plant | 4-32 |

| | Figure (4-3) | : pH variations in the Nawag wastewater treatment plant | 4-40 |
|-----|---------------|---|------|
| | Figure (4-4) | : pH variations in the Baramon wastewater treatment plant | 4-41 |
| | Figure (4-5) | : BOD5 influent and effluent values of Nawag wastewater | |
| | | treatment plant | 4-44 |
| | Figure (4-6) | : BOD5 influent and effluent values of Baramon | |
| | | wastewater treatment plant | 4-45 |
| | Figure (4-7) | : COD influent and effluent values of Nawag wastewater | |
| e e | | treatment plant | 4-47 |
| | Figure (4-8) | : COD influent and effluent values of Baramon | |
| | | wastewater treatment plant | 4-48 |
| | Figure (4-9) | : SS influent and effluent values of Nawag wastewater | |
| | | treatment plant | 4-50 |
| | Figure (4-10) | : SS influent and effluent values of Baramon wastewater | |
| | | treatment plant | 4-51 |
| | Figure (4-11) | : Total nitrogen influent and effluent values of Nawag | |
| | | wastewater treatment plant | 4-52 |
| | Figure (4-12) | : Total nitrogen influent and effluent values of Baramon | |
| | | wastewater treatment plant | 4-53 |
| | Figure (4-13) | : Total phosphorus influent and effluent values of Nawag | |
| | | wastewater treatment plant | 4-54 |
| | Figure (4-14) | : Total phosphorus influent and effluent values of | |
| · | | Baramon wastewater treatment plant | 4-55 |
| | Figure (4-15) | : Sulfate influent and effluent values of Nawag | |
| | | wastewater treatment plant | 4-57 |
| • | Figure (4-16) | : Sulfate influent and effluent values of Baramon | |
| , | | wastewater treatment plant | 4-58 |
| | Figure (4-17) | : Difference between cleanouts stated in literature and | |
| | - | cleanouts adapted in Egypt | 4-61 |
| , - | Figure (4-18) | : Household individual boundary trap | 4-62 |