# Evaluation of Root Canal Configuration of Maxillary premolars among Egyptian Sub Population

A Thesis submitted to the Faculty of Dentistry

Ain Shams University

For

Partial fulfillment of the requirement of Master Degree in Endodontics

By

Mostafa Hamada Mohamed Ahmed

B.D.S. (2008)

Ain Shams University

### **Supervisors**

#### **Dr.Shehab El-Din Mohamed Saber**

Associate Professor at Endodontic Department

Ain Shams University

#### **Dr. Maram Farouk Obeid**

Lecturer at Endodontic Department

Ain Shams University

## Dedication to

My Dear Parents

For always being there for me giving me all the support I need and for teaching me to trust in Allah

My beloved wife

For always encouraging and supporting me during all the challenges

My brother and sisters

For always being there for me

My sweetest daughter

You make life worth living and your smile

lightens up my world

My friend Farid Emad El Din For his help and positivity all the time.

## Acknowledgment

I wish to express my sincere gratitude to **Dr. Shehab El-Din Mohamed Saber**, Assistant Professor at Endodontic Department,
Faculty of Dentistry, Ain-Shams University, for his patient supervision and unlimited willingness for guidance.

My deepest thanks and appreciation go to **Dr.Maram Farouk Obeid**, Lecturer at Endodontic Department, Faculty of Dentistry, Ain-Shams University, for her constant support and encouragement, her valuable advice, remarkable help and for providing me with unlimited time and cooperation throughout the course of this research.

## **CONTENTS**

		Page
1.	Introduction	1
2.	Review of Literature	3
3.	Aim of the Study	26
4.	Materials and Methods	27
5.	Results	38
6.	Discussion	75
7.	Summary	81
8.	Conclusions	84
9.	Recommendations	85
10	.References	86
11	.Arabic summary	

### **List of Tables**

Table	Title	Page
Table (1):	Frequency of number of roots in maxillary first and second premolars as identified by CBCT	39
Table (2):	Frequency of number of root canals in single rooted maxillary first and second premolars as identified by CBCT	41
Table (3):	Frequency of number of root canals in double rooted maxillary first and second premolars as identified by CBCT	42
Table (4):	Frequency of number of root canals in three rooted maxillary first and second premolars as identified by CBCT	42
Table (5):	Frequency of number of root canals in maxillary first and second premolars as identified by CBCT	42
Table (6):	Frequency of root canal type in 300 maxillary first premolars as identified by CBCT	44
Table (7):	Frequency of root morphology in 300 maxillary second premolars as identified by CBCT	46
Table (8):	Frequency of number of roots and type of root canals in both first and second premolars as identified by CBCT	49
Table (9):	Frequency of number of roots in maxillary first and second premolars as identified by clearing	50
Table (10):	Frequency of number of root canals in maxillary first and second premolars as identified by clearing	53

Table (11):	Frequency of number of root canals in single rooted maxillary first and second premolars as identified by clearing	54
Table (12):	Frequency of number of root canals in double rooted maxillary first and second premolars as identified by clearing	54
Table (13):	Frequency of number of root canals in triple rooted maxillary first and second premolars as identified by clearing	54
Table (14):	Frequency of root morphology in 300 maxillary first premolars as identified by clearing	56
Table (15):	Frequency of root morphology in 300 maxillary second premolars as identified by clearing	57
Table (16):	Frequency of number of roots and root canals in upper first premolars in both methods	59
Table (17):	Frequency of number of roots and root canals in maxillary second premolars in both methods	60
Table (18):	Frequency of root canal types in 300 maxillary first premolars in both methods	62
Table (19):	Frequency of root canal types in 300 maxillary second premolars in both methods	63
Table (20):	Frequency of root curvature in both maxillary premolars identified by CBCT	66
Table (21):	Frequency of direction of root curvature in maxillary first premolars as identified by CBCT.	67
Table (22):	Frequency of direction of root curvature in <b>maxillary</b> second premolars as identified by CBCT.	68
Table (23):	Angle of root curvature in maxillary first and second premolars as identified by CBCT	70

Table (24):	Frequency of S curvature in maxillary first and second premolars as identified by CBCT	71
Table (25):	Fraguency of anical deltas transverse anastomosis	72

Table (25): Frequency of apical deltas, transverse anastomosis 73 and lateral canals in maxillary first and second premolars

## **List of Figures**

Figure	Title	Page
Figure (1):	The teeth positioned in round wax plate	28
Figure (2):	The wax plate is positioned on platform of tomography apparatus of Next Generation i-CAT scanner	29
Figure (3):	Invivo Dental software showing axial, coronal and sagittal views of CBCT to determine number and type of canals	30
Figure (4):	CBCT image showing 3 canals premolar detected from axial view	30
Figure (5):	Vertucci's classification	31
Figure (6):	Diagram show how angle of curvature was measured by Schneider technique.	33
Figure (7):	CBCT images showing how to measure angle of root curvature in bucco-palatal direction in maxillary first premolar by Schneider technique.	33
Figure (8):	A) Teeth numbered in glass tubes B) Glass tube showing tooth number	34
Figure (9):	Tooth after clearing technique showing its root canal morphology	35
Figure (10):	Digital microscope with a built in camera	36
Figure (11):	Bar chart representing number of roots in maxillary first and second premolars	39
Figure (12):	CBCT showing maxillary second premolar with single root (sagittal view)	40