شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



شبكة المعلومات الجامعية



شبكة المعلومـــات الجامعية

التوثيق الالكتروني والميكروفيلم

شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأفلام قد اعدت دون آية تغيرات

يجب أن

تحفظ هذه الأفلام بعيداً عن الغبار

في درجة حرارة من 15 – 20 مئوية ورطوبة نسبية من 20-40 %

To be kept away from dust in dry cool place of
15 – 25c and relative humidity 20-40 %

بعض الوثائق الأصلية تالفة



بالرسالة صفحات

لم ترد بالأصـــل

STUDIES ON THE NATURAL ENEMIES OF THE MAIN HOMOPTEROUS INSECTS INFESTING SQUASH PLANTS AT KAFR EL-SHEIKH

By

Samir Al-Sayed Al-Sayed Kassem

B.Sc. Agric. Sci. (Economic Entomology), Tanta University, 1990
M.Sc. Agric. Sci. (Economic Entomology), Tanta University, 1996

Thesis

Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy In Agriculture Sciences (Economic Entomology)

Department of Economic Entomology
Faculty of Agriculture
Kafr El-Sheikh
Tanta University

2002

Approval Sheet

Title of Thesis : Studies on the natural enemies of the main homopterous insects infesting squash plants at Kafr El-Sheikh

Name of Student: Samir Al-Sayed Al-Sayed Kassem

Approved by:

Prof. Dr. F. M. El. Agamy .....

Prof. Dr. A. El Khodi .....

Prof. Dr. Abd. El-karem .....

Prof. Dr. S. M. Metwally .....

(Committee in Charge)

Date: 10/ 3 /2002

Acknowledgement

The author wishes sincerely to thank Prof. Dr. Shawky M.I. Metwally, Dean of Fac. Agric., Kafr El-Sheikh, Tanta Univ., for his help and advice during this study. Sincere thanks are due to Prof. Dr. Ahmed S.E. El-Khodary, Head of Econ. Entomol. Dept., Fac. Agric., Kafr El-Sheikh, Tanta Univ. for offering valuable facilities, continuous guidance and supervision.

Gratefulness are due to Dr. Fouad M.A. El-Agamy Prof. Econ. Entomol. Vice Dean Fac. Agric. Tanta Univ. for society service affairs and environmental development, for suggesting the problem continuous encouragement, and revising the manuscript. The author extremely grateful and indebted to Dr. Ibraheim A. Khodier, Associate Prof. Econ. Entomol. at the same Fac. for sincere help, continuos follow up, and constructive criticism.

It gives me a great pleasure to express my deep appreciation to Prof. Dr. Mahmoud A. Samy, Head of Res., Vegetable Pests Division, Plant Protection Res. Inst., Dokki, Giza for keen supervision and sincere advices throughout the field work, and in preparing the manuscript.

Deep thanks are due to Prof. Dr. Mahmoud R. Sherif, Head of Res., Head of Entomol., Dept., Rice Res. and Training Center for sincere help in preparing the manuscript.

The author thanks also all staff members of Econ. Entomol. Dept., same faculty for their kind help during the course of study.

CONTENTS

Page

INTRODUCTION 1

REVIEW OF LITERATURE 3

1. Survey of homopterous insects attacking cucurbits 3
2. Occurrence of homopterous insects on cucurbit plantations in Egypt 5
3. Sampling techniques in relation to captured homopterous species 7
4. Survey of insect predators associated with homopterous insects attacking cucurbits 11
5. Sampling techniques in relation to captured predatory insects 13
6. Ecological studies on *Bemisia tabaci* (Genn.) parasitoids 15
   - 6.1. Survey the parasitoids of *B. tabaci* 15
   - 6.2. Population fluctuation and bionomics of the parasitoids of *B. tabaci* 17
7. Biology of the coccinellid predator, *Coccinella undecimpunctata* L. 21
8. Role of *C. undecimpunctata* in controlling *Aphis gossypii* 24
9. Biology of the chrysopid, *Chrysoperla carnea* 27
10. Role of *Chrysoperla carnea* in controlling *Myzus persicae* 30

MATERIALS AND METHODS 35

1. Estimation of relative abundance of homopterous insects and their associated predators occurring in squash plantations 35
   - 1.1. Direct counting 35
   - 1.2. Yellow sticky board trap 36
   - 1.3. Pit-fall trap 37
   - 1.4. Sweep net 37
2. Survey and population estimation of *B. tabaci* parasitoids 37
3. Biological studies of the coccinellid, *C. undecimpunctata* 38

3.1. Feeding capacity 39
3.2. Biological aspects 39
4. Release of the coccinellid, *C. undecimpunctata*, under greenhouse conditions, to reduce *A. gossypii* population 39
5. Biological studies of the chrysopid, *C. carnea* 40
5.1. Feeding capacity 40
5.2. Biological aspects 41
6. Release of chrysopid *C. carnea*, under greenhouse conditions to reduce *Myzus persicae* population 41
RESULTS AND DISCUSSION 43
1. Relative abundance of homopterous insects dominant on squash plants and their associated predators 43
1.1. Direct counting 43
1.1.1. Homopterous insects 43
1.1.2. Predatory insects 45
1.2. Yellow sticky trap 48
1.2.1. Homopterous insects 48
1.2.2. Predatory insects 51
1.3. Pit-fall traps 54
1.3.1. Homopterous insects 54
1.3.2. Predatory insects 57
1.4. Sweep-net 60
1.4.1. Homopterous insects 60
1.4.2. Predatory insects 63
2. Percentages of encountered insect species as influenced by sampling technique 65
2.1. Homopterous insects 65
2.2. Predatory insects 69

3. Percentages of encountered insect species as influenced by squash plantation 73
3.1. Homopterous insects 73
3.2. Predatory insects 76
4. Parasitoids of *B. tabaci* attacking squash plantations 80
4.1. Survey 80
4.2. Population fluctuation 80
5. Biology and predation efficiency of *C. undecimpunctata* 96
6. Release of the coccinellid, *C. undecimpunctata*, under greenhouse conditions to reduce *Aphis gossypii* population 99
7. Biological studies of the chrysopid, *C. carnea* 103
8. Release of the chrysopid, *C. carnea*, under greenhouse conditions to reduce *Myzus persicae* population 105
SUMMARY 109
REFERENCES 116
ARABIC SUMMARY