Contents

Subjects	Page	
List of abbreviations	II	
List of Figures	III	
List of Tables	IV	
• Introduction	1	
Aim of the work	4	
• Developmental Anatomy of the Biliary System	5	
• Anatomy of the Intrahepatic and Extrahepatic		
Biliary Tract	16	
Pathophysilogy of CBD Stones	35	
Clinical Manifestations	65	
Diagnostic Investigation	85	
• Management	.109	
Summary and Conclusion		
• References		
Arabic Summary		

List of Abbreviations

F)	
Abbrev.	Meaning
ALP	Alkaline phosphatase
ALT	alanine aminotransferase
APACHE	Acute Physiology and Chronic Health Evaluation
score	score
ASA	American Society of Anesthesiology
AST	Aspartate transaminase
CA	Cystic artery
CBD	Common bile duct
CCK	Cholecystokinin
CD	Cystic duct
CDD	Cholecystoduodenostomy
CDJ	cholecystojejunostomy
CHD	Common Hepatic Duct
CO	Carbon monoxide
CT scan	Computed tomography
EHL	Electrohydraulic lithotripter
ERCP	Endoscopic retrograde cholangiopancreatography
ES	Endoscopic Sphincetrotomy
EUS	Endoscopic Ultrasound
GB	Gall Bladder
GGT	Gamma glutamyl transpeptidase
IBAT	Ileal bile acid transporter
EIL .	Interleukin factor
IOC	Intraoperative cholangiography
FIOFC	Intraoperative fluorocholangiography

List of Abbreviations

* * * * * * * * * * * * * * * * * * *	
IVC	Intravenous cholangiography
:LC	Laparoscopic Cholycystectomy
LCBDE	Laparoscopic common bile duct exploration
LTCBDE	Laparoscopic Transcystic common bile
<u> </u>	duct exploration
LC+ 10-	Laparoscopic Cholycystectomy + Intra-operative
ERCP	Endoscopic retrograde cholangiopancreatography
LUS	Laparoscopic ultrasound
:MMC	migrating myoelectric complex
MRCP	magnetic resonance cholangiopancreatography
MRI	magnetic resonance imaging
NAFLD	non alcoholic fatty liver disease
OR	Operative Room
PTC	Percutaneous trans-hepatic cholangiography
PTCSL	Percutaneous transhepatic choledochoscopic
	lithotomy
SGOT	serum glutamic oxalo-acetic transaminase
SGPT	serum glutamic pyruvic trans aminase
SOFA	Sequential Organ Failure Assesment score
score	
The GB-	The Gall Bladder - Inferior Vena Cava Line
IVCIine	
TNF	Tumor necrosis factor
US	Ultrasonography
5 NT	5-neucleotide

<u>No.</u>	<u>Figure</u>	Page
1	Development of the liver, gallbladder, bile ducts, and pancreas.	6
<u>2</u>	Types of cystohepatic junction.	8
<u>3</u>	Atresias of biliary tract.	9
<u>4</u>	Five general forms of choledochal cyst found by cholangiography.	11
<u>5</u>	Variations of common bile duct.	12
<u>6</u>	Duplications of common bile duct.	12
<u>7</u>	Sketch showing the main variation of the cystic artery.	15
<u>8</u>	A, Biliary drainage of the two functional hemilivers.B. The inferior aspect of the liver.	17
<u>9</u>	Variations of the hepatic ducts.	20
10	Types of cystohepatic junction.	21
11	Variations of cystic duct and hepatic ducts.	21
12	Deformities of the gallbladder.	24
13	The extrahepatic biliary tract and the four portions of the common bile duct.	26
<u>14</u>	The hepatocystic triangle and the triangle of Calot.	28
<u>15</u>	Variations in the arterial supply to the gallbladder.	30
<u>16</u>	A. Hepatic and cystic vessels. The liver is reflected superiorly.	
	B. Aberrant (accessory or replaced) right hepatic artery.C. Aberrant left hepatic artery	32

<u>No.</u>	<u>Figure</u>	Page
<u>17</u>	Venous drainage of the biliary tract.	33
<u>18</u>	Lymphatic drainage of the biliary tract.	34
<u>19</u>	Enterohepatic circulation.	46
20	Cholesterol stones.	53
21	Pigment stones.	55
22	Types of gallstones.	59
<u>23</u>	Endoscopic ultrasound demonstrating common bile duct stone.	93
<u>24</u>	Schematic diagram of percutaneous transhepatic cholangiogram and drainage for obstructing proximal cholangiocarcinoma.	96
<u>25</u>	Computed tomography scan of the upper abdomen from a patient with cancer of the distal common bile duct.	100
<u>26</u>	A) Frontal view of volume-rendered 3D CT image of liver,(B) Detailed oblique posterior volume-rendered view clearly demonstrates three patent anastomoses	101
<u>27</u>	CT scan demonstrating dilated cystic and common bile duct. Gallstone is seen in common bile duct.	102
<u>28</u>	Magnetic resonance cholangiopancreatography image documenting presence of stone in distal common bile duct. An endoscopic retrograde cholangiopancreatography later verified that finding, and the patient underwent a successful sphincterotomy.	103
<u>29</u>	Schematic picture showing side view ERCP.	107
30	An endoscopic cholangiography showing stones in the common bile duct. The catheter has been placed in the ampulla of Vater (arrow).	108

<u>No.</u>	<u>Figure</u>	Page
<u>31</u>	Algorithm of management of CBD stones in a good risk patient.	111
<u>32</u>	Operating room setup.	123
<u>33</u>	Laparoscopic ports are placed in a standard fashion for laparoscopic cholecystectomy.	124
<u>34</u>	Intraoperative cholangiography is performed with a silicon catheter introduced with a fenestrated forceps.	126
<u>35</u>	Irrigation techniques for common bile duct stones less than 3 to 4 mm in diameter, an attempt should be made to mechanically flush the stones from the duct.	129
<u>36</u>	A stone retrieval basket may be inserted through the cholangiogram catheter into the common bile duct. The basket is then opened under fluoroscopic guidance past the stone duct.	132
<u>37</u>	The transcystic choledochoscope pass in sheath approximately 12 Fr in diameter is placed over the wire through the abdominal wall duct.	133
<u>38</u>	A. A choledochoscope in the common bile duct with the basket open and a stone lined up be entrapped. B. The basket, closed around the stone, has been pulled back against the choledochoscope.	134
<u>39</u>	A very wide dilatation of CBD. Indication for laparoscopic choledochotomy.	137
<u>40</u>	Spontaneous stone discharge presenting at choledochotomy site.	138
<u>41</u>	Stone removed by dragging the ballon blindly.	139
<u>42</u>	Laparoscopic choledochal exploration. Choledochotomy and stone removal.	141
<u>43</u>	T-tube and choledochotomy suturing.	142

No.	<u>Figure</u>	Page
<u>44</u>	Internal biliary drainage using an endoprosthesis.	144
<u>45</u>	Rigid nephroscope and biprong forceps.	145
<u>46</u>	Rigid nephroscope being negotiated into the CBD under laparoscopic vision.	146
<u>47</u>	Pneumatic lithotripter probe and handpiece.	146
<u>48</u>	Pneumatic lithotripter probe fragmenting CBD calculus.	147

List of Tables

<u>No.</u>	<u>Table</u>	Page
1	Shows the frequency with which specific arteries are found anterior to segments of the biliary tree.	13
<u> 2</u>	Origin of the Cystic Artery.	31
<u>3</u>	Composition of bile.	38
<u>4</u>	The action of hormones and peptides on the human biliary tract.	48
<u>5</u>	Ranson's criteria.	79
<u>6</u>	Computer Tomography Severity Index.	80
<u>7</u>	Treatment of choledocholithiasis.	112
<u>8</u>	Techniques for treatment of choledocholithiasis.	113
<u>9</u>	Effective and important factors in CBD stones approach.	117
<u>10</u>	Therapeutic indications (Biliary) for ERCP.	161
11	Consensus definitions for the major complications of ERCP Any intensive care unit admission after a procedure grades the complication as severe.	163
<u>12</u>	Complications in patients with exploration of the common bile duct open technique.	174



Introduction





Aim of the Work





Developmental Anatomy of the Biliary System





Anatomy of the Intrahepatic and Extrahepatic Biliary Tract





Pathophysiology of CBD Stones





Clinical Manifestations of CBD Stones





Diagnostic Investigation

