



A Comparative Chemical Study Of The Bioactive Secondary Metabolites Isolated from Red Sea Organisms And The Associated Fungi

A Thesis Submitted to

Faculty of Pharmacy – Ain Shams University

In Partial Fulfillment of the Requirements
for the PhD Degree in Pharmaceutical Sciences

(Pharmacognosy)

Ву

Ahmed Mohamed Essam El-Din

Assistant lecturer of Pharmacognosy
Faculty of Pharmacy, Ain Shams University
B.Pharm.Sci (2006)

M.Pharm. Sci (2012)

Faculty of Pharmacy-Ain Shams University
Abbassia, Cairo, A.R.E.

2017





Under the Supervision of

Prof. Dr./ Abdel-Nasser B. Singab

Professor of Pharmacognosy

Vice president of Ain Shams University for Postgraduate studies

Assoc. Prof. Dr./ Mohamed L. Ashour

Associate Professor of Pharmacognosy
Faculty of Pharmacy- Ain Shams University

Assoc. Prof. Dr./ Sherif S. Ebada

Associate Professor of Pharmacognosy

Faculty of Pharmacy- Ain Shams University

First of all, I would like to extend due praise and thanks to **ALLAH**, the source of all knowledge, for granting me the chance and the ability to successfully accomplish this study.

I would like to express my greatest gratitude and heartfelt appreciation to *Prof. Dr. Abdel Nasser B. Singab*, Prof. of Pharmacognosy, Vice president of Ain Shams University for Postgraduate Affairs, for his continuous guidance, valuable advice, patience and his comprehensive support, I would like to thank him for his due care to provide the necessary research facilities and his support to young researchers. I am indebted to him with every single word in this thesis as I am lucky to be his student. Thanks for setting an example to what a dedicated professor, scientist and advisor should be.

I would like to express my sincere and deep thanks to the members of the advisory committee *Assoc. Prof. Mohamed L. Ashour & Assoc. Prof. Sherief S. Ebada* department of Pharmacognosy, Faculty of Pharmacy, Ain Shams University, for their continuous supervision throughout all the phases of this study, advice, patience, guidance, valuable comments and their due care to transfer their experience. Their friendly attitude always breaks the barriers, allowing the work to be accomplished interestingly in a healthy environment.

My special thanks to *Assoc. Prof. Mona F. El-Neketi*, department of Pharmacognosy, Faculty of Pharmacy, Mansoura University & *Assoc. Prof. Weaam Ebrahim* department of Pharmacognosy, Faculty of Pharmacy, Mansoura University, Institut für Pharmazeutische Biologie und Biotechnologie, Heinrich-Heine Universität, for performing the isolation, purification and identification procedures for the fungus Eurotiomycetes sp. strain AV-221.

I would like to express my appreciation to *Assoc. Prof. Ahmed El-Khatib*, Department of Analytical Chemistry, Faculty of Pharmacy, Ain Shams University and Department of Chemistry Universität zu Berlin, for performing the necessary high resolution MS analyses.

My sincere appreciation to my colleague *Dr. Ahmed S. Abuzied*, Department of Microbiology, Faculty of Pharmacy, Ain Shams University, for performing the cytotoxicity assays.

My deep thanks and appreciation to my friend and colleague *Dr. Mohamed S. El-Naggar*, Department of Pharmacognosy, Ain Shams University, for participation in the procedures of culturing of the fungus *Arthrinium sp.* during his joint program at the Institut für Pharmazeutische Biologie und Biotechnologie, Heinrich-Heine Universität.

I would like to thank the Egyptian Science and Technology Development Funds (STDF) for its financial support through grant No. 5251 entitled "Center for Drug Discovery and Development Research" for providing the necessary fund and facilities to complete this work

I am grateful to all staff members of Department of Pharmacognosy, Faculty of Pharmacy, Ain Shams University, namely Assoc. Prof. Omayma El-Dahshan (Acting head of the Department), Assoc. Prof. Sherwit El-Ahmady, Assoc. Prof. Rola Milad, Assoc. Prof. Mohamed El-Shazly, Assoc. Prof. Eman Kamal and Assoc. Prof. Haidy Gad, Dr. Fadia, Dr. Iriny and Dr. Nada for their continuous help and encouragement. My thanks to the teaching assistants and my colleagues in the department of Pharmacognosy, Ain Shams University namely, Doaa, Naglaa, Mariam, Nouran,

Acknowledgements

Esraa, Heba, Amany, Aya, Maram, Salma, Martina and Youssra, for their continuous help and encouragement.

Finally I would like to thank my dearest great parents whom I really love and respect, I am proud to be their son, my sisters Hayam and Enam for their continuous care, love, support and believing in me always; thank you very much really I love you so much.

Ahmed M. Essam

2017

Table of contents

TABLE OF CONTENTS

Content	page
List of figures	i
List of tables	V
List of abbreviations	vii
1.Introduction	1
1.1.Significance of Natural products in drug discovery	1
1.2.Marine natural products	3
1.3.Fungal metabolites	3
1.3.1.Endosymbiotic fungi	5
2.Aim of work	7
3.Review of litrature	8
3.1.Genus Arthrinium	8
3.1.1.Secondary metabolites isolated from different isolates of <i>Arthrinium sp</i> .	8
3.2.Genus Sarcotragus	16
3.2.1.Secondary metabolites isolated from the marine sponge <i>Sarcotragus sp</i> .	16
3.3. Genus Avicennia	26
3.3.1.Secondary metabolites isolated from <i>Avicennia sp.</i> .	26
4.Material and methods	38
4.1.Materials	38
4.1.1.Equipments	38
4.1.2.Chemicals	40
4.1.3.Biological material	41
4.2.Methods	42
4.2.1.Isolation of the fungal endosymbionts from the host organism	42
4.2.2.Cultivation of the pure fungal strains	43
4.2.3.Identification of the fungal strains	44
4.2.4.Isolation of secondary metabolites	47
4.2.5.Structure elucidation of the isolated compounds	54
4.2.6.Methods for cytotoxic evaluation using MTT assay	55
5.Results	
Chapter 1: Chemical investigation of the endosymbiotic fungus <i>Arthrinium sp</i> .	57
Chapter 2: Chemical investigation of the endosymbiotic fungus Eurotiomycetes	126
sp.strain AV-221	
Chapter 3: Cytotoxic Evaluation of the isolated compounds from the endosymbiotic	173
fungi Arthrinium sp. and Eurotiomycetes sp. strain AV-221	
5.1.Introduction	173
5.2.Cytotoxic evaluation of different compounds isolated from the endosymbiotic	176
fungus Arthrinium sp.	
5.3.Cytotoxic evaluation of different compounds isolated from the endosymbiotic	180
fungus Eurotiomycetes sp. strain AV-221	
6.Disscussion	184
6.1.Dereplication techniques	184
6.2.Metabolic pathways	186
6.2.1. Metabolic pathways in the host organisms	186
6.2.2. Metabolic pathways in the isolated fungi	187
6.3.Biological investigation	189

Table of contents

6.4. Variation of metabolites among different strains of the same fungus	190
English summary	191
References	193
Publications	214
Arabic summary	

No.	Figure	Page
1.	Examples of naturally derived lead drug products	2
2.	Examples of synthetic products based on natural lead compounds	2
3.	Examples of fungal derived metabolites in the market	5
4.	Examples of marine-derived fungal products with potential bioactivity	6
5.	Scheme for secondary metabolites isolation from <i>Arthrinium sp</i> .	52
6.	Scheme for secondary metabolites isolation from Eurotiomycetes sp.	54
7.	Isolated compounds from <i>Arthrinium sp</i> .	57
8.	NMR spectra of compound 1	61
0.	a. H NMR spectrum of compound 1	61
	b.APT spectrum of compound 1	61
	c. COSY correlations compound 1	62
	d. HMBC correlations compound 1	62
9.	NMR spectra of compound 2	65
7.	a. ¹ H NMR spectrum of compound 2	65
	•	65
	b. APT spectrum of compound 2	66
10	c. HMBC correlations of compound 2	
10.	ROESY correlations of compounds 1 and 2	66
11.	NMR spectra of compound 3	69
	a. ¹ H NMR spectrum of compound 3	69 5 0
	b. HSQC correlations of compound 3	70
10	c. HMBC correlations of compound 3	70
12.	NMR spectra of compound 4	108
	a. H NMR spectrum of compound 4	108
	b.APT NMR spectrum of compound 4	108
4.0	c.COSY correlations of compound 4	108
13.	¹ H NMR spectrum of compound 5	109
14.	NMR spectra of compound 6	109
	a. H NMR spectrum of compound 6	109
	b.APT spectrum of compound 6	110
	c.COSY correlations of compound 6	110
	d.HMBC correlations of compound 6	110
15.	NMR spectra of compound 7	111
	a. H NMR spectrum of compound 7	111
	b.COSY correlations of compound 7	111
	c.HSQC correlations of compound 7	111
16.	NMR spectra of compound 8	112
	a. H NMR spectrum of compound 8	112
	b.COSY correlations of compound 8	112
	c.HSQC correlations of compound 8	112
17.	¹ H NMR spectrum of compound 9	113
18.	¹ H NMR spectrum of compound 10	113
19.	¹ H NMR spectrum of compound 11	114
20.	NMR spectra of compound 12	114
	a. H NMR spectrum of compound 12	114
	b.COSY correlations of compound 12	115
	c.HMBC correlations of compound 12	115
21.	NMR spectra of compound 13	115
	a. H NMR spectrum of compound 13	115
	b. APT spectrum of compound 13	116
22.	NMR spectra of compound 14	116
	a. H NMR spectrum of compound 14	116
	b.APT spectrum of compound 14	116

	c.COSY correlations of compound 14	117
	d.HMBC correlations of compound 14	117
23.	¹ H NMR spectrum of compound 15	117
24.	¹ H NMR spectrum of compound 16	118
25.	NMR spectra of compound 17	118
	a. H NMR spectrum of compound 17	118
	b.HSQC correlations of compound 17	119
	c.COSY correlations of compound 17	119
26.	NMR spectra of compound 18	120
	a. H NMR spectrum of compound 18	120
	b.APT spectrum of compound 18	120
	c.HSQC correlations of compound 18	121
	d.COSY correlations of compound 18	121
	e.HMBC correlations of compound 18	121
27.	NMR spectra of compound 19	122
	a. ¹ H NMR spectrum of compound 19	122
	b.APT spectrum of compound 19	122
	c.HSQC correlations of compound 19	123
	d.HMBC correlations of compound 19	123
28.	¹ H NMR spectrum of compound 20	124
29.	NMR spectrum of compound 21 and 22	124
	a. ¹ H NMR spectrum of compound 21 and 22	124
	b. HSQC spectrum of compound 21 and 22	125
	c. HMBC spectrum of compound 21 and 22	125
	d. COSY spectrum of compound 21 and 22	125
30.	Isolated compounds from <i>Eurotiomycetes sp.</i> strain AV-221	126
31.	NMR spectra of compound 29	139
51.	a. ¹ H NMR spectrum of compound 29	139
	b. APT spectrum of compound 29	139
	c. COSY correlations of compound 29	140
	d. HMBC correlations of compound 29	140
32.	NMR spectra of compound 23	158
32.	a. ¹ H NMR spectrum of compound 23	158
	b. H NMR spectrum of compound 23	158
	c.COSY correlations of compound 23	158
	d.HMBC correlations of compound 23	158
33.	NMR spectra of compound 24	159
55.	a. ¹ H NMR spectrum of compound 24	159
	b.APT spectrum of compound 24	159
	c.COSY correlations of compound 24	160
	d.HMBC correlations of compound 24	160
34.	NMR spectra of compound 25	160
5	a. ¹ H NMR spectrum of compound 25	160
	b.APT of compound 25	161
	c.COSY correlations of compound 25	161
	d.HMBC correlations of compound 25	161
35.	NMR spectra of compound 26	162
55.	a. ¹ H NMR spectrum of compound 26	162
	b.APT spectrum of compound 26	162
	c.HMBC correlations of compound 26	163
36.	¹ H NMR spectrum of compound 27	163
37.	¹ H NMR spectrum of compound 28	163
38.	NMR spectrum of compound 20	164
50.	a. H NMR spectrum of compound 30	164
	b.APT spectrum of compound 30	164
	5.7 if appearant of compound 50	107

	c.COSY correlations of compound 30	164
	d.HMBC correlations of compound 30	165
39.	NMR spectra of compound 31	165
	a. ¹ H NMR spectrum of compound 31	165
	b.APT spectrum of compound 31	165
	c.COSY correlations of compound 31	166
	d.HMBC correlations of compound 31	166
40.	NMR spectra of compound 32	166
	a. ¹ H NMR spectrum of compound 32	166
	b.APT spectrum of compound 32	167
	c.COSY correlations of compound 32	167
	d.HMBC correlations of compound 32	167
41.	¹ H NMR spectrum of compound 33	168
42.	NMR spectra of compound 34	168
	a. H NMR spectrum of compound 34	168
	b.APT NMR spectrum of compound 34	168
	c.COSY correlations of compound 34	169
	d.HMBC correlations of compound 34	169
43.	NMR spectra of compound 35	169
	a. H NMR spectrum of compound 35	169
	b.APT NMR spectrum of compound 35	170
	c.COSY correlations of compound 35	170
	d.HMBC correlations of compound 35	170
44.	¹ H NMR spectrum of compound 36	171
45.	NMR spectra of compound 37	171
	a. H NMR spectrum of compound 37	171
	b.APT spectrum of compound 37	171
46.	NMR spectra of compound 38	172
	a. ¹ H NMR spectrum of compound 38	172
47	b.APT spectrum of compound 38	172
47.	Cytotoxic evaluation of compound 1 against Caco2-cell lines	177
48.	Cytotoxic evaluation of compound 2 against Caco2-cell lines	177
49.	Cytotoxic evaluation of compound 4 against Caco2-cell lines	177
50.	Cytotoxic evaluation of compound 6 against Caco2-cell lines	177
51.	Cytotoxic evaluation of compound 7 against Caco2-cell lines	178
52.	Cytotoxic evaluation of compound 8 against Caco2-cell lines	178
53. 54.	Cytotoxic evaluation of compound 9 against Caco2-cell lines	178
54. 55	Cytotoxic evaluation of compound 13 against Caco2-cell lines	178
56.	Comparative cytotoxic activity of compounds isolated from <i>Arthrinium sp</i> . Cytotoxic evaluation of compound 23 against Caco2-cell lines	179 181
50. 57.	Cytotoxic evaluation of compound 29 against Caco2-cell lines	181
57. 58.	Cytotoxic evaluation of compound 29 against Caco2-cell lines	181
59.	Cytotoxic evaluation of compound 30 against Caco2-cell lines	181
60.	Cytotoxic evaluation of compound 32 against Caco2-cell lines	182
61.	Cytotoxic evaluation of compound 32 against Caco2-cell lines	182
62.	Cytotoxic evaluation of compound 34 against Caco2-cell lines	182
63.	Cytotoxic evaluation of compound 34 against Caco2-cell lines	182
64.	Comparative cytotoxic activity of compounds isolated from <i>Eurotiomycetes sp.</i>	183
65.	a. Analytical HPLC/PDA run of fraction AV-6 rich in Griseofulvin	184
05.	b.Library comparison of peak 6 in the fraction showing hit for Griseofulvin	184
	c.Chromatogram of LC/MS run for fraction AV-6 in different ionization modes	185
	d.MS spectra of the selected peaks assumed to be Griseofulvin	185
66.	Proposed biosynthetic pathway of Virabilin	186
67	Proposed biosynthetic pathway of 2'cinnamovl mussaenoside	187

68. 69.	Proposed biosynthetic pathway of spiroarthrinols A and B Biosynthetic pathway of echinulin	188 189

List of Tables

List of Tables

No.	Table	Page
1.	Examples of marine derived molecules in the market or in clinical trials.	4
2.	Terpenoids isolated from <i>Arthrinium sp.</i>	10
3.	Alkaloids isolated from <i>Arthrinium sp</i> .	13
4.	peptides, polyketides and fatty acids isolated from Arthrinium sp.	17
5.	Sesterterpens isolated from <i>Sarcotragus sp.</i>	20
6.	C-21 furanoterpenes isolated from <i>Sarcotragus sp.</i>	22
7.	Sesterterpene lactams isolated from Sarcotragus sp.	23
8.	diterpenes, triterpenes, macrolides and alkaloids isolated from Sacrotragus sp.	24
9.	Cyclitols and glycerolipids isolated from Sacrotragus sp	25
10.	Chromens and hydroquinones isolated from Sarcotragus sp.	26
11.	Iridoid glycosides isolated from Avicennia sp.	28
12.	Naphthalene derivatives isolated from <i>Avicennia sp</i> .	31
13.	Diterpenoids derivatives isolated from Avicennia sp.	33
14.	Phenylpropanoids isolated from Avicennia sp.	35
15.	VLC report of <i>Arthrinium sp</i> .	49
16.	VLC report of Eurotiomycetes sp. AV-221.	53
17.	¹ H and APT data for spiroarthrinol A (1) and B (2)	60
18.	¹ H and ¹³ C data for spiroarthrinol C (3)	69
19.	NMR data comparison between compounds 4 and 5.	74
20.	¹ H and APT data for compound 6	77
21.	¹ H and HSQC NMR data comparison between compounds 7 and emodin	78
22.	¹ H and HSQC NMR data comparison between compounds 8 and chrysophanol	81
23.	¹ H NMR data comparison between compounds 9 and endocrocin	82
24.	¹ H NMR data comparison between compounds 10 and 11 and norlichexanthone	84
25.	¹ H and APT data for compound 12	88
26.	¹ H and APT data for compound 13	90
27.	¹ H and APT data for compound 14	92
28.	¹ H NMR data comparison between compounds 15 and 3-NPA	93
29.	¹ H NMR data comparison between compounds 16 and veratric acid	95
30.	¹ H and HSQC NMR data of compound 17	98
31.	¹ H NMR and APT data of compound 18	100
32.	H NMR and APT data comparison between compounds 19 and dankasterone A	103
33.	H NMR data for compound 20	105
34.	¹ H NMR data for compound 21 and 22	106
35.	NMR data of compound 23	129
36.	NMR data of compound 24	131
37.	NMR of compounds 25, 26 and 27.	135
38.	NMR data of compound 28.	136
39.	NMR data of compounds 29 and 30.	142
40.	NMR data of compounds 31 and 32.	146
	•	
41.	NMR data of compounds 33 and 34.	149
42.	NMR data of compounds 35 and 36.	153
43.	NMR data of compounds 37 and 38	156
44.	Examples of cytotoxic compounds isolated from marine habitats	174
45.	IC ₅₀ values (μg/ml) of isolated compounds	175

List of Tables

46.	. Cytotoxic activity of the isolated compounds from <i>Arthrinium sp</i> .	176
47.	Cytotoxic activity of the isolated compounds from Eurotiomycetes sp. strain	180
	AV-221	

List of Abbreviations

APT Attached proton test

br broad signal

Conc. concentration

CC Column Chromatography

CDCl₃ deuterated chloroform

CD₃OD deuterated methanol

CHCl₃ chloroform

CH₂Cl₂ dichloromethane

COSY Correlation Spectroscopy

d doublet

DCM dichloromethane

dd doublet of doublet

DMSO dimethyl sulfoxide

DNA deoxyribonucleic acid

eq. equatorial

ESI Electro-Spray Ionization

et al. et altera (and others)

EtOAc ethyl acetate

eV electronvolt

g gram

HMBC Heteronuclear Multiple Bond Connectivity

HPLC High Pressure Liquid Chromatography

hr hour

HRESIMS High Resolution Electrospray Ionization Mass Spectrometry

HR-MS High Resolution Mass Spectrometry

HSQC Heteronuclear Single Quantum Coherence

Hz herz

List of Abbreviations

IC₅₀ half maximal inhibitory concentration

ITS Internal Transcriber Spacers

L liter

LC Liquid Chromatography

LC-MS Liquid Chromatography-Mass Spectrometry

m multiplet

M molar

MeOH methanol

mg milligram

MHz mega Herz

min minute

mL milliliter

mm millimeter

MS Mass Spectrometry

MTT Dimethylthaizolyl-diphenyl tetrazolium bromide assay,

Microculture Tetrazolium assay

m/z mass per charge

μ**g** microgram

μL microliter

μM micromolar

n- normal-

nm nanometer

NMR Nuclear Magnetic Resonance

NOESY Nuclear Overhauser and Exchange Spectroscopy

PCR Polymerase Chain Reaction

ppm parts per million

q quartet

R rectus (right)

RP-18 reversed phase C 18

ROESY Rotating frame Overhauser Enhancement Spectroscopy