Immunohistochemical Expression of OCT4 and N-cadherin In Common Salivary Gland Tumors

Thesis Submitted to Faculty of Dentistry

Ain Shams University

In partial fulfillment of the requirements for

Master's Degree in Oral Pathology

By

Najah Mohammed Abraheem Aghweelah

Demonstrator in Faculty of Dentistry

Almergep University

BDS

Almergep University
2006

Faculty of Dentistry
Ain Shams University

SUPERVISORS

Prof. Iman Mohamed Helmy

Professor of Oral Pathology
Faculty of Dentistry
Ain Shams University

Dr. Seham Ahmed Abdel-Ghani

Lecturer of Oral Pathology
Faculty of Dentistry
Ain Shams University

بسرالسرالسخرالت

هَالُوا سُبْحَانَكَ لا عِلْمَ لَذَا إِلَّا مَا عَلَّمْتَذَا إِنَّكَ الْعَلِيمُ الْدَكِيمِ الْمَاعِلَيمُ الْدَكِيمِ الْمَكِيمِ الْمَكْمِيمِ الْمُعَلِيمُ الْمَكِيمِ الْمَكِيمِ الْمُعْلَيْمُ الْمُكِيمِ الْمَكِيمِ الْمُعَلِيمُ الْمَكِيمِ الْمُعَلِيمُ الْمُعَلِيمُ الْمَكِيمِ اللَّهِ الْمُعَلِيمُ الْمُعْلِيمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلِيمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعِلْمُ الْمُعُلِيمُ الْمُعُلِيمُ الْمُعُلِمُ الْمُعُلِيمُ الْمُعُلِيمُ الْمُعُلِمُ الْمُعُلِمُ الْمُعُلِيمُ الْمُعُلِمُ الْمُعُلِيمُ الْمُعُلِيمُ الْمُ

والمعالعظيم

Dedication

This work is dedicated to

The spirit of my father and my exceptionally kind mother

My husband Ismail who being my inspiration to succeed and motivation to continue.

To my son, Ibrahim, the best of my life.

To my brothers and my sisters for their love and support.

Acknowledgment

First of all, all praise and thanks to ALLAH, WHO guided and enable me by this mercy to fulfill this work.

I would like to express my great respect and thanks to **Prof. Iman**Mohamed Helmy, Professor of Oral Pathology, Faculty of Dentistry, Ain

Shams University, for her patience and support in every single step in this work.

I would like to express my great respect and thanks also to **Dr. Seham Ahmed Abdel-Ghani,** Lecturer, Oral Pathology Department, Faculty of

Dentistry, Ain Shams University, for her sincere effort and kind guidance

to accomplish this work.

Special thanks to Fatma Seragel-Deen Abd-Allah, Assistant Lecturer, Oral Pathology Department, Faculty of Dentistry, Ain Shams University for her assistance in the image analysis of photos.

My thanks extend, also, to all the members of Oral Pathology Department, Faculty of Dentistry, Ain Shams University.

Table of Contents

List of Abbreviations	i
List of Figures	iv
List of Tables	viii
Introduction	1
Review of Literature	4
I. Salivary Gland Tumors	4
A. Classification of Salivary Gland Tumors	6
B. Management of Salivary Gland Tumors	8
C. Benign Salivary Gland Tumors	9
1. Pleomorphic Adenoma	9
2. Warthin's Tumor	11
D. Malignant Salivary Gland Tumors	12
1. Mucoepidermoid Carcinoma	13
2. Adenoid Cystic Carcinoma	16
II. Octamer-Binding Transcription Factor-4	17
A. Role of OCT4 throughout Embryogenesis	19
B. Interaction of OCT4 with Other Stem Cell Markers	20
C. Role of OCT4 in Tumorigenicity	20
D. Expression of OCT4 in Different Tumors	21
E. OCT4 Expression in Salivary Gland Tumors	22
III. Cadherins	23
A. Structure and Classification of Cadherins	23
B. Function of N-cadherin	24
C. Expression of N-cadherin in Different Tumors	25
D. Expression of N-cadherin in Salivary Gland Tumors	25
IV. Associations Between ESCs Protein (OCT4) and EMT R	
Marker (N-cadherin)	26

Aim of the Study	28
Material and Methods	29
I. Case Selection	29
II. Histopathological Examination	29
III.Immunohistochemical Staining	30
A. Reagents	30
B. Immunostaining Procedures	31
IV. Immunohistochemical Assessment	34
V. Statistical Analysis s	35
Results	37
I. Immunohistochemical Result	37
II. Statistical Results	50
Discussion	55
Conclusion	62
Recommendations	63
Summary	64
References	67
Arabic Summary	

List of Abbreviations

ABCG2: ATP-Binding Cassette Sub-family G Member 2

ACC: Acinic Cell Carcinoma

ADCC: Adenoid Cystic Carcinoma

AFIP: Armed Forces Institute of Pathology

AREG: Amphiregulin

BMI-1: Poly Comb Complex Protein

°C: Degree Celsius

Cat: Catalog

CA-x-PA: Carcinoma ex-Pleomorphic Adenoma

CD24: Cluster of Differentiation 24

CNS: Central Nervous System

CRTC1: CREB Regulated Transcriptional Co-Activator-1

CSCs: Cancer Stem Cells

DAB: Diaminobenzidine

DPX: Dibutylphthalate Polystyrene Xylene

EC: Embryonic Carcinoma

ECCs: Embryonic Carcinoma Cells

EGFR: Epidermal Growth Factor Receptor

EMT: Epithelial Mesenchymal Transition

ESCs: Embryonic Stem Cells

H&E: Hematoxylin and Eosin

HCAM: Homing Cell Adhesion Molecule

ICM: Inner Cell Mass

LG: Low-grade

LIF: Leukemia Inhibitory Factor

MAF: Mean Area Fraction

MAML2: Mammalian Master- Mind Like2

MaSG: Major Salivary Gland

MDR1: Multidrug Resistance Transporter 1

MEC: Mucoepidermoid Carcinoma

MECT1: Mucoepidermoid Carcinoma Translocated-1

MiSG: Minor Salivary Gland

MW: Molecular Weight

No: Number

NOS: not otherwise specified

NPC: Nasopharyngeal Carcinoma

OCT4: Octamer-binding Transcription Factor-4

PA: Pleomorphic Adenoma

PBS: Phosphate Buffered Saline

PCNA: Proliferating Cell Nuclear Antigen

PGCs: Primordial Germ Cells

PH: Power of Hydrogen

PLAG1: Pleomorphic Adenoma Gene-1

PNI: Perineural Invasion

POU: Pit-Oct-Unc

POU5F1: POU Domain, Class-5, Transcription Factor-1

RA: Retinoic Acid

RT: Radiotherapy

RT-PCR: Reverse Transcription Polymerase Chain Reaction

SOX2: Sex Determining Region Y

SD: Standard Deviation

t: Translocation

TNM: Tumor Size Lymph Node Metastasis

UV: Ultra Violet

WHO: World Health Organization

WT: Warthin's tumor

List of figures

Fig. 1: Schematic representativion of a salivary gland showing	
putative areas of origin for mucoepidermoid carcinomas and adenoid	
cystic carcinomas	14
Fig. 2: A plate showing the steps of the immunohistochemical	
evaluation	36
Fig. 3: A photomicrograph of PA showing positive cytoplasmic	
immunostaining for OCT4 in some neoplastic epithelial cells (red	
arrow) (original magnification 40X)	39
Fig. 4: A photomicrograph of WT showing cytoplasmic	
immunostaining for OCT4 in both basal (pink arrow) and apical rows	
(red arrow) of ductal epithelium and absence of immunoreaction in	
the lymphoid tissue (original magnification 40X)	39
Fig. 5: A higher magnification of the previous photomicrograph	
showing prominent cytoplasmic immunoreactivity for OCT4 in both	
basal and apical rows of ductal epithelial (red arrow) and negative	
immunoreactivity in the lymphoid tissue (yellow arrow)	
(original magnification 40X	10
Fig. 6: A photomicrograph of WT showing cytoplasmic	
immunostaining for OCT4 in both basal (pink arrow) and apical rows	
(red arrow) of ductal epithelium and absence of immunoreaction in	
the lymphoid tissue (original magnification 40X))	10
Fig. 7: A photomicrograph of MEC showing negative	
immunostaining for OCT4(original magnification 40X)	11

Fig. 8: A photomicrograph of ADCC showing negative
immunostaining for OCT4 (original magnification 40X) 41
Fig. 9: A photomicrograph of PA showing positive cytoplasmic and
nuclear immunoreaction for N-cadherin in tumor cells (original
magnification 20X). 42
Fig. 10: A higher magnification of previous photomicrograph
showing positive cytoplasmic and nuclear immunoreaction for N-
cadherin in tumor cells arranged in solid masses (green arrow) and
duct like structures(yellow arrow) (original magnification 40X) 42
Fig. 11: A photomicrograph of PA showing positive cytoplasmic
immunoreaction for N-cadherin in tumor cells arranged in solid
masses (red arrow) (original magnification 40X).
Fig. 12: A photomicrograph of PA showing positive cytoplasmic and
nuclear immunoreaction for N-cadherin in tumor cells arranged in
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification 40X).
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification 40X)
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification 40X)
nuclear immunoreaction for N-cadherin in tumor cells arranged in duct like structure (red arrow) and negative immunoreaction in mesenchymal like tissue (yellow arrow) (original magnification 40X)

negative immunoreactivity of the lymphoid tissue (green arrow)	
(original magnification 40X)	44
Fig.15: A photomicrograph of WT showing positive cytoplasmic	
immunoreactivity for N-cadherin in ductal epithelial cells (red arrow)	
and germinal center (yellow arrow) (original magnification 20X)	45
Fig.16: A higher magnification of previous photomicrograph showing	
cytoplasmic immunoreactivity for N-cadherin in both basal (red	
arrow) and apical rows (blue arrow) of ductal epithelial and positive	
immunoreactivity of centrocytes of the lymphoid tissue (yellow	
arrow) (original magnification 40X)	45
Fig.17: A photomicrograph of MEC showing positive cytoplasmic	
and nuclear immunoreactivity for N-cadherin in epidermoid cells	
(original magnification 20X)	46
Fig.18: A higher magnification of previous photomicrograph showing cytoplasmic and nuclear immunoreactivity for N-cadherin in epidermoid cells forming duct like structure (original magnification	
40X).	.46
Fig.19: A photomicrograph of MEC showing positive cytoplasmic	
immunoreactivity for N-cadherin in epidermoid cells (red arrow)	
while showing membranous immunoreactivity in mucous cells	
(yellow arrow) (original magnification 40X).	47
Fig.20: A photomicrograph of MEC showing mambranous	
immunoreactivity for N-cadherin in mucous cells (original	
magnification 40X)	47

Fig.21: A photomicrograph of ADCC (soild pattern) showing
positive immunoreactivity for N-cadherin in tumor cells (original
magnification 20X)
Fig. 22: A higher magnification of previous photomicrograph
showing cytoplasmic immunoreactivity for N-cadherin in tumor cells
(original magnification 40X)
Fig. 23: A photomicrograph of ADCC (tubular pattern) showing positive immunoreactivity for N-cadherin in tumor cells (original
magnification 40X)
Fig. 24: Box plot showing MAF and SD of OCT4 immunopositivity
in PA, WT, MEC and ADCC51
Fig. 25: Box plot showing MAF and SD of N-cadherin
immunopositivity in PA, WT, MEC and ADCC53
Fig. 26: Graph representing correlation between MAF of N-cadherin
and OCT454