

Study of Podocyturia as a marker of Lupus Nephritis Activity

Thesis

Submitted for Partial Fulfillment of the Master Degree in **Nephrology**

By

Fatma Elzahraa Elsayed AbdAlbadea

M.B., B.Ch

Under Supervision of

Prof. Dr. Abdel Bassit El Shaarawy Abdel Azeem

Professor of Internal Medicine and Nephrology Faculty of Medicine - Ain Shams University

Ass.Prof. Maha AbdElMoneim Behairy

Assistant Professor of Internal Medicine and Nephrology Faculty of Medicine - Ain Shams University

Dr. Somia Abd El Hamid Hassan Bawady

Lecturer of Clinical Pathology
Faculty of Medicine - Ain Shams University

Faculty of Medicine
Ain Shams University
2018



Thanks first and last to **ALLAH** for his guidance, support and care in every step in our lives.

I have the greatest pleasure to express my deepest gratitude to **Prof. Dr. Abdel Bassit El Shaarawy Abdel Azeem,** Professor of Internal Medicine and Nephrology, Faculty of Medicine, Ain Shams University for his unlimited help, encouragement, supervision, support and profuse knowledge so that this work have been accomplished.

I wish to express my appreciation to **Dr. Maha AbdElMoneim Behairy,** Assisstant professor of Internal Medicine and Nephrology, Faculty of Medicine, Ain Shams University, for her support and great assistance.

Also, I want to express my appreciation to **Dr. Somia Abd El Hamid Hassan Bawady,** Lecturer of Clinical Pathology, Faculty of Medicine, Ain Shams University, for her guidance, encouragement and great help.

Lastly, I wish to express my appreciation to my family, without their support and help this work would have not been fulfilled.



Fatma Elzahraa Elsayed AbdAlbadea



سورة البقرة الآية: ٣٢

Contents

Subjects	Page
List of abbreviations	
List of Figures	VI
List of Tables	IV
• Introduction	1
Aim of the Work	4
• Review of Literature	
♦ Chapter (1): Lupus Nephritis	5
♦ Chapter (2): Diagnosis of Lup	us Nephritis30
◆ Chapter (3): Podocyturia in Lumanagement of Lupus Nephrit	
Patients and Methods	93
• Results	110
• Discussion	149
Summary and Conclusion	159
• Recommendations	164
• References	165
Arabic Summary	

List of Abbreviations

Abbrev.	Meaning
Abs	Antibodies
ACE	Angiotensin Converting Enzyme
ACR	American college of Rheumatology
ADAMT S13	A disintegrin and metalloproteinase with a thrombospondin type 1 motif, member 13)
AGT	Angiotensinogen
AKI	Acute kidney injury
ALT	Alanine Aminotransferase
ANA	Antinuclear antibodies
ANOVA	Analysis of variance
anti-C1q	Antibodies against complement fraction 1q
anti- dsDNA	Anti double stranded deoxyribonucleic acid
apo	apolipoprotien
ARBS	angiotensin receptor blockers
AST	Aspartate aminotransferase
AUC	area under the curve
AZA	Azathioprine

BICLA	BILAG-Based Composite Lupus Assessment
BILAG	British Isles Lupus Assessment Group
BUN	Blood Urea Nitrogen
BXSB	Experimental mouse strain
CCR2	chemokine receptor type 2
CCR5	chemokine receptor type 5
CD	Cluster of differentiation
CI	Confidence interval
CKD	Chronic kidney disease
CNI	Calcineurin inhibitors
CNV	Copy number variation
CRP	C reactive protien
BLyS	anti-B-lymphocyte stimulator
CTL	cytotoxic T lymphocytes
CXCL16	Chemokine (C-X-C motif) ligand 16
CXCR3	Gαi protein-coupled receptor in the CXC chemokine receptor family.
DC	Dendritic cell
CLASI	Cutaneous Lupus Erythematosus Disease Area and Severity Index

EDTA	ethylenediaminetetraacetic acid
CKD- EPI	Chronic Kidney Disease Epidemiology Collaboration equation.
ECLAM	European community lupus activity measure
FSGN	Focal segmental glomerulonephritis
GWAS	Genome-wide associations studies
DNA	deoxyribonucleic acid
ELISA	enzyme-linked immunosorbent assay
EM	electron microscopy OR electron microphotograph
GBM	Glomerular basement membrane
GLEPP1	Glomerular epithelial protein 1
SLAM-R	Systemic lupus activity measure-Revised
ESR	erythrocyte sedimentation rate
ESRD	end stage renal disease
EULAR	European League Against Rheumatism
FAS	Type 2 transmembrane protein
FCGR3A	FC γ receptor III-A
FCGR3B	FC γ receptor III-B
FcγR	Fragment crystallizable gamma receptor

Elist of Abbreviations

FOXP3	forkhead box P3 (FOXP3) protein.
FSGS	Focal segmental glomerulosclerosis
GFR	glomerular filtration rate
GN	Glomerulonephritis
H2A	Histone protein

List of Figures

No.	<u>Figure</u>	Page
1	Pathogenesis of LN.	8
<u>2</u>	Proposed mechanism of immune complex deposition of lupus nephritis.	10
<u>3</u>	Lupus nephritis class I.	20
<u>4</u>	Lupus nephritis class II.	20
<u>5</u>	Lupus nephritis class III.	21
<u>6</u>	Lupus nephritis class IV.	23
7	Lupus nephritis class V.	25
<u>8</u>	structure of podocyte and glomerular filtration barrier.	64
9	Inhibition of B cell function in Lupus Nephritis.	92
<u>10</u>	Comparison between the studied groups according to podein AB.	121
<u>11</u>	Correlation between urinary podocin ab and Global slam score in total sample (n=45)	123
<u>12</u>	Correlation between urinary podocin ab and SLAM renal score in total sample (n=45)	124
<u>13</u>	Correlation between urinary podocin ab and A/C-ratio (mg/g) in total sample (n=45)	124
<u>14</u>	Relation between urinary podocin and Global SLAM score activity in total sample (n=45)	128
<u>15</u>	Relation between urinary podocin and SLAM renal score activity in total sample	128

No.	<u>Figure</u>	Page
	(n=45).	
<u>16</u>	Correlation between podocin ab and Global SLAM score in group I (n = 10)	130
<u>17</u>	Correlation between podocin ab and A/C-ratio (mg/g) in group I (n = 10)	130
<u>18</u>	Correlation between podocin ab and Global SLAM score in group II (n = 15)	134
<u>19</u>	Correlation between podocin ab and SLAM renal score in group II (n = 15)	134
<u>20</u>	Correlation between podocin ab and A/C-ratio (mg/g) in group II (n = 15)	135
<u>21</u>	Correlation between podocin ab and Global SLAM score in group III (n = 20)	139
<u>22</u>	Correlation between podocin ab and SLAM renal score in group III (n = 20)	139
<u>23</u>	Correlation between podocin ab and A/C-ratio (mg/g) in group III (n = 20)	140
<u>24</u>	ROC curve for antipodocine to diagnose mild global SLAM score activity in lupus Nephritis.	143
<u>25</u>	ROC curve for antipodocine to diagnose severe global SLAM score activity in lupus nephritis.	144
<u>26</u>	ROC curve for antipodocine to diagnose normal global SLAM score activity in lupus nephritis (vs mild).	145

No.	<u>Figure</u>	<u>Page</u>
<u>27</u>	ROC curve for antipodocine to diagnose mild global SLAM score activity in lupus nephritis (vs moderate).	146
<u>28</u>	ROC curve for antipodocine to diagnose severe global SLAM score activity in lupus nephritis (vs moderate).	147