# Arthroscopic Management of Cam type Femoro-acetabular Impingement

#### **A Thesis**

Submitted for Partial Fulfillment of M.D. Degree in Orthopaedic Surgery

### By

### Mohamed Amr Hassan Mahmoud Hemida

M.B.B.Ch

M.Sc. of Orthopaedic Surgery- Faculty of Medicine Ain Shams University

### Supervised by

## **Prof. Dr. Ahmed Mohamed El Saeed**

Professor of Orthopaedic Surgery Faculty of Medicine -Ain Shams University

## Dr. Amr Ahmed Abd Eirahman

Assistant Professor of Orthopaedic Surgery Faculty of Medicine –Ain Shams University

## **Dr. Ahmed Mostafa Kotb**

Assistant Professor of Orthopaedic Surgery Faculty of Medicine –Ain Shams University

## **Dr. Ahmed Hany Khater**

Lecturer of Orthopaedic Surgery
Faculty of Medicine -Ain Shams University

Faculty of Medicine
Ain Shams University
2018



# Acknowledgement

First of all, I would like to express my deep gratitude to **ALLAH** for his care and generosity throughout my life.

I would like to express my sincere appreciation to **Prof. Dr. Ahmed Mohamed El Saeed,** Professor of Orthopaedic Surgery, Faculty of Medicine –
Ain Shams University, for his keen supervision, guidance and his overwhelming support that has been of great help throughout this work. I really have the honor to complete this work under his supervision.

No words can express my deepest gratitude, thanks and gratefulness to **Dr. Amr Ahmed Abd Elrahman**, Assistant Professor of Orthopaedic Surgery, Faculty of Medicine—Ain Shams University, for his enthusiastic support, continuous encouragement, valuable scientific advices, and great help through out of the accomplishment of this work. It would be impossible to count all the ways that he has helped me to operate most of cases of this study.

I would like to express my deep thanks to **Dr. Ahmed Mostafa Koth**, Assistant Professor of Orthopaedic Surgery, Faculty of Medicine —Ain Shams University, for his sincere help, encouragement, continuous guidance and valuable advice.

I would like also to thank with all appreciation **Dr. Ahmed Hany Khater**, Lecturer of Orthopaedic Surgery, Faculty of Medicine –Ain Shams University, for the efforts and time he has devoted to accomplish this work.

To my beloved family for all support they have given to me.

Mohamed Amr Hassan Mahmoud Hemida

## **List of Contents**

Subject	Page No.
List of Abbreviations	i
List of Tables	iii
List of Figures	iv
List of Charts	X
List of Cases	xi
Introduction	1
Aim of the Work	5
<b>Review of Literature</b>	
Arthroscopic anatomy of Hip joint	6
Pathophysiology of Femoro-acetabular	12
Impingement	
Diagnosis	
Surgical technique of Hip Arthroscopy	
Complications of Hip Arthroscopy	
Patients and Methods	74
Results	87
Case Presentation	98
Discussion	114
Summary and Conclusion	127
References	131
Arabic Summary	—

### **List of Abbreviations**

### List of Application

**Full-term** 

**AA** : Alpha Angle

Abbr.

**AL** : Anterior Labrum

**AOR** : Anterior offset ratio

**AP** : Anteroposterior

**ASIS** : Anterior superior iliac spine

**CT** : Computed Tomography

**DVT** : Deep Venous Thrombosis

**FABER**: Flexion, Abduction, External Rotation

**FADDIR**: Flexion, Adduction, Internal Rotation

**FAI** : Femoroacetabular Impingement

**FH** : Femoral Head

**FN** : Femoral Neck

**IFL** : Iliofemoral ligament

IT band : Iliotibial band

**LCP** : Legg-Calve-Perthes

**LSF** : Lateral synovial fold

LT : Ligamentum Teres

mHHs : Modified Harris Hip Score

MRA : Magnetic Resonance Arthrography

**MRI** : Magnetic Resonance Imaging

**MSF** : Medial synovial fold

**OA** : Osteoarthritis

**PAO** : Periacetabular osteotomies

**PFL**: Pubofemoral ligament

**SCFE** : Slipped Capital Femoral Epiphysis

**TAL** : Transverse Acetabular Ligament

**THA** : Total Hip Arthroplasty

**THR** : Total Hip Replacement

**VAS** : Visual Analogue Scale

**ZO** : Zona orbicularis

## **List of Tables**

Table No.	Title I	Page No.
<b>Table (1):</b>	Use of Radiographic Imaging to A the Proximal Part of the Femur	
<b>Table (2):</b>	Potential complications that are asso with arthroscopic procedures in around the hip joint	and
<b>Table (3):</b>	Preoperative patient sheet	75
<b>Table (4):</b>	Modified Harris Hip Score	77
<b>Table (5):</b>	Demographic data distribution of the study group	
<b>Table (6):</b>	Side distribution of the study group	88
<b>Table (7-a):</b> 1	Preoperative Alpha Angle measurement of the study group	
<b>Table (7-b):</b>	Preoperative Anterior Offset measurements of the study group	89
<b>Table (8-a):</b>	Post-operative Alpha Angle measurements of the study group	94
<b>Table (8-b):</b>	Post-operative Anterior Offset measurements of the study group	93

# **List of Figures**

Figure No.	Title Pa	ge No.
Figure (1):	Arthroscopic view of (a) Cotyloid fossa Acetabulum	
Figure (2):	Acetabular Fossa	7
Figure (3):	Arthroscopic view of acetabular labrum .	8
Figure (4):	Arthroscopic view femoral head with degree arthroscope.	
Figure (5):	View inferomedially from the anterior podemonstrates where the inferior aspect of anterior labrum (L) becomes contiguous with transverse acetabular ligament (Tabelow the ligamentum teres (LT)	the vith AL)
Figure (6):	Arthroscopic photo of the peripho- compartment showing the relationship the zona orbicularis with the iliofemo- ligament (A) and the pubofemoral ligament	of oral
Figure (7):	Ap view of the hip showing iliofemoral pubofemoral ligaments. Posterior view of hip demonstrating ischiofemoral ligament.	the
Figure (8):	Types of FAI, Cam, Pincer and mixed types	pe 14
Figure (9):	Some causes of Cam type Femoroacetabu Impingement.	
<b>Figure (10):</b>	AP view of the hip of a 21-year-old malev history of a right SCFE when he was years old and underwent pinning fixation	13
<b>Figure (11):</b>	C-Sign of Femoro-acetabular Impingeme	nt 24
<b>Figure (12):</b>	FADDIR test "Anterior Impingement test	t"27

<b>Figure (13):</b>	FABER test "Patrick's test"
<b>Figure (14):</b>	Palpation of IT band in lateral position 30
<b>Figure (15):</b>	Anteroposterior view of pelvis 41
<b>Figure (16):</b>	Frog lateral view
<b>Figure (17):</b>	90° Dunn view
<b>Figure (18):</b>	45° Dunn view
<b>Figure (19):</b>	The false-profile view of the right hip 37
<b>Figure (20):</b>	Radiographs demonstrating a spherical femoral head and a femoral head with a Perthes-like deformity
<b>Figure (21):</b>	Alpha angle measurement in frog lateral view
<b>Figure (22):</b>	Head neck offset measurement in cross table lateral view
<b>Figure (23):</b>	Three-dimensional CT reconstructions showing various cam-type deformities
<b>Figure (24):</b>	Secondary radiological findings of FAI. A, B) Herniation pit. C) labral tear
<b>Figure (25):</b>	The operating table setup with a perineal foam post and traction setup
<b>Figure (26):</b>	Room setup in supine position while doing hip arthroscopy
<b>Figure (27):</b>	Intraoperative photo showing provisional skin markings for portal placement
<b>Figure (28):</b>	Anatomy of anterior, anterolateral and postero-lateral portal
<b>Figure (29):</b>	Anterior portal pathway/relationship to lateral femoral cutaneous nerve, femoral nerve, and lateral circumflex femoral artery 50

<b>Figure (30):</b>	Antero-lateral portal pathway/relationship to superior gluteal nerve
<b>Figure (31):</b>	Posterolateral portal pathway/relationship to the sciatic nerve and superior gluteal nerve 51
<b>Figure (32):</b>	Anteroposterior (AP) fluoroscopic view of a right hip
<b>Figure (33):</b>	Arthroscopic view of a right hip from the anterolateral portal
<b>Figure (34):</b>	A capsulotomy is performed by connecting the anterior and anterolateral portals
<b>Figure (35):</b>	(A) Arthroscopic view from the posterolateral portal (B) Demonstrated are the posterior acetabular wall (PW), posterior labrum (PL), and the femoral head (FH)
Figure (36):	View inferomedially from the anterior portal demonstrates where the inferior aspect of the anterior labrum (L) becomes contiguous with the transverse acetabular ligament (TAL) below the ligamentum teres (LT)
<b>Figure (37):</b>	(A) The operative area remains covered in sterile drapes while the traction is then released and the hip flexed 45 degrees. (B) Position of the hip without the overlying drape
<b>Figure (38):</b>	(A) Peripheral compartment viewing medially (B) Demonstrated are the femoral neck (FN), medial synovial fold (MSF), and the zona orbicularis (ZO)
<b>Figure (39):</b>	Peripheral compartment viewing superiorly 59
<b>Figure (40):</b>	An AP radiograph is unremarkable 61

<b>Figure (41):</b>	Incomplete shaving. The arrows show the residual bump deformity	67
<b>Figure (42):</b>	Anterior Impingement test (FADDIR)	76
<b>Figure (43):</b>	Visual Analogue Scale (VAS score)	76
<b>Figure (44-a):</b>	Alpha angle measurement	78
<b>Figure (44-b):</b>	AOR measurement	.78
<b>Figure (45):</b>	Computed Tomography (3D) showing Right Cam Lesion	79
<b>Figure (46):</b>	MRI Showing Right Cam Lesion	79
<b>Figure (47):</b>	a) traction table. b) well-padded perineal post	80
<b>Figure (48):</b>	C-Arm view of Right hip after distraction	81
<b>Figure (49):</b>	Anatomy of Anterior and Anterolateral portal	81
<b>Figure (50):</b>	C-Arm pictures showing Nitinol wire hitting the acetabulum of left hip and portal dilator in the central compartment.	82
<b>Figure (51):</b>	Assessment of central compartment of Right hip.	83
<b>Figure (52):</b>	Arthroscopic view of central compartment of Right hip from anterolateral portal with debridement of degenerated labrum using radiofrequency	83
<b>Figure (53):</b>	Arthroscopic view of central compartment of Right hip from anterolateral portal with inter-portal capsulotomy using radiofrequency	84
<b>Figure (54):</b>	Assessment of peripheral compartment of left hip, Cam exposure with osteochondroplasty of the Cam lesion	85

Figure (55):	Left) PXR frog lateral view of Right hip showing Anterior Cam lesion. Right) C-arm image, frog lateral view of Right hip showing adequate Anterior Cam osteochondroplasty with restoration of AOR85
<b>Figure (56):</b>	Plain X-Ray AP and lateral view showing right Cam lesion
<b>Figure (57):</b>	Frog lateral Plain X-Ray showing anterolateral Cam lesion pre and post-operative osteochondroplasty92
<b>Figure (58):</b>	Preoperative PXR AP view with left Cam lesion
<b>Figure (59):</b>	Preoperative PXR frog lateral view with alpha angle 58 and decreased AOR on left hip
<b>Figure (60):</b>	CT 3D reconstruction showing anterolateral hump on left hip
<b>Figure (61):</b>	Arthroscopic view after Cam osteo- chondroplasty
<b>Figure</b> (62):	Postoperative AP view of left Cam osteochondroplasty
<b>Figure (63):</b>	Postoperative frog lateral view of left Cam osteochondroplasty showing alpha angle 43 degrees and restoration of Anterior Offset Ratio
<b>Figure (64):</b>	6 weeks Postoperative AP and frog lateral view of left Cam osteochondroplasty 103
<b>Figure (65):</b>	Final Postoperative AP and frog lateral view of left Cam after arthroscopic osteochondroplasty
<b>Figure (66):</b>	Preoperative PXR AP view showing healed SCFE of left hip after pinning in situ

<b>Figure (67):</b>	Preoperative PXR frog lateral view showing residual hump after pinning in situ of left hip SCFE with alpha angle of left hip measuring 64
<b>Figure</b> (68):	CT left hip showing penetrating screw intra- articular
<b>Figure</b> (69):	Arthroscopic view of A) protruding screw, B) Chondral degeneration
<b>Figure</b> (70):	Arthroscopic view of femoral head neck junction after Cam osteochondroplasty 107
<b>Figure (71):</b>	Post-operative PXR AP view 107
<b>Figure (72):</b>	Post-operative PXR Cross table lateral view after Cam osteoplasty showing restoration of AOR
<b>Figure (73):</b>	Preoperative PXR AP view
<b>Figure (74):</b>	Preoperative PXR frog lateral view showing left Cam lesion with alpha angle measuring 58 degrees
<b>Figure (75):</b>	CT 3D showing anterior hump overhead neck junction
<b>Figure</b> (76):	Arthroscopic view of Bucket handle tear A) Before reduction, B) After reduction
<b>Figure (77):</b>	Post-operative PXR AP and lateral view after Cam Osteoplasty

## **List of Charts**

Chart No	o. Title	Page No.
<b>Chart (1):</b>	Gender distribution of the patients	87
<b>Chart (2):</b>	Affected side distribution of the patie	ents88
<b>Chart (3):</b>	3D column Chart showing the distraction of etiology of Cam lesion in the group	e study
<b>Chart (4):</b>	Pie Chart showing the distribution of articular pathology in the study group	
<b>Chart</b> (5):	3D column Chart showing Pre-op VAS, postop VAS at 6 weeks and follow up VAS	1 year
<b>Chart (6):</b>	3D column Chart showing Pre-ormHHS, postop mHHS at 6 weeks year follow up mHHS	and 1
<b>Chart (7):</b>	3D Column chart compare between pre and post-operative alpha angle	
<b>Chart (8):</b>	3D Column chart compare between pre and post-operative Anterior Ratio	Offset
<b>Chart (9):</b>	3D column chart showing average stime and traction time of the cases study group	in the

## **List of Cases**

Case No.	Title	Page No.
Case (1)		98
Case (2)		104
Case (3)		110