

بسم الله الرحمن الرحيم









شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار











بالرسالة صفحات لم ترد بالأصل



BICKCd

Cairo University
Faculty of Veterinary Medicine
Department of Poultry Diseases

INVESTIGATION ON ORNITHOBACTERIUM RHINOTRACHEAL INFECTION IN TURKEYS

Thesis submitted

By

Khaled Aly Youssef Abd El-Gawaad

3.V.Sc., Cairo University, 1982, M.V.Sc., Poultry Diseases, Zagazig University, 1995

For the degree of

Doctor of Philosophy in Veterinary Science

(Poultry Diseases)

Under the Supervision of

Professor Dr. Mohamed H.H. Awaad

Professor and Head of Poultry Diseases Department, Faculty of Veterinary Medicine, Cairo University

Professor Dr. Elham F. El-Khashab

Professor of Poultry Diseases,
Faculty of Veterinary Medicine, Cairo
University

Professor Dr. A. A. El-Gohary

Professor of Poultry Diseases and Head of
Poultry & Fish Department,
Faculty of Veterinary Medicine, Tanta
University

2005

Cairo University Faculty of Veterinary Medicine Poultry Diseases Department

Approval Sheet For Ph.D. in Poultry Diseases

Candidate: Khaled Aly Youssef Abd El-Gawaad

Major field: Poultry Diseases

Approved by examining committee:

- 1. Prof. Dr. M.M.Z.El-Demerdash
 Prof. and Head of Poultry Diseases Department
 Faculty of Veterinary Medicine Canal El-Sues University
- Prof. Dr. T.I. Youssef
 Prof. of Poultry Diseases
 Faculty of Veterinary Medicine Cairo University
- Prof. Dr M.H.H. Awaad
 Prof. and Head of Poultry Diseases Department
 Faculty of Veterinary Medicine Cairo University
- 4. Prof. Dr Elham F. El-Khashab
 Prof. of Poultry Diseases
 Faculty of Veterinary Medicine Cairo University
- Prof. Dr .A.A. El-Gohary
 Prof. and Head of Poultry and Fish Department
 Faculty of Veterinary Medicine Tanta University

J. J. Glegham.

2/1//2005

DEDICATION

To my wife
and
My lovely son
daughter

CONTENTS

Subject	Page
Acknowledgement	-
Introduction	1
Literature	3
Materials and Methods	66
Experiments and Results	88
Discussion	159
Summary	172
References	174
Arabic Summary	

LIST OF TABLES

	Tables	Page
1	History of the investigated turkey flocks in Giza Governorate	89
2	Results of Isolation of ORT from examined turkey flocks	98
3	Incidence of ORT isolations from various organs of examined	
	commercial turkey flocks in Giza Governorate	99
4	Biochemical characteristics of suspected bacteria isolated	104
	from naturally infected turkeys	104
5	Electrophoretic characterization of ORT field strains using	106
,	SDS_PAGE Description of American consisting to the control of American co	
6	Results of in vitro sensitivity test of Ornithobacterium	
	rhinotracheale isolated from commercial turkeys-meat-type	111
7	Results of antibody detection of ORT in the collected serum	
	of turkeys flocks	114
8	Lesion scores of experimental aerosol infection of turkey	
	(meat type) with the isolated strain of ORT alone and	
	triggered with TRTV vaccine	123
9	Average body weight of turkey experimentally infected with	
	ORT and triggered with TRTV vaccine	124
10	Feed consumption intake/feed conversion rate and body	
	gained of turkey experimentally infected with ORT and	
	triggered with TRT virus vaccine	125
11	Clinical observations and mortality during the first 2 weeks	
	post vaccination	139
12	Mortality after week 2 post vaccination	139
13	The respiratory gross lesion score of respiratory disease	
	appeared at 88 days of age	144

	•	
	Tables	Page
14	Histopathological lesion score of different organs in	•
	vaccinated and unvaccinated turkeys	144
15	The rate of histopathological lesions in vaccinated and	
	unvaccinated turkey (sub) flocks	144
16	Results of bacteriological examination of tracheal swabs	
	collected at different intervals from vaccinated and	
	unvaccinated turkey (sub)flocks	154
17	Results of systemic reactions in turkeys after ORT vaccination	155
18	Results of local reactions in vaccinated turkeys after ORT	
	vaccination	156
19	Mean body weight of vaccinated and unvaccinated turkeys	
	with ORT vaccine	157

.

•

LIST OF FIGURES

	Figure	Page
1	Commercial turkeys meat type naturally infected wit ORT	
	showing facial edema, sinusitis with swelling, conjunctivitis	
	and expectoration of blood-stained mucous just prior to death	91
2	н	91
3	н	92
4	Commercial turkeys meat type naturally infected with ORT	
•	showing depression, ruffling feathers, poor performance	
	recumbancy, dyspnea and facial oedema	93
5	u .	93
6	Lung of commercial turkey-meat type naturally infected with	
	ORT showed (in right) congestion and (in left) normal which	
	give the picture of unilateral pneumonia	94
7	Airsacs of commercial turkey-meat type, naturally infected	
	with ORT, showed thickness, airsacculitis and formation of a	
	big masses of caseated materials	95
8	Trachea of commercial turkey-meat type naturally infected	•
	with ORT showed tracheitis and blood stained mucous in the	
	lumen	96
9	Tendon sheath of commercial turkey-meat type naturally	
	infected with ORT showed enlargement, and congestion	96
10	Colonies of ORT cultured on 10% sheep blood agar media	
	showing pin head in size circular, non haemolytic and grayish	
	white	103
11	Biochemical reaction of ORT isolates using API 20 NE	
	microtest system	103

	Figure	Page
12	Electrophoretic characterization of ORT strain No. 1 in	
	comparison to the marker	107
13	Electrophoretic characterization of ORT strain No. 2 in	
	comparison to the marker	08
14	Comparative electrophoretic characterization of ORT field	
	strain .	109
15	Shows antibiogramme sensitivity test against ORT strains	112
16	6 Section in trachea of commercial turkey naturally infected with	
	ORT showed desquamation of epithelium, depletion of	
	lymphoid follicles and submucosal edema (H & E x 33)	116
17	Section in lung of commercial turkey naturally infected with	
	ORT, showed fibrin exudate and cellular infiltration mainly.	
	esinophils and heterophils in the primary bronchus and air	
	capillaries (H&E X 33)	116
18	Section in lung of commercial turkey naturally inflected with	
	ORT, showed the hetero-esinophilic cells infiltration around	
	the secondary bronchus (H&E x 134)	117
19	Section in lung of commercial turkey naturally infected with	
	ORT, showed multiple giant cells around parabronchus (H&E	
	x 134)	117
20	Section in liver of commercial turkey naturally infected with	
	ORT, showed granulome consists of aggregation of	
	lymphocytes and macrophages surrounded by C.T. capsule	
	(H&E x 134)	118
21	Section in liver of commercial turkey naturally infected with	
	ORT, showed coagulative necrosis around the portal traid	
	(H&E x33)	118
22	Section in heart of commercial turkey naturally infected with	
	ORT showed free RRCs in between cardiac muscle (H&Ex33)	110

		Figure	Page
	23	Commercial turkeys meat type experimentally infected with	
		ORT, showed conjunctivitis sneezing, nasal discharge,	
-		depression and lowering in performance	126
	24	Commercial turkey meat type experimentally infected with	
		ORT, showed conjunctivitis, and supraorbital and	
		submandibular cutaneous nodules	126
	25	Trachea of commercial turkey meat type experimentally	
		infected with ORT, showed tracheitis with some exudate in the	
		tracheal lumen	127
	26	lung of commercial turkey meat type experimentally infected	
*		with ORT, showed unilateral pneumonia (Right lobe was	
		normal and left lobe was pneumonic)	127
	27	Section in trachea of commercial turkey experimentally	
		infected with ORT, showed desquamation of epithelial lining	
		and depletion of subepithelial lymphoid follicles (H&E x 33)	128
	28	Section in trachea of commercial turkey experimentally	7
		infected with ORT, showed oedama in the submucosa and	
		desquamation of epithelial lining (H & E x 33)	128
	29	Section in lung of commercial turkey experimentally infected	
		with ORT, showed congestion of blood capillaries inbetween	
		air capillaries (H&E x 33)	129
	30	Section in lung of commercial turkey experimentally infected	
		with ORT, showed heavy inflammatory cell infiltrations around	
		the secondary bronchus. Notice the fibrin exudate and	
		inflammatory cells inside the secondary bronchus (H&E x 33)	129
	31	Section in liver of commercial turkey experimentally infected	
		with ORT, showed congestion of central veins and sinusoids	
		(H&E x 33)	130

	Figure	Page
32	Section in liver of commercial turkey experimentally infected	
	with ORT, showed macrophages and lymphocytes aggregation	
	in portal area (H&E x 66)	130
33	Commercial turkey meat type experimentally infected with	
	ORT and triggered with TRTvv, showed depression, stunted	
	growth, ruffling feathers and paralysis of wing.	131
34	Commercial turkey meat type experimentally infected with	
	ORT and triggered with TRTvv, showed stunted growth,	
	ruffling feathers and watery diarrhea	131
35	Commercial turkey meat type experimentally infected with	
	ORT and triggered with TRTvv, showed Nodules & edema in	
	Comb	132
36	Commercial turkey meat type experimentally infected with	
	ORT and Triggered with TRTvv, showed conjunctivitis,	
	formation of supraorbital nodules, sinusitis and nodules in	
	dewlap	132
37	Airsacs of commercial turkey meat type experimentally	
	infected with ORT and triggered with TRTvv, showed very	
	turbid and thickness, with gap formation containing caseaus	
	like materials	133
38	Lung of commercial turkey meat type experimentally infected	
	with ORT and triggered with TRTvv, showed bilateral	
	pneumonia	133
39	Section in trachea of commercial turkey experimentally	
	infected with ORT and triggered with TRTvv, showed	
	vacuolation of goblet cells and edema in the submucosa (H&E	
	x 33)	134