



Faculty of Women for
Arts, Science and Education
Cairo, Egypt.

Synthesis of nano-nickel metal loaded on different supports for reduction of organic compounds

A Thesis

**Submitted for the
Degree of Doctor of Philosophy in Science
(Physical Chemistry)**

**Presented by
Amira Maher Mahmoud Ali**

Supervisors

Prof. Dr. Nadia A. Youssef
Prof. of Physical Chemistry
Faculty of Women,
Ain Shams University, Egypt.

Prof. Dr. Mohamed M. Selim
Prof. of Physical Chemistry
National Research Center.

Prof. Dr. Seham A. Shaban
Prof. of Physical Chemistry
Egyptian Petroleum Research Institute
(EPRI).

Dr. Maha.K. El Aiashy
Lecturer of Physical Chemistry
Faculty of Women,
Ain Shams University, Egypt.

2018



Faculty of Women for
Arts, Science and Education
Cairo, Egypt.

Synthesis of nano-nickel metal loaded on different supports for reduction of organic compounds

A Thesis Presented

To

**Faculty of Women for Arts, Science and Education
Ain Shams University**

By

Amira Maher Mahmoud Ali

For

**Submitted for the
Degree of Doctor of Philosophy in Science
(Physical Chemistry)**

2018



Faculty of Women for
Arts, Science and Education
Cairo, Egypt.

Student Name : Amira Maher Mahmoud Ali

Scientific Degree : M.Sc

Department : Chemistry

Name of Faculty : Faculty of Women

University : Ain Shams University.

B.Sc. Graduation Year: 2010

M.Sc. Graduation Year: 2015



Faculty of Women for
Arts, Science and Education
Cairo, Egypt.

Synthesis of nano-nickel metal loaded on different supports for reduction of organic compounds

Supervised by:

Approved

Prof. Dr. Nadia A. Youssef
Prof. of Physical Chemistry

Prof.Dr. Mohamed M.Selim
Prof. of Physical Chemistry

Prof.Dr. Seham A. Shaban
Prof. of Physical Chemistry

Dr. Maha K. El Aiashy
Lecturer of Physical Chemistry

Approved

Head of Chemistry Department

Prof. Dr.



ACKNOWLEDGEMENT



ACKNOWLEDGEMENT

I would like to appear my respect Prof. Dr. Nadia Abd Hakim Youssef, Prof. of physical chemistry (Faculty of Women, Ain Shams University) for her sincere supervision, for her discussions and facilities which she offered me through the progress .

I would like to thank Dr. Maha kamal Ibrahim, lecturer of physical chemistry for her support, continuous help, and valuable advices in my experimental work

I thank Prof. Dr. Seham Ali Shaban ,Prof. of physical chemistry (Egyptian Petroleum Research Institute) for her valuable assistance and guidance in my experimental work.

My thanks also to my members and my colleagues at Faculty of Women for their encouragement this work.

CONTENTS

	Page
ACKNOWLEDGEMENT	
LIST OF TABLES	XI
LIST OF FIGURES	XVII
LIST OF ABBREVIATIONS	XXVI
AIM OF THE WORK	XVII
ABSTRACT	XL
CHAPTER I	
INTRODUCTION	
I.1. Catalysis	1
I.1.1. Purpose of Catalysis	1
I.1.2. Catalysis in Industry	2
I.1.3. Types of Catalysis	3
I.1.3.1. Heterogeneous catalysts	3
I.1.3.2. Homogeneous catalysts	4
I.1.3.3. Electrocatalysis	5

I .1.3.4. Organocatalysis.	5
I .1.3.5. Photocatalysis	6
I .1.3.6. Enzymes and biocatalysis	6
I.1.4. Catalytic Reaction	7
I.1.5. Catalyst Properties	8
I.1.5.1. Catalytic supports	8
I.1.5.1.1. Kaolin	9
I.1.5.1.2. Silica	10
I.1.5.1.3. Zeolite	11
I.1.5.1.4. Cordierite Ceramics	12
I.1.5.1.5. Polymer	14
I.1.5.2. Particle size effect.	17
I.1.5.3. Catalytic deactivation.	17
I.1.6. Catalytic Preparation Methods.	18
I.1.6.1. Impregnation and incipient wetness.	18
I.1.6.2. Adsorption from solution and ion exchange.	19
I.1.6.3. Deposition-precipitation and co-precipitation	20
I.2. p- Aminophenol	21

I.2.1. Uses of p-Aminophenol	21
I.2.2. Preparation of p-Aminophenol	21
I.3. p- Nitrophenol	23
I.3.1. Toxicity of p-Nitrophenol	24
CHAPTER II EXPERIMENTAL	
II.1. Starting Materials	25
II.2. Catalysts Preparation	26
II.2.1. Preparation of Un supported Nickel Metal	26
II.2.2. Preparation of Different Supports	26
II.2.2.1. Egyptian Kaolin support	26
II.2.2.2. Silica support	26
II.2.2.3. Zeolite synthesis	27
II.2.2.4. Cordierite synthesis	27
II.2.2.4.1. Characterization of raw materials.	27
II.2.2.4.2. Powder mixture preparation	28
II.2.2.4.3. Compaction and heat treatment	29
II.2.2.5. Polysulfone	29

II.2.3. Supported Catalyst Preparation	30
II.3. Reduction of p-Nitrophenol	31
II.3.1. Reduction of p-Nitrophenol by Different Weights of Catalysts	31
II.3.2. Reduction of Different Concentrations of p-Nitrophenol by Different Weights of Catalysts	32
II.3.3. Reduction of p-Nitrophenol by Different Weights of Catalysts in One Step	32
II.4. Apparatus	32
II.4.1. X-Ray Diffraction (XRD)	32
II.4.2. Scanning Electron Microscope	34
CHAPTER III	
RESULTS AND DISCUSSION	
III.1.Characterization and Catalytic Activity of Unsupported Nickel	35
III.1.1. X-ray Diffraction	35
III.1.2. Scanning Electron Microscope	37
III.1.3. Reduction of p-Nitrophenol by Unsupported Nickel	38
III.1.3.1. Effect of pH values in the reduction of p-nitrophenol to p-aminophenol	38
III.1.3.2. Reduction of p-nitrophenol by different weights of unsupported nickel in stepwise	40

III.2.Characterization and Catalytic Activity of Nickel Loaded on kaolin	43
III.2.1. X-ray Diffraction	43
III.2.2.Scanning Electron Microscope	45
III.2.3. Reduction of p-Nitrophenol by Nickel Loaded on Kaolin	46
III.2.3.1. Effect of pH values in the reduction of p-nitrophenol to p-aminophenol	46
III.2.3.2. Reduction of p-nitrophenol by different weights of nickel loaded on Kaolin in stepwise	49
III.2.3.2.1. Reduction of p-nitrophenol by different weights of 2.5% Ni / Kaolin	49
III.2.3.2.2. Reduction of p-nitrophenol by different weights of 5% Ni / Kaolin	53
III.2.3.2.3. Reduction of p-nitrophenol by different weights of 10% Ni / Kaolin	57
III.2.3.3. Reduction of different concentrations of p-nitrophenol by different weights of nickel loaded on Kaolin	61
III.2.3.3.1. Reduction of different concentrations of p-nitrophenol by 0.1 g of 2.5% Ni / Kaolin	61
III.2.3.3.2. Reduction of different concentrations of p-nitrophenol by 1 g of 2.5% Ni / Kaolin	63
III.2.3.3.3. Reduction of different concentrations of p-nitrophenol by	65

0.1 g of 5% Ni / Kaolin	
III.2.3.3.4. Reduction of different concentrations of p-nitrophenol by 1 g of 5% Ni / Kaolin	67
III.2.3.3.5. Reduction of different concentrations of p-nitrophenol by 0.1 g of 10% Ni / Kaolin	69
III.2.3.3.6. Reduction of different concentrations of p-nitrophenol by 1 g of 10% Ni / Kaolin	71
III.3. Characterization and Catalytic Activity of Nickel Loaded on Silica	73
III.3.1. X-ray Diffraction	73
III.3.2. Scanning Electron Microscope	74
III.3.3. Reduction of p-Nitrophenol by Different Weights of Nickel Loaded on Silica in Stepwise	76
III.3.3.1. Reduction of p-nitrophenol by different weights of 2.5% Ni / Silica	76
III.3.3.2. Reduction of p-nitrophenol by different weights of 5% Ni / Silica	80
III.3.3.3. Reduction of P-nitrophenol by different weights of 10% Ni / Silica	83
III.3.4. Reduction of Different Concentrations of p-Nitrophenol by Different Weights of Nickel Loaded on Silica	87
III.3.4.1. Reduction of different concentrations of p-nitrophenol by 0.1 g of 2.5% Ni / Silica	87
III.3.4.2. Reduction of different concentrations of p-nitrophenol by 1 g of 2.5% Ni / Silica	89
III.3.4.3. Reduction of different concentrations of p-nitrophenol by 0.1 g of 5% Ni / Silica	91

III.3.4.4. Reduction of different concentrations of p-nitrophenol by 1 g of 5% Ni / Silica	93
III.3.4.5. Reduction of different concentrations of p-nitrophenol by 0.1 g of 10% Ni / Silica	95
III.3.4.6. Reduction of different concentrations of p-nitrophenol by 1 g of 10% Ni / Silica	97
III.4. Characterization and Catalytic Activity of Ni Loaded on Zeolite	99
III.4.1. X-ray Diffraction	99
III.4.2. Scanning Electron Microscope	101
III.4.3. Reduction of p-Nitrophenol by Different Weights of Nickel Loaded on Faujasite Zeolite in Stepwise	102
III.4.3.1. Reduction of p-nitrophenol by different weights of 2.5% Ni / faujasite Zeolite	102
III.4.3.2. Reduction of p-nitrophenol by different weights of 5% Ni / Zeolite	106
III.4.3.3. Reduction of p-nitrophenol by different weights of 10% Ni / Zeolite	110
III.4.4. Reduction of Different Concentrations of p-Nitrophenol by Different Weights of nickel loaded on zeolite	114
III.4.4.1. Reduction of different concentrations of p-nitrophenol by 0.1 g of 2.5% Ni / Zeolite	114
III.4.4.2. Reduction of different concentrations of p-nitrophenol by 1 g of 2.5% Ni / Zeolite	116
III.4.4.3. Reduction of different concentrations of p-nitrophenol by 0.1 g of 5% Ni / Zeolite	118

III.4.4.4. Reduction of different concentrations of p-nitrophenol by 1 g of 5% Ni / Zeolite	120
III.4.4.5. Reduction of different concentrations of p-nitrophenol by 0.1 g of 10% Ni / Zeolite	122
III.4.4.6. Reduction of different concentration of P-nitrophenol by 1 g of 10% nickel loaded on Zeolite	124
III.5.Characterization and Catalytic Activity of Nickel Loaded on Cordierite	126
III.5.1. X-ray Diffraction	126
III.5.2. Scanning Electron Microscope	128
III.5.3. Reduction of p-Nitrophenol by Different weights of Nickel loaded on Cordierite in Stepwise	129
III.5.3.1. Reduction of p-nitrophenol by different weights of 2.5% Ni /Cordierite	129
III.5.3.2. Reduction of p-nitrophenol by different weights of 5% Ni / Cordierite	133
III.5.3.3. Reduction of p-nitrophenol by different weights of 10% Ni / Cordierite	137
III.5.4. Reduction of Different Concentrations of p-Nitrophenol by Different Weights of Nickel Loaded on Cordierite	141
III.5.4.1. Reduction of different concentrations of p-nitrophenol by 0.1 g of 2.5% Ni / Cordierite	141
III.5.4.2. Reduction of different concentrations of p-nitrophenol by 1 g of 2.5% Ni / Cordierite	143
III.5.4.3. Reduction of different concentrations of p-nitrophenol by 0.1 g of 5% Ni / Cordierite	145

III.5.4.4. Reduction of different concentrations of p-nitrophenol by 1 g of 5% Ni / Cordierite	147
III.5.4.5. Reduction of different concentrations of p-nitrophenol by 0.1 g of 10% Ni / Cordierite	149
III.5.4.6. Reduction of different concentration of p-nitrophenol by 1 g of 10% Ni/ Cordierite	151
III.6. Characterization and Catalytic Activity of Ni loaded on Polysulfone	153
III.6.1. X-ray Diffraction	153
III.6.2. Scanning Electron Microscope	155
III.6.3. Reduction of p-Nitrophenol by Different Weights of Nickel loaded on Polymer in Stepwise	156
III.6.3.1. Reduction of p-nitrophenol by different weights of 2.5% Ni / Polymer	156
III.6.3.2. Reduction of p-nitrophenol by different weights of 5% Ni / Polymer	160
III.6.3.3. Reduction of p-nitrophenol by different weights of 10% Ni / Polymer	164
III.6.4. Reduction of Different Concentrations of p-nitrophenol by Different Weights of Nickel Loaded on Polymer	168
III.6.4.1. Reduction of different concentration of P-nitrophenol by 0.1 g of 2.5% Ni / Polymer	168
III.6.4.2. Reduction of different concentration of p-nitrophenol by 1 g of 2.5% Ni / Polymer	170
III.6.4.3. Reduction of different concentration of p-nitrophenol by 0.1 g of 5% Ni / Polymer	172
