Pharmacognostical Study of *Pavonia spinifex*(L.) Cav. Family Malvaceae and *Barleria repens*Nees. Family Acanthaceae Cultivated in Egypt

A THESIS SUBMITTED BY

Mina Michael Melk Mikhail

FOR THE DEGREE OF MASTER IN PHARMACEUTICAL SCIENCES (Pharmacognosy)

UNDER THE SUPERVISION OF

Prof. Dr. Seham Salah El-Din El-Hawary

Professor of Pharmacognosy Faculty of Pharmacy Cairo University

Assoc. Prof. Dr. Ola M. Mousa

Associate Professor of Pharmacognosy Faculty of Pharmacy Cairo University

Dr. Nabil M. Abu- Elfetouh

Lecturer of Pharmacognosy Faculty of Pharmacy Cairo University

PHARAMACOGNOSY DEPARTMENT FACULTY OF PHARMACY CAIRO UNIVERSITY 2018

ACKNOWLEDGEMENTS

First and foremost, praises and thanks to the God, the Almighty, for his showers of blessings throughout my research work to complete the research successfully.

I would like to express my deep and sincere gratitude to *Prof. Dr. Seham Salah El-Deen El-Hawary*, Professor of Pharmacognosy, Faculty of Pharmacy, Cairo University, for giving me the opportunity to do research under her supervision and providing invaluable guidance throughout this research. Her dynamism, vision, sincerity and motivation. She has taught me the methodology to carry out the research and to present it as clearly as possible. It was a great privilege and honor to work and study under her guidance. She helped me come up with the thesis topic and guided me over the years of development. Her support and empathy during the most difficult times during doing this thesis, she gave me the moral support and the freedom I needed.

I am extremely grateful for what she has offered me. I would also like to thank her for her empathy, and great sense of humor. I am extending my heartfelt thanks to her for her acceptance and patience during the discussion I had with her on research work and thesis preparation.

I would like to thank my supervisor, Assoc. Prof. Dr. Ola M. Mousa, Associate Professor of Pharmacognosy, Faculty of Pharmacy, Cairo University, for the patient guidance, encouragement and valuable advice. She has provided

throughout my time as this study. I have been extremely lucky to have a supervisor who cared so much about my work, and who responded to my questions and queries so promptly. I want to acknowledge and appreciate her help and transparency during my research, her information has helped me to complete this thesis. She has taught me how good research is done. I appreciate all her contributions of time, ideas, and funding to make my master degree. I am also thankful for the excellent example she has provided as a successful woman professor.

I would like to express my special appreciation and thanks to my advisor *Dr. Nabil Aboul-Fotouh*, Lecturer of Pharmacognosy at Faculty of Pharmacy Cairo University, he has been a tremendous mentor for me. I would like to thank him for encouraging my research and for allowing me to grow as a research scientist. his advice on my research has been invaluable.

I thank *Prof. Dr. Sayed El-Toamy*, Professor of Chemistry of Natural Products, NRC, Cairo, Egypt. For his help in isolation of phenolic compounds. I greatly appreciate all the hard work and the tremendous support of him and for his extensive help with me. This part would not be possible without his help.

A special thanks to *Dr. Adel Fathy El-Tohamy*, Lecturer of Toxicology and Forensic Medicine, Faculty of Veterinary Cairo University, for having welcomed me in veterinary medicine. I would like to thank him for his professional guidance

and personal support and for his advice and nice cooperation in assessment of hepatoprotective and antioxidant assessment.

There is no way to express how much it meant to me to have been a member of Pharmacognosy Department, Faculty of Pharmacy, Al-Ahram Canadian University. These brilliant friends and colleagues inspired me over the many years. This thesis would not have been possible without the inspiration and support of several wonderful individuals — my thanks and appreciation to all of them

Sincere thanks to all my friends for their kindness and moral support during my study. My thanks go to them for their support to complete the research work directly or indirectly. Thanks for the friendship and memories.

Last but not least, my deepest gratitude goes to my beloved parents and also to my brother for their endless love, prayers and encouragement. Their kindness means a lot to me. Thank you very much. I am extremely grateful to them for the keen interest shown to complete this thesis successfully.

Mina Michael Melk

Contents

| Subject | Page |
|--|------------|
| Introduction | 1 |
| Review of literature | 4 |
| A. Chemical constituents of genus <i>Pavonia</i> and <i>Barleria</i> | 4 |
| B. Biological activities from genus <i>Pavonia</i> and <i>Barleria</i> | 10 |
| Taxonomy | 57 |
| Material, Apparatus and Techniques | 64 |
| Part I: Botanical study of Pavonia spinifex (L.) Cav. an | d Barleria |
| repens Nees | |
| Chapter I: Genetic profiling of Pavonia spinifex (L.) Cav. and | 80 |
| Barleria repens Nees | 00 |
| Chapter II: Macromorphological study of Pavonia spinifex (L.) | 88 |
| Cav. and Barleria repens Nees | 00 |
| Chapter III: A microscopical study of Pavonia spinifex (L.) Cav. | 97 |
| and Barleria repens Nees | · |
| Part II: Phytochemical study of Pavonia spinifex (L.) | Cav. and |
| Barleria repens Nees | |
| Chapter I: Preliminary phytochemical screening of Pavonia | 142 |
| spinifex (L.) Cav. and Barleria repens Nees | 142 |
| Chapter II: Investigation of volatile constituents of Pavonia | 145 |
| spinifex (L.) Cav. and Barleria repens Nees | |
| Chapter III - Investigation of lipoidal content of Pavonia | 153 |
| spinifex (L.) Cav. and Barleria repens Nees using GC/MS | |

| Subject | Page |
|---|----------|
| Chapter IV: Quantitative analysis for total phenolics and flavonoids of <i>Pavonia spinifex</i> (L.) Cav. <i>Barleria repens</i> Nees | 175 |
| Chapter V: Qualitative analysis of the ethanolic extracts of <i>Pavonia spinifex</i> (L.) Cav. and <i>Barleria repens</i> Nees by LC/ESI-MS. | 179 |
| Chapter VI: Phytochemical investigation of the ethanolic extract of <i>Barleria repens</i> Nees. | 212 |
| Chapter VII: Phytochemical investigation of the <i>n</i> -hexane fraction of <i>Barleria repens</i> Nees | 229 |
| Part III: Biological studies of Pavonia spinifex (L.) Barleria repens Nees | Cav. and |
| Chapter I: Pharmacological screening of leaves of <i>Pavonia</i> spinifex (L.) Cav. and the flowering aerial parts of <i>Barleria</i> repens Nees | 243 |
| Chapter II: Assessment of cytotoxic activity of leaves of <i>Pavonia</i> spinifex (L.) Cav. and the flowering aerial parts of <i>Barleria</i> repens Nees against different cancer cell lines | 253 |
| Chapter III: Assessment of antimicrobial activity of leaves of Pavonia spinifex (L.) Cav. and the flowering aerial parts of Barleria repens Nees against different microorganism | 259 |
| Recommendations | 263 |
| General summary | 265 |
| References | 276 |
| Arabic summary | |

List of tables

| Table no. | Subject | Page |
|-------------------|--|------|
| Table [1] | Flavonoids isolated from different <i>Pavonia</i> species | 23 |
| Table [2] | Phenolics isolated from different Pavonia species | 25 |
| Table [3] | Miscellaneous compounds isolated from different <i>Pavonia</i> species | 29 |
| Table [4] | Identified compounds from essential oils of different <i>Pavonia</i> species | 32 |
| Table [5] | Flavonoids isolated from different Barleria species | 35 |
| Table [6] | Phenolics isolated from different Barleria species | 39 |
| Table [7] | Sterols and triterpens isolated from different <i>Barleria</i> species | 41 |
| Table [8] | Irridoid glycosides isolated from different Barleria species | 42 |
| Table [9] | Miscellaneous compounds isolated from different <i>Barleria</i> species | 48 |
| Table [10] | Identified compounds from essential oils of different <i>Barleria</i> species | 51 |
| Table [11] | Biological activities of different <i>Pavonia</i> species | 53 |
| Table [12] | Biological activities of different Barleria species | 55 |
| Table [13] | Molecular size in base pairs of amplified DNA fragments produced by ten decamer primers in <i>Pavonia spinifex</i> (L.) Cav. | 85 |
| Table [14] | Molecular size in base pairs of amplified DNA fragments produced by ten decamer primers in <i>Barleria repens</i> Nees | 86 |
| Table [15] | Microscopical measurements of different organs of <i>Pavonia</i> spinifex (L.) Cav. | 136 |

| Table no. | Subject | Page |
|-------------------|--|------|
| Table [16] | Microscopical measurements of different organs of <i>Barleria</i> repens Nees. | 139 |
| Table [17] | Result of Preliminary phytochemical screening of the powdered dried leaves of <i>Pavonia spinifex</i> (L.) Cav. and the aerial parts <i>Barleria repens</i> Nees | 142 |
| Table [18] | The percentage yield of the solvent extractives yield of the solvent fractions the leaves of <i>Pavonia spinifex</i> (L.) Cav. and of the aerial parts of <i>Barleria repens</i> Nees. | 144 |
| Table [19] | GC/MS analysis of the volatiles constituents of <i>Pavonia</i> spinifex (L.) Cav. | 148 |
| Table [20] | GC/MS analysis of the volatiles constituents of <i>Barleria</i> repens Nees | 150 |
| Table [21] | The yield of the unsaponifiable matter and fatty acid methyl esters <i>n</i> -hexane extracts of the leaves of <i>Pavonia spinifex</i> (L.) Cav. & the aerial parts of <i>Barleria repens</i> Nees | 153 |
| Table [22] | Results of the GC/MS analysis of the identified unsaponifiable matter of the leaves of <i>Pavonia spinifex</i> (L.) Cav. | 156 |
| Table [23] | Results of the GC/MS analysis of the identified the unsaponifiable matter of aerial parts of <i>Barleria repens</i> Nees | 160 |
| Table [24] | Results of the GC/MS analysis of the identified fatty acid methyl esters of the leaves of <i>Pavonia spinifex</i> (L.) Cav. | 165 |
| Table [25] | Results of the GC/MS analysis of the identified fatty acid methyl esters of the aerial parts of <i>Barleria repens</i> Nees. | 169 |

| Table no. | Subject | Page |
|-------------------|--|------|
| Table [26] | Result of quantitative analysis of total phenolics and total flavonoids in the leaves of <i>Pavonia spinifex</i> (L.) Cav. and the aerial parts of <i>Barleria repens</i> Nees | 178 |
| Table [27] | Structures / formulas profile of the ethanolic extract of the leaves of <i>Pavonia spinifiex</i> (L.) Cav. by LC/ESI-MS. | 182 |
| Table [28] | Structures / formulas profile of the ethanolic extract from the ethanolic extract of the aerial parts of <i>Barleria repens</i> Nees by LC/ESI-MS. | 193 |
| Table [29] | Result of TLC investigations of the ethanol fractions of the aerial parts of <i>Barleria repens</i> Nees | 212 |
| Table [30] | Fractions of the total extract of Barleria repens Nees | 213 |
| Table [31] | Chromatographic and spectral data of compound C_1 (Quercetin-3-O- α -L-rhamnopyranoside) | 217 |
| Table [32] | Chromatographic and spectral data data of compound C ₂ (Quercetin 3-O-b- D-glucopyranoside) | 221 |
| Table [33] | Chromatographic and spectral data of compound C ₃ (Quercetin) | 225 |
| Table [34] | List of Isolated compounds from ethanolic extract of <i>Barleria</i> repens Nees and their uses | 228 |
| Table [35] | Result of TLC investigations of the n-hexane fractions of the aerial parts of <i>Barleria repens</i> Nees | 229 |
| Table [36] | Fractions of the <i>n</i> -hexane extract of <i>Barleria repens</i> Nees | 230 |
| Table [37] | Chromatographic and spectral data of compound H_1 (β -Sitosterol) | 234 |
| Table [38] | Chromatographic and spectral data of compound H ₂ (Stigmasterol) | 237 |

| Table no. | Subject | Page |
|-------------------|--|------|
| Table [39] | Chromatographic and spectral data of compound H ₃ (Campesterol) | 240 |
| Table [40] | List of isolated compounds from <i>n</i> -hexane extract of <i>Barleria</i> repens Nees and their uses | 242 |
| Table [41] | Effect of Pavonia spinifex (L.) Cav. and Barleria repens Nees on ALT enzyme in acetaminophen induced hepatotoxicity in rat | 246 |
| Table [42] | Effect of <i>Pavonia spinifex</i> (L.) Cav. and <i>Barleria repens</i> Nees on AST enzyme in acetaminophen induced hepatotoxicity in rat | 247 |
| Table [43] | Effect of the hydroethanolic extract of <i>Pavonia spinifex</i> and <i>Barleria repens</i> on the level of GSH in Paracetamol-induced hepatic damage in rats | 248 |
| Table [44] | Effect of the hydroethanolic extract of <i>Pavonia spinifex</i> and <i>Barleria repens</i> on the level of GPx in Paracetamol-induced hepatic damage in rats | 249 |
| Table [45] | Results of cytotoxicity of the leaves of <i>Pavonia spinifex</i> (L.) Cav. and the flowering aerial parts <i>Barleria repens</i> Nees against liver cancer cell line (HepG2) | 255 |
| Table [46] | The results of cytotoxicity of the leaves of <i>Pavonia spinifex</i> (L.) Cav. and the flowering aerial parts <i>Barleria repens</i> Nees against lung cancer cell (H1299) line | 256 |
| Table [47] | The results of cytotoxicity of the leaves of <i>Pavonia spinifex</i> (L.) Cav. and the flowering aerial parts <i>Barleria repens</i> Nees against breast cancer cell (MCF7) line | 257 |

| Table no. | Subject | Page |
|-------------------|---|------|
| Table [48] | Antimicrobial screening of <i>Pavonia spinifex</i> (L.) Cav. and <i>Barleria repens</i> Nees extracts against the tested microorganisms | 260 |
| Table [49] | MIC of <i>Pavonia spinifex</i> (L.) Cav. and <i>Barleria repens</i> Nees extracts against the tested microorganisms | 261 |

List of figures

| Figure no. | Subject | Page |
|------------|--|------|
| Fig. (1) | A photograph of Pavonia spinifex (L.) Cav. | 60 |
| Fig. (2) | A photograph of the flowering aerial parts of <i>Barleria</i> repens Nees. | 63 |
| Fig. (3) | Polymerase chain reaction used to amplify a sample of DNA | 81 |
| Fig. (4) | The RAPD electrophoretic profile of <i>Pavonia spinfex</i> (L.) Cav. and <i>Barleria repens</i> Nees generated by ten primers | 84 |
| Fig. (5) | A photograph of the insertion and phyllotaxis of the leaves of <i>Pavonia spinifex</i> (L.) Cav. | 89 |
| Fig. (6) | A photograph of the upper surface of the leaf of <i>Pavonia</i> spinifex (L.) Cav. | 90 |
| Fig. (7) | A photograph of the lower surface of the leaf of <i>Pavonia</i> spinifex (L.) Cav. | 90 |
| Fig. (8) | A Photograph of the stem of Barleria repens Nees | 93 |
| Fig. (9) | A Photograph of the upper and lower surfaces of the leaf of <i>Barleria repens</i> Nees | 94 |
| Fig. (10) | A Photograph of the flower of Barleria repens Nees | 94 |
| Fig. (11) | A Photograph of the insertion and phyllotaxis of the leaves of <i>Barleria repens</i> Nees | 95 |
| Fig. (12) | A Photograph of the insertion of the flower of Barleria repens Nees | 96 |
| Fig. (13) | T.S. of the lamina of Pavonia spinifex (L.) Cav. | 101 |
| Fig. (14) | Powdered of Pavonia spinifex (L.) Cav. lamina | 103 |
| Fig. (15) | T.S. of the petiole of Pavonia spinifex (L.) Cav. | 107 |