

بسم الله الرحمن الرحيم









شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار











بالرسالة صفحات لم ترد بالأصل



Study of Adverse Effects of Agriculture Drainage Water on Reproductive Traits and Some Hematological Parameters in Rabbits

Thesis

Submitted in Partial Fulfillment for the Degree of

M.Sc. in Environmental studies

By

Ahmed Abd Allah Ahmed Koriem

B. Sc. Zoology, Faculty of Science, 1983, University of Alexandria

Department of Environmental Studies Institute of Graduate Studies and Research University of Alexandria بسم الله الرحمن الرحيم " وجعلنا من الماء كل شيء حيى" صدي الله العظيم

Supervisors

Dr./ Aly Bassunny Okab

Associate professor of Animal physiology Department of Environmental Studies Institute of Graduate Studies and Research Alexandria University

Dr./ Afaf Mahmoud Hafez

Associate professor of Genetics
Department of Environmental Studies
Institute of Graduate Studies and Research
Alexandria University

Dr./ Sabah Gaber El-Banna

Lecturer of Biochemistry
Department of Environmental Studies
Institute of Graduate Studies and Research
Alexandria University

In the memory of my father And to my beloved family

ACKNOWLEDGEMENTS

I wish to acknowledge with sincere gratitude and appreciation the supervision of Dr./ Aly Bassunny Okab, Associate professor of Animal physiology, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, for his patience, guidance and everlasting support throughout this study.

I am truly grateful to Dr./ Afaf Mahmoud Hafez, Associate professor of Genetics, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University for her help, support and encouragement.

I wish to thank Dr./ Sabah Gaber El-Banna, Lecturer of Biochemistery, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, for her invaluable advice, help and everlasting support throughout this study.

I wish to thank Dr./ Mona Abd El-Hamid Yehia, Associate professor of Histochemistry and Cell Biology, Department of Histochemistry and Cell Biology, Medical Research Institute, Alexandria University, for her help, support and guidance in the histological and histochemical studies throughout this study.

I wish to thank Dr./ Magdy Abd El-Salam, professor of Animal Breeding, Department of Animal Production, Faculty of Agriculture, Alexandria University, for his help and guidance in the statistical analysis.

I wish to thank Prof. Dr./ Ahmed Morsi Attia, Professor of Pesticide Chemistry, Department of Environmental Studies, Institute of Graduate Studies and Research, Alexandria University, for his invaluable support and encouragement.

I sincerely thank the technicians of the laboratory of Environmental Toxicology for their ever lasting technical help.

I sincerely would like to thank my family for their complete encouraging and support.

Contents

SUBJECTS	Page
Introduction	1
Aim of the work	5
Review of literature	6
 Effect of drinking agricultural drainage water on feed and water intake 	8
• Effect of drinking agricultural drainage water on blood	O
characteristicsEffect of drinking agricultural drainage water on some	8
blood plasma biochemical parameters	10
 Effect of drinking agricultural drainage water on some hepatic microsomal parameters 	
• Effect of drinking agricultural drainage water on	14
reproductive performance of male rabbit	15
 Effect of drinking agricultural drainage water on seminal plasma constitutes 	1.5
 Organophosphate residues in liver and kidney tissues of 	17
rabbits • Effect of drinking agricultural drainage water on the	19
histopathology of testes, liver, kidney and spleen	19
 Effect of drinking agricultural drainage water on some 	
histochemical parameters	22
 Dehy trogenase enzymes 	22
Alkaline phosphatase	25
Materials and methods	26
Animals and management	26
Experimental design	27
Blood analysis	28
Blood plasma analysis	29
Semen characteristics	30
Seminal plasma analysis	31
Liver microsomal enzymes and protein	32
Determination of organophosphate residues:	33
1. Preparation of the standard solution	33
2. Extraction of pesticide residues	33
3. Clean up	34
4. Determination and recovery	34
Recovery rates of organophosphate residues from liver and	
kidney tissues of rabbits	35

Histopathological and histochemical studies	37
Statistical analysis Results and discussion	38
	39
 Chemical composition of tap and agricultural drainage water 	39
 Effect of drinking agricultural drainage water on feed and water intake 	41
 Effect of drinking agricultural drainage water on blood characteristics 	48
 Effect of drinking agricultural drainage water on blood plasma biochemical constituents 	55
 Effect of drinking agricultural drainage water on liver and kidney Functions 	
• Liver functions	62
• Kidney functions	62
Tiffeet of 1:1:	70
reproductive performance of male rabbits	
Effect of drinking agricultural drainage water on seminal	75
plasma constitutes	92
• Effect of drinking agricultural drainage water on some	
hepatic microsomal parameters	109
 Determination of organophosphate residues in liver and kidney tissues of rabbits 	
	112
• Effect of drinking agricultural drainage water on the	
histopathology of testes, liver, kidney and spleen 1. Testes	115
2. Liver	115
3. Kidney	118
4. Spleen	121
Effect of drinking agricultural drainage water on	124
histochemical changes	
1. Liver and Kidney	127
a- Lactate dehydrogenase (LDH)	127
b- Alkaline phosphatase (ALP)	127
2. The Spleen	136
a- Dehydrogenase enzymes	136
b- Oxidoreductase enzyme	139
c- Phosphatase enzymes	141
Conclusions	144
Recommendations	145
Summary	146
References	150

List of tables

Number	Page
Table 1: Recovery Percentages of pirimiphos-methyl, chlorpyriphos-methyl, fenitrothion, malathion, profenofos and diazinon from liver and kidney samples of male New-Zealand rabbits drinking agricultural drainage water.	36
Table 2: Chemical composition of tap water, drainage water and mixed water used as drinking water for New-Zealand male rabbits during the experimental period.	42
Table 3: Mean squares for the effects of treatment, weeks and their interactions on Feed Intake and Water Intake of male New-Zealand rabbits drinking agricultural drainage water during treatment period	43
Table 4: Mean squares for the effects of treatment, weeks and their interactions on Feed Intake and Water Intake of male New-Zealand rabbits drinking agricultural drainage water during recovery period.	43
Table 5: Changes in Feed Intake of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	44
Table 6: Changes in Water Intake of Male New-Zealand Drinking Agricultural Drainage Water.	45
Table 7: Mean squares for the effects of treatment, weeks and their interactions on blood WBC'S, RBC'S, PCV, Hb, MCV, MCH and MCHC of male New-Zealand rabbits drinking agricultural drainage water during treatment period.	49
Table 8: Mean squares for the effects of treatment, weeks and their interactions on blood WBC'S, RBC'S, PCV, Hb, MCV, MCH and MCHC of male New-Zealand rabbits drinking agricultural drainage water during recovery period.	49
Table 9: Changes in White Blood Cells of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	50
Table 10: Changes in Red Blood Cells of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	50
Table 11: Changes in Packed Cell Volume of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	51
Table 12: Changes in Mean Corpuscular Volume of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	51
Table 13: Changes in Mean Corpuscular Hemoglobin of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	52
Table 14: Changes in Mean Corpuscular Hemoglobin Concentration of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	52
Table 15: Changes in Hemoglobin in Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	53
Table 16: Mean squares for the effects of treatment, weeks and their interactions on blood plasma TP, Albumin, Globulin, A/G ratio,	56

agricultural dramage water during treatment period.	
Table 17: Mean squares for the effects of treatment, weeks and their interactions on blood plasma TP, Albumin, Globulin, A/G ratio,	56
TL and Cholesterol of male New-Zealand rabbits drinking	
agricultural drainage water during recovery period.	56
Table 18: Mean squares for the effects of treatment, weeks and their interactions on blood plasma Nitrite and Hydroxilamine of male	56
New-Zealand rabbits drinking agricultural drainage water during	
treatment period.	•
*	56
Table 19: Mean squares for the effects of treatment, weeks and their	56
interactions on blood plasma Nitrite and Hydroxilamine of male New-Zealand rabbits drinking agricultural drainage water during	
recovery period. Table 20: Changes in Total Protein in Blood Plasma of Male New-Zealand	57
Rabbits Drinking Agricultural Drainage Water.	31
Table 21: Changes in Albumin in Blood Plasma of Male New-Zealand	57
Rabbits Drinking Agricultural Drainage Water.	51
Table 22: Changes in Globulin in Blood Plasma of Male New-Zealand	58
Rabbits Drinking Agricultural Drainage Water.	20
Table 23: Changes in Albumin Globulin Ratio in Blood Plasma of Male	58
New-Zealand Rabbits Drinking Agricultural Drainage Water.	50
Table 24: Changes in Total Lipids in Blood Plasma of Male New-Zealand	59
Rabbits Drinking Agricultural Drainage Water.	27
Table 25: Changes in Cholesterol in Blood Plasma of Male New-Zealand	59
Rabbits Drinking Agricultural Drainage Water.	<i>J J</i>
Table 26: Changes in Nitrite in Blood Plasma of Male New-Zealand Rabbits	60
Drinking Agricultural Drainage Water.	00
Table 27: Changes in Hydroxyl Amine in Blood Plasma of Male New-	60
Zealand Rabbits Drinking Agricultural Drainage Water.	
Table 28: Mean squares for the effects of treatment, weeks and their	65
interactions on blood plasma AST, ALT, AST/ALT ratio, LDH	
and ALP of male New-Zealand rabbits drinking agricultural	
drainage water during treatment period.	
Table 29: Mean squares for the effects of treatment, weeks and their	65
interactions on blood plasma AST, ALT, AST/ALT ratio, LDH	
and ALP of male New-Zealand rabbits drinking agricultural	
drainage water during recovery period.	
Table 30: Changes in Aspartate Aminotransferase in Blood Plasma of Male	66
New-Zealand Rabbits Drinking Agricultural Drainage Water.	
Table 31: Changes in Alanine Aminotransferase in Blood Plasma of Male	66
New-Zealand Rabbits Drinking Agricultural Drainage Water.	••
Table 32: Changes in AST/ALT Ratio in Blood Plasma of Male New-	67
Zealand Rabbits Drinking Agricultural Drainage Water.	
Table 33: Changes in Lactate Dehydrogenase in Blood Plasma of Male	67
New-Zealand Rabbits Drinking Agricultural Drainage Water.	
Table 34: Changes in Alkaline Phosphatase in Blood Plasma of Male New-	68
Zealand Rabbits Drinking Agricultural Drainage Water.	7 0
Table 35: Mean squares for the effects of treatment, weeks and their	72
interactions on blood plasma Urea, Creatinine and Urea/Creat ratio	
of male New-Zealand rabbits drinking agricultural drainage water	

during treatment period.	
Table 36: Mean squares for the effects of treatment, weeks and their interactions on blood plasma Urea, Creatinine and Urea/Creat ratio of male New-Zealand rabbits drinking agricultural drainage water	72
during recovery period.	
Table 37: Changes in Urea in Blood Plasma of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	72
Table 38: Changes in Creatinine in Blood Plasma of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	73
Table 39: Changes in Urea Creatinine Ratio in Blood Plasma of Male New-	73
Zealand Rabbits Drinking Agricultural Drainage Water.	
Table 40: Mean squares for the effects of treatment, weeks and their	78 .
interactions on Sperm volume, Motility, Motile Sp./Ej., Motile	
Sp./ml, Dead Sp.%, Live Sp.% and Normal Sp.% of male New-	
Zealand rabbits drinking agricultural drainage water during	
treatment period.	
Table 41: Mean squares for the effects of treatment, weeks and their	78
interactions on Sperm volume, Motility, Motile Sp./Ej., Motile	
Sp./ml, Dead Sp.%, Live Sp.% and Normal Sp.% of male New-	
Zealand rabbits drinking agricultural drainage water during	
recovery period.	
Table 42: Mean squares for the effects of treatment, weeks and their	79
interactions on Sp./ml, Sp. Output, Alterd Acrosomes and TFSF of	
male New-Zealand rabbits drinking agricultural drainage water	
during treatment period.	
Table 43: Mean squares for the effects of treatment, weeks and their interactions on Sp./ml, Sp. Output, Alterd Acrosomes and TFSF of	79
male New-Zealand rabbits drinking agricultural drainage water	
during recovery period.	00
Table 44: Changes in Ejaculate Volume of Male New-Zealand Rabbits	80
Drinking Agricultural Drainage Water.	01
Table 45: Changes in Sperm Motility of Male New-Zealand Rabbits	81
Drinking Agricultural Drainage Water.	92
Table 46: Changes in Motile Sperm / milliliter of Male New-Zealand	82
Rabbits Drinking Agricultural Drainage Water.	02
Table 47: Changes in Motile Sperm / Ejaculate of Male New-Zealand	83
Rabbits Drinking Agricultural Drainage Water. Table 48: Changes in Sparse Concentration of Male New Zeeland Bobbits	0.1
Table 48: Changes in Sperms Concentration of Male New-Zealand Rabbits	84
Drinking Agricultural Drainage Water.	0.5
Table 49: Changes in Sperms Output of Male New-Zealand Rabbits	85
Drinking Agricultural Drainage Water.	06
Table 50: Changes in Total Dead Sperms of Male New-Zealand Rabbits	86
Drinking Agricultural Drainage Water.	87
Table 51: Changes in Abnormal Sperms/ Ejaculate of Male New-Zealand	0/
Rabbits Drinking Agricultural Drainage Water. Table 52: Changes in Altered Agreemen of Male New Zealand Robbits	88
Table 52: Changes in Altered Acrosomes of Male New-Zealand Rabbits Drinking Agricultural Drainage Water.	00
Table 53: Changes in Total Functional Sperm Fraction of Male New-	89
Zealand Rabbits Drinking Agricultural Drainage Water.	O.フ
Table 54: Mean squares for the effects of treatment, weeks and their	93
radio 5.1. Mean squares for the creeks of freatherit, weeks and their	7 .