

New trends in management of pediatric aphakia

Essay

Submitted for partial fulfillment of master degree
in ophthalmology

By

Mahmoud ElSayed ElSayed Mohamed AlKatry

(M.B.B.CH.)

Supervised by

Prof.Dr. Khaled Abd ElWahab ElTagoury

Professor of ophthalmology

Faculty of Medicine

Ain shams university

Prof. Dr. Momen Mahmoud Hamdi

Assistant Professor of ophthalmology

Faculty of Medicine

Ain shams university

Faculty Of Medicine

Ain Shams University

Cairo

2018



Acknowledgement

First and foremost thanks to **ALLAH**

All my appreciation, utmost respect to **Prof. Khaled Abd**

ELWahab ELTagoury Professor of Ophthalmology

Faculty of Medicine, Ain shams University for his kind
supervision and fruitful suggestions.

I also would like to express my special thanks and
gratitude to

Dr. Momen Mahmoud Hamdi Assistant Professor of
ophthalmology Faculty of Medicine, Ain shams University
for his patience, meticulous supervision and unlimited
willingness for guiding.

Lastly, I wish to extend my sincere thanks to all,
staff of ophthalmology department, Faculty of Medicine,
Ain shams University

And

my colleagues who have continued to support me
spiritually and provide valuable advice to
guide me to the correct path throughout this study.



Mahmoud ElBayed ElBayed AlQatari



Contents

SUBJECT	Page
LIST OF ABBREVIATIONS	ii
LIST OF TABLES	V
LIST OF FIGURES	vi
INTRODUCTION	1
AIM OF THE ESSAY	4
Chapter 1: Pediatric cataract	5
Chapter 2 :Pediatric aphakia	21
Chapter 3: Comparative studies for pediatric aphakia treatment	67
Chapter 4: Future Perspectives	72
SUMMARY	83
REFERENCES	85
ARABIC SUMMARY	1

List of Abbreviations

AAPOS	American Association for Pediatric Ophthalmology and Strabismus
ACIOL	Anterior Chamber Intra Ocular Lens
ACD	Anterior Chamber Depth
AL	Axial Length
ARC	Abnormal Retinal Correspondence
BIL	Bag-In-The-Lens
BSV	Binocular Stereoscopic Vision
CCC	Continuous Curvilinear Capsulorhexis
CL	Contact Lens
CTR	Capsular Tension Ring
Dsph	Diopter sphere
EUA	Examination Under Anesthesia
FDA	Food & Drug Administration
IATS	Infant Aphakia Treatment Study
IFIOL	iris-fixated (claw) intraocular lens

IOL	Intra Ocular Lens
IOP	Intra Ocular Pressure
LEC	Lens Epithelial Cells
OVD	Ophthalmic Viscoelastic Devices
PCIOL	Posterior Chamber Intra Ocular Lens
PCO	Posterior Capsular Opacification
PFV	Persistent Fetal Vasculature
PMMA	Poly Methyl Methacrylate
RGP	Rigid Gas Permeable
ROP	Retinopathy Of Prematurity
SFIOL	Scleral Fixation Intra Ocular Lens
SRK II	new Sanders-Retzlaff-Kraff formula
SRK/T	Theoretical Sanders-Retzlaff-Kraff formula
TORCH	Toxoplasmosis, Rubella, Cytomegalovirus, Herpes simplex

TORCHS	Toxoplasmosis, Rubella, Cytomegalovirus, Herpes simplex, Syphilis
UV	Ultraviolet rays
U/S	Ultra Sound
VA	Visual Acuity
VAO	Visual Axis Opacification
VEP	Visual Evoked Potential

List of Tables

No.	Title	Page
Table (1)	Types of aphakic glasses for pediatric aphakia	24
Table (2)	Average power needed for the aphakic eye	32
Table (3)	Recommendations for IOL calculations from different studies	55
Table (4)	Advantages and disadvantages of different IOL strategies	56
Table (5)	Age at cataract surgery & residual refraction recommendations	57

List of Figures

No	Title	Page
Fig. (1)	Total cataract with central anterior capsular plaque	12
Fig. (2)	Visually significant cataract	12
Fig. (3)	Oil-droplet cataract	13
Fig. (4)	Zonular cataract	14
Fig. (5)	Child with aphakic glasses	25
Fig. (6)	RGP lens application in the aphakic child	28
Fig. (7)	IOLs classified by haptic design.	40
Fig. (8)	Posterior chamber IOLs	41
Fig. (9)	Foldable acrylic three piece (modified haptics)	41
Fig. (10)	(A) IFIOL (claw) & (B) Postoperative round pupil	42
Fig. (11)	Post-operative iris claw	43
Fig. (12)	View of iris claw in dilated pupil	43
Fig. (13)	Clear visual axis in these eyes where primary posterior capsulorhexis has been performed	46
Fig. (14)	Left image- Alcon SA 60 AT [®] single piece endocapsular implantation of IOL with a good anterior curvilinear capsulorhexis. Right image	65

	shows Sensor optiedge® (three piece hydrophobic acrylic) IOL in the capsular bag with clear visual axis.	
Fig. (15)	Prolene sutures for each haptic are tied, allowing the knot to slide under the roof of the scleral pocket	47
Fig. (16)	Optic capture of IOL	60
Fig. (17)	pigment dispersion, pupillary capture, posterior synechiae	62
Fig. (18)	Posterior capsular opacification	63
Fig. (19)	Patch therapy in amblyopia	65
Fig. (20)	BIL intraocular lens	74
Fig. (21)	BIL intraocular lens implantation in pediatric eye	74
Fig. (22)	Anterior (diameter 4.6 mm [blue arrow]) and posterior (diameter 4.5 mm [red arrow]) circular capsulotomies performed by the femtosecond laser	75
Fig. (23)	The mechanically adjustable posterior chamber intraocular lens in vitro and intraocular lens optic manipulators	79
Fig. (24)	A, Unadjusted posterior chamber intraocular lens. B, Adjusted posterior chamber intraocular lens after the optic has been moved (green arrow) in relation to the plane of the haptic (yellow arrows)	80
Fig. (25)	Aspect of an eye 9 months after implantation of the adjustable posterior chamber intraocular lens. The adjustment element can be seen after pupil dilatation	80

Introduction

