



Identification of Bagasse degrading gene(s) in cellulolytic micro-organisms

Thesis

Submitted for Partial Fulfilment of Master Degree in Microbiology

By

Mustafa Fathy Mustafa El-Bakary

B.Sc. (Microbiology, 2010)
Researching Assistant
Agricultural Genetic Engineering Research Institute (AGERI)
Agricultural Research Center (ARC)

Supervisors

Dr. Khaled Zakaria El Baghdady

Associate Professor of Microbiology Microbiology Department, Faculty of Science Ain Shams University

Dr. Amr Mohamed Ageez

Associate Professor of Molecular Biology Agricultural Genetic Engineering Research Institute (AGERI) Agricultural Research Center (ARC)

> Microbiology Department Faculty of Science Ain Shams University 2019





Approval Sheet

Name: Mustafa Fathy Mustafa El-Bakary

Title: Identification of Bagasse degrading gene(s) in

cellulolytic micro-organisms

Super visors

Dr. Khaled Zakaria El Baghdady

Associate Professor of Microbiology, Microbiology Department Faculty of Science, Ain Shams University.

Dr. Amr Mohamed Ageez

Associate Professor of Molecular Biology, Agricultural Genetic Engineering Research Institute (AGERI), Agricultural Research Center (ARC).

Examination committee

Prof. Yehia Abd-El Monem Othman

Professor of Microbial Genetics, Botany Department, Faculty of Science, Mansoura University.

Prof. Heba Abd-El Monem El-Refaay

Professor of Chemistry of Natural and Microbial Products, National Research Center.

Dr. Khaled Zakaria El Baghdady

Associate Professor of Microbiology, Microbiology Department Faculty of Science, Ain Shams University.

Dr. Amr Mohamed Ageez

Associate Professor of Molecular Biology, Agricultural Genetic Engineering Research Institute (AGERI), Agricultural Research Center (ARC).

Date 22/ 1/2019 Approval date / /2019

University council approved / /

Declaration

This dissertation has not been previously submitted for any degree at this or at any other university

Mustafa Fathy Mustafa El-Bakary

Acknowledgements

Firstly, I would like to thank **Allah** for helping me to complete the present thesis.

I do not have the words to express my respectful to **Dr. Khaled Zakaria El Baghdady**, Associate Professor of Microbiology department, Faculty of science, Ain shams university, for his helping, encouragement, cooperation and valuable advices in each step of this thesis. I'm proud to be one of his students.

I am gratefully and sincerely thankful to my dear supervisor Dr. Amr Mohamed Ageez, Associate Professor, Genomics, Proteomics and Bioinformatics Facility, Agricultural genetic engineering institute, Agricultural research center, for his help, continuous support, valuable instructions and providing all requirements for the practical work, guidance from the start of the work. He is always patient and the best supervisor. I'm really proud to be one of his students.

I would like to pay thanks to all staff members of microbiology department, Ain Shams University for their sincere help and support.

A deep thanks to my colleagues, **Dr. Sameh**Haikal, **Dr. Fayrouz Hassan**, **Mr. Akram Hassan**and **Mrs. Abeer Muhamed** in Microbial Genetic
Resources Department, National Gene Bank, Agricultural
research center for their continuous helping.

I can't forget to thank my colleagues, Mrs. Lamis Muhamed and Mrs. Nourhan Fouad, Assistant researchers, Agricultural Genetic Engineering Institute, Agricultural research center, and Mr. Muhammad Farag, Assistant Lecturer, Botany Department, Faculty of Science, Ain Shams University for their helping and encouragement.

My deep appreciation goes to my whole family especially my Dears Mother, Father and sister for their continuous prayers, support and for everything they have done for me.

Finally, very especial thanks to My Wife, Hajar who has stood by me through my study and for her constant support and prayers; till the thesis was completed.

List of Contents

Subject	Page No.
List of Abbreviation	2 (00
List of tables	
List of figures	
Abstract	
Introduction	1
Aim of work	4
1. Literature Review	5
1.1 Fossil fuels and their impacts	5
1.2 Agricultural wastes	5
1.3 Biofuel and agricultural wastes	7
1.4 Sugarcane bagasse (as agricultural waste)	9
1.4.1 Cellulose	12
1.4.2 Hemicellulose	14
1.4.3 Lignin	15
1.5 Pretreatment of lignocellulosic materials	16
1.5.1 Physical pretreatment	19
1.5.2 Chemical pretreatment	20
1.5.3 Physico-chemical pretreatment	22
1.5.4 Biological pretreatment	23
1.6 Cellulolytic microorganisms and its role in	24
degradation of Agricultural wastes	

1.6.1 Bacteria	25
1.6.2 Actinobacteria	26
1.6.3 Fungi	27
1.7 Enzyme sets for Biodegradation of plant	28
cellulose	
1.7.1 Exoglucanases (FPase)	28
1.7.2 Endoglucanases (CMCase)	29
1.7.3 β-glucosidases	30
1.8 Endoglucanase genes in cellulose degrading	31
microorganisms	
2 Materials and Methods	33
2.1 Materials	33
2.1.1 Samples	33
2.1.2 Microbial isolates	34
2.1.3 Culture media	34
2.1.4 Reagents, buffers and chemicals	39
2.2 Methods	44
2.2.1 Samples preparation for microbial isolation	44
2.2.2 Preliminary (qualitative) determination of	45
cellulase activity for isolated microorganisms	
2.2.3 Quantitatively determination of cellulase	45
activity of isolated microorganisms	
2.2.3.1 Pretreatment of sugarcane bagasse	45
2.2.3.2 Cellulase production from isolated	46

cellulolytic microorganisms	
2.2.3.3 Enzymes Assays of isolated cellulolytic	46
microorganisms	
2.2.3.3.1 Exoglucanase assay (FPase assay)	47
2.2.3.3.2 Endoglucanase assay (CMCase assay)	48
2.2.4 Optimization of cultivation conditions of the	49
potent isolates	
2.2.4.1 Optimization of incubating temperature	49
2.2.4.2 Optimization of incubating time	50
2.2.4.3 Induction strength of cellulase production by	50
different carbon sources	
2.2.5 Genomic DNA extraction of the potent	50
isolates	
2.2.6 Polymerase chain reaction (PCR)	51
2.2.6.1 16S rRNA gene amplification from the	51
potent bacterial and actinobacterial isolates	
2.2.6.2 18S rRNA gene and ITS region	52
amplifications from the potent fungal isolate	
2.2.6.3 Endoglucanase gene of the potent bacterial	52
isolate	
2.2.6.4 Endoglucanase gene of the potent	53
actinobacterial isolate	
2.2.6.5 Endoglucanase gene of the potent fungal	53
isolate	

2.2.7 DNA sequencing	55
3.9. Phylogenetic analysis	55
3 Results	56
3.1 Isolation of microorganisms from different	56
sources	
3.2 Preliminary (qualitative) determination of	57
cellulase activity for isolated microorganisms	
3.3 Quantitatively determination of cellulase	61
activity of isolated microorganisms	
3.3.1 Exoglucanase assay (FPase assay)	61
3.3.2 Endoglucanase assay (CMCase assay)	64
3.4 Optimization of growth conditions for	68
cellulolytic enzymes production	
3.4.1 Effect of incubating temperature	68
3.4.2 Effect of incubating time	71
3.5 Cellulase production using different cellulose	74
sources	
3.6 Identification of the potent isolates	77
3.7 Phylogenetic trees of identified isolates	83
3.7.1 Phylogenetic tree of PB1 and TA1 isolates	83
3.7.2 Phylogenetic tree of S4 isolate	86
3.8 Identification of endoglucanase gene	88
3.8.1 Phylogenatic tree of glu gene from <i>Bacillus</i>	91
pumilus	

3.8.2 Phylogenetic tree of eglS gene of	92
Streptomyces rochei	
3.8.3 Phylogenetic tree of eglb gene of Aspergillus	93
flavus	
5 Discussion	95
Summary	102
Conclusion	104
References	105
الملخص	121
المستخلص	123

List of Tables

Гable No.	Title	Page No.
1	Chemical composition of common	7
	lignocellulosic residues and wastes	
2	List of fungal species used in the biological	24
	pretreatment of agricultural wastes	
3	Sampling sources	33
4	primers list which were used in this study	54
5	Sources and numbers of selected microbial	56
	isolates	
6	Diameter of clear zone of cellulolytic selected	57
	microbial isolates	
6	Exoglucanase (FPase) activities of microbial	62
	isolates grown on SCB as sole carbon source	
8	Endoglucanase (CMCase) activity of microbial	64
	isolates using SCB as sole carbon source	
9	FPase and CMCase activity of the potent	67
	isolates	
10	FPase activities during incubating temperature	69
	optimization of the potent isolates	
11	CMCase activities during incubating	70
	temperature optimization of the potent isolates	

12	FPase activities at different incubation time	72
13	CMCase activities during incubating time	73
	optimization of the potent isolates	
14	Comparison of FPase activity between using	75
	SCB versus CMC as sole carbon source	
15	Comparison of CMCase activity between using	76
	SCB versus CMC as sole carbon source	

List of Figures

Figure	TO LA	Page
No.	Title	No.
1	Estimated renewable share of total energy	6
	consumption, 2016	
2	Sugarcane wastes during industrial processes	11
3	Structure and components of lignocellulose of	13
	agricultural waste	
4	Diagram shows the structure of crystalline and	14
	amorphous regions of cellulose	
5	Pretreatment of lignocellulosic materials for	16
	biofuel production	
6	Steps of cellulose and hemicellulose conversion	31
	into simple sugars	
7	Standard curve of glucose	41
8	Cellulolytic activities of selected microbial	60
	isolates on CMC agar medium. Clear zones	
	indicated cellulolytic activities	
9	FPase and CMCase activity of the potent isolates	67
10	FPase activities during incubating temperature	69
	optimization of the potent isolates	
11	CMCase activities during incubating temperature	70

	optimization of the potent isolates	
12	FPase activities during incubating time	72
	optimization of the potent isolates	
13	CMCase activities during incubating time	73
	optimization of the potent isolates	
14	Comparison between FPase activity between	75
	using SCB versus CMC as sole carbon source	
15	Comparison of CMCase activity between using	76
	SCB versus CMC as sole carbon source	
16	PCR amplification of identifying gene	78
17	Phylogenetic tree of bacterial isolate PB1 and	85
	actinobacterial TA1	
18	Phylogenetic tree of isolate S4 based on 18S	87
	rRNA nucleotide sequence	
19	Phylogenetic tree of isolate S4 based on ITS	88
	region	
20	PCR amplification of Endoglucanase gene of the	89
	potent isolates	
21	Phylogenetic tree based on amino acid sequence	92
	of glu gene using MEGA 7	
22	Phylogenetic tree based on amino acid sequence	93
	of eglS gene using MEGA 7	
23	Phylogenetic tree based on amino acid sequence	94
	of eglb gene using MEGA 7	